GIGABYTE X870E AORUS PRO emaplaat AMD X870E Protsessoripesa AM5 ATX

Brand : GIGABYTE

Product code: X870E AORUS PRO

Product name : X870E AORUS PRO

GIGABYTE X870E AORUS PRO. Protsessori tootja: AMD, Protsessori pesa: Protsessoripesa AM5, Ühilduvad protsessoriseeriad: AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series. Toetatud mälutüübid: DDR5-SDRAM, Maksimaalne sisemälu: 256 GB, Mälupesa tüüp: DIMM. Kõvaketta ühenduse tüüp: M.2, SATA III, Toetatud ketaste tüübid: HDD & SSD, RAID-tasemed: 0, 1, 10. Ethernet-liidese tüüp: 2.5 Gigabit Ethernet, LAN-kontroller: Realtek RTL8125, Wi-Fi standard: Wi-Fi 7 (802.11be). Komponent: PC, Emaplaadi kujutegur: ATX, Emaplaadi kiibistik: AMD





Processor			Network	
Processor manufacturer *		AMD	LAN controller	Realtek RTL8125
Processor socket *		Socket AM5	Wi-Fi *	1
Compatible processor series *		AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series	Top Wi-Fi standard Wi-Fi standards	Wi-Fi 7 (802.11be) Wi-Fi 7 (802.11be)
Supported processor sockets		Socket AM5	WLAN controller model	Qualcomm QCNCM865
Maximum internal memory supported by processor		256 GB	Bluetooth Bluetooth version	✓ 5.3
Memory			Features	
Supported memory types * Number of memory slots * Memory slots type Memory channels ECC compatibility Supported memory clock speed (max) Maximum internal memory * Supported memory module capacities Unbuffered memory Maximum internal memory per slot Storage controllers	MHz 8200 MHz 256 GB 1GB, 2GB, 4GB, 8	6000,6400,6600,6666,6800,7000,7200,7800,8000,8200 3GB, 12GB, 24GB, 32GB	Motherboard chipset * Audio chip Audio output channels * Product colour PC health monitoring Component for * Motherboard form factor * Motherboard chipset family * Windows operating systems supported	AMD X870E Realtek ALC1220 7.1 channels Black Fan, Temperature, Voltage PC ATX AMD Windows 11 x64
Supported storage drive	types	HDD & SSD	Expansion slots	
Supported storage drive Number of HDDs suppor Number of storage drive RAID support RAID levels	ted	4	PCI Express x4 slots PCI Express x16 (Gen 3.x) slots PCI Express x16 (Gen 4.x) slots PCI Express x16 (Gen 5.x) slots Number of M.2 (M) slots	2 1 1 1 4
Graphics			1st M.2 largest key size	25110
Parallel processing technology		Not supported	1st M.2 highest PCI Express generation	5.0
On-board graphics card		×	2nd M.2 largest key size	22110

Graphics		Expansion slots	
DirectX version	12.0	2nd M.2 highest PCI Express generation	5.0
Internal I/O		3rd M.2 largest key size	22110
USB 2.0 connectors * USB 3.2 Gen 1 (3.1 Gen 1)	2	3rd M.2 highest PCI Express generation	5.0
connectors *	2	4th M.2 largest key size	22110
USB 3.2 Gen 2x2 connectors	1	4th M.2 highest PCI Express	4.0
Number of SATA III connectors *	4	generation	
Front panel audio connector		BIOS	
Front panel connector		BIOS type *	UEFI AMI
ATX Power connector (24-pin)	1	BIOS memory size	256 Mbit
CPU fan connector	1	ACPI version	5.0
Number of CPU fan connectors	2	Clear CMOS jumper	✓
Number of chassis fan connectors	6	Clear CMOS button	 Image: A start of the start of
EPS power connector (8-pin) Number of EPS power connectors	1	Desktop Management Interface (DMI) version	2.7
(8-pin) TPM connector	1	System Management BIOS (SMBIOS) version	2.7
Number of water pump connectors	2	Logistics data	
RGB LED pin header	2 V	Country of origin	China
Number of RGB LED pin headers	4	Products per shipping (inner) case	1 pc(s)
Rear panel I/O ports		Battery	
	2		2 -
USB 2.0 ports quantity * USB 3.2 Gen 1 (3.1 Gen 1) Type-A	2	Battery weight Lithium weight per battery	3 g 0.07 g
ports quantity *	4	Number of battery cells	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	2 2 1	Battery technology	- Lithium-Manganese Dioxide (LiMnO2)
USB4 Gen 2x2 ports quantity		Battery type	CR2032
Ethernet LAN (RJ-45) ports *		Packaging data	
HDMI ports quantity *	1		245 mm
HDMI version	2.1	Package width Package depth	345 mm 294 mm
DisplayPort version	1.4	Package height	80 mm
Headphone outputs	1	Package weight	2.74 kg
Microphone in		Weight & dimensions	-
S/PDIF out port WiFi-AP antenna jack	2	Width	305 mm
	2	Depth	244 mm
Network		Height	35 mm
Ethernet LAN Ethernet interface type	2.5 Gigabit Ethernet	Packaging content	
Enternet internate type		Batteries included	1
		Antenna included	1
		Screws included	
		Bundled software	- Norton® Internet Security (OEM version) LAN bandwidth management software
			J

Other features

Technical details Warranty period 2.4 kg

3 year(s)

Weight



4719331864866

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.