



LG 24GS60F-B PC lamekuvar 61 cm (24") 1920 x 1080 pikslit Full HD Must

Brand : LG

Product code: 24GS60F-B

Product name : 24GS60F-B

LG 24GS60F-B. Ekraani diagonaal: 61 cm (24"), Ekraani resolutsioon: 1920 x 1080 pikslit, HD tüüp: Full HD, Reaktsiooniaeg: 1 ms, Loomulik kuvasuhe: 16:9, Vaatenurk, horisontaalne: 178°, Vaatenurk, vertikaalne: 178°. VESA paigaldamine. Toote värv: Must



Display		Ports & interfaces	
Display diagonal *	61 cm (24")	DisplayPorts quantity	1
Display resolution *	1920 x 1080 pixels	DisplayPort version	1.4
HD type *	Full HD	Headphone out *	✓
Native aspect ratio *	16:9	HDCP	✓
Panel type *	IPS	HDCP version	2.2
Touchscreen *	✗	DC-in jack	✓
Display brightness (typical)	300 cd/m²	Ergonomics	
Response time *	1 ms	VESA mounting *	✓
Screen shape *	Flat	Panel mounting interface	100 x 100 mm
Contrast ratio (typical) *	1000:1	Height adjustment *	✗
Maximum refresh rate *	180 Hz	Tilt adjustment	✓
Viewing angle, horizontal	178°	On Screen Display (OSD)	✓
Viewing angle, vertical	178°	Plug and Play	✓
Display number of colours *	16.7 million colours	Power	
Pixel pitch	0.2745 x 0.2745 mm	Power consumption (typical) *	27 W
Pixel density	93 ppi	Power consumption (standby) *	0.5 W
Display diagonal (metric)	60.9 cm	Power consumption (off)	0.3 W
High Dynamic Range (HDR) supported	✓	AC input voltage	100 - 240 V
High Dynamic Range (HDR) technology	HDR Effect, High Dynamic Range 10 (HDR10)	AC input frequency	50/60 Hz
sRGB coverage (typical)	99%	Weight & dimensions	
Performance		Width (with stand)	540.8 mm
NVIDIA G-SYNC *	✓	Depth (with stand)	180.5 mm
NVIDIA G-SYNC type	G-SYNC Compatible	Height (with stand)	408.9 mm
AMD FreeSync *	✓	Weight (with stand)	4 kg
AMD FreeSync type	FreeSync	Width (without stand)	540.8 mm
Flicker-free technology	✓	Depth (without stand)	42.8 mm
Smart modes	Energy saving	Height (without stand)	323.8 mm
Multimedia		Weight (without stand)	3.5 kg
Built-in speaker(s) *	✗	Packaging data	
Built-in camera *	✗	Package width	613 mm
Design		Package depth	396 mm
Product colour *	Black	Package height	149 mm
		Package weight	5.2 kg

Design		Packaging data	
Feet colour	Black	Package type	Box
Ports & interfaces		Packaging content	
Built-in USB hub *	✗	Stand included	✓
HDMI *	✓	Cables included	DisplayPort
HDMI ports quantity	1	Other features	
HDMI version	2.0	Brand specific technologies	Black Stabilizer, Crosshair
		FPS counter	✓

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 03-JAN-2025. Prints or copies of Information are only valid on the printed Publication date