




## HP E27 G5 FHD Monitor PC lamekuvar 68,6 cm (27") 1920 x 1080 pikslit Full HD LCD Must

Brand : HP

Product code: 6N4E2AA

Product name : E27 G5 FHD Monitor

HP E27 G5 FHD Monitor. Ekraani diagonaal: 68,6 cm (27"), Ekraani resolutsioon: 1920 x 1080 pikslit, HD tüüp: Full HD, Ekraani tehnoloogia: LCD, Ekraani pind: Matt, Reaktsiooniaeg: 5 ms, Loomulik kuvasuhe: 16:9, Vaatenurk, horisontaalne: 178°, Vaatenurk, vertikaalne: 178°. Sisseehitatud USB-jaotur, USB-jaoturi versioon: 3.2 Gen 1 (3.1 Gen 1). VESA paigaldamine, Kõrguse reguleerimine. Toote värv: Must



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	On Screen Display (OSD)	✓
Display resolution *	1920 x 1080 pixels	<b>Power</b>	
HD type *	Full HD	Energy efficiency class (HDR) *	D
Native aspect ratio *	16:9	Power consumption (typical) *	30 W
Display technology *	LCD	Power consumption (standby) *	0.5 W
Panel type *	IPS	Power consumption (max)	50 W
Touchscreen *	✗	AC input voltage	100 - 240 V
Display brightness (peak)	300 cd/m <sup>2</sup>	AC input frequency	50/60 Hz
Display brightness (typical)	300 cd/m <sup>2</sup>	Power supply type	Internal
Response time *	5 ms	European Product Registry for Energy Labelling (EPREL) code	1372212
Display surface	Matt	<b>Operational conditions</b>	
Anti-glare screen	✓	Operating temperature (T-T)	5 - 35 °C
Screen shape *	Flat	Operating relative humidity (H-H)	5 - 95%
Supported graphics resolutions	1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800, 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA)	Storage relative humidity (H-H)	20 - 80%
	Aspect ratio	16:9	<b>Weight &amp; dimensions</b>
Contrast ratio (typical) *	1000:1	Width (with stand)	612 mm
Contrast ratio (dynamic)	8000000:1	Depth (with stand)	227 mm
Maximum refresh rate *	75 Hz	Height (with stand)	546 mm
Viewing angle, horizontal	178°	Weight (with stand)	6.96 kg
Viewing angle, vertical	178°	Width (without stand)	611.7 mm
Display number of colours *	16.7 million colours	Depth (without stand)	46.4 mm
Pixel pitch	0.31 x 0.31 mm	Height (without stand)	363.3 mm
Pixel density	82 ppi	<b>Packaging data</b>	
Horizontal scan range	30 - 85 kHz	Package width	699 mm
Vertical scan range	50 - 75 Hz	Package depth	160 mm
Viewable size, horizontal	59.8 cm	Package height	446 mm
Viewable size, vertical	33.6 cm	Package weight	10.9 kg
Display diagonal (metric)	68.6 cm	Package type	Box
Surface hardness	3H		


<b>Display</b>		<b>Packaging content</b>	
Colour depth	8 bit	Stand included	✓
Colour gamut standard	sRGB	Cables included	AC, DisplayPort, HDMI, USB Type-A to USB Type-B
Colour gamut	99%	Quick start guide	✓
sRGB coverage (typical)	99%	Bundled software	HP Display Center; HP Display Manager
<b>Performance</b>		<b>Sustainability</b>	
Flicker-free technology	✓	Sustainability certificates	ENERGY STAR
Low Blue Light technology	✓	Sustainable technologies and materials	Low Halogen; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; Contains ocean-bound recycled plastic; 85% ITE-derived closed loop plastic; At least 25% recycled metal
HP segment	Business		
<b>Multimedia</b>		<b>Carbon footprint</b>	
Built-in speaker(s) *	✗	Total carbon footprint (kg of CO2e)	230
Built-in camera *	✗	Carbon emissions, manufacturing (kg of CO2e)	140
<b>Design</b>		Carbon emissions, logistics (kg of CO2e)	3
Market positioning *	Business	Carbon emissions, end-of-life (kg of CO2e)	3
Product colour *	Black	Total carbon emissions, w/o use phase (kg of CO2e)	85
Detachable stand	✓	<b>Other features</b>	
<b>Ports &amp; interfaces</b>		Country of origin	China
Built-in USB hub *	✓	UNSPSC-code	43211902
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Weight	6.96 kg
USB upstream port type	USB Type-B	Compliance certificates	BIS, BSMI, CB, CCC, CE, CECP, CEL, EAC, Federal Communications Commission (FCC), KCC, Norma Oficial Mexicana (NOM), PSE, VCCI, WEEE, cTUVus
USB Type-A downstream ports quantity	4		
HDMI *	✓	Certification	Australian-New Zealand MEPS; BIS; BSMI; CB; CCC; CE; CECP; CEL; cTUVus; EAC; FCC; ISO 9241-307; KC/KCC; Korea MEPS (E-standby); NOM; PSB; SEPA; TUV-S; VCCI; Vietnam MEPS; WEEE; ISC; ICE; UAE; TGM; Ukraine certificates; NRCS; PSE; Hardware low blue light; GS; CEL Grade 2
HDMI ports quantity	1		
HDMI version	1.4	<b>Brand-specific features</b>	
DisplayPorts quantity	1	HP GTIN (EAN/UPC) with options	(ABB) 196786297373; (ABU) 196786297403
DisplayPort version	1.2	HP GTIN (EAN/UPC)	196786297373, 196786297403
HDCP	✓	<b>Technical details</b>	
<b>Ergonomics</b>		General Product Safety Regulation (GPSR) URL <a href="https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true">https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true</a>	
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Height adjustment *	✓		
Adjustable height (max)	15 cm		
Pivot	✓		
Pivot angle	-90 - 90°		
Swivelling	✓		
Swivel angle range	-45 - 45°		
Tilt adjustment	✓		
Tilt angle range	-5 - 20°		



0196786297304




196786297304




0196786297519




196786297519




0196786297328



196786297328



0196786297335



196786297335



0196786297342




196786297342



0196786297359



196786297359



0196786297366




196786297366




0196786297311




196786297311




0196786297380



196786297380



0196786297397



196786297397



0196786297403



196786297403



0196786297410




196786297410



0196786297427



196786297427




0196786297434



196786297434




0196786297441



196786297441



0196786297458



196786297458



0196786297465




196786297465



0196786297472



196786297472



0196786297489




196786297489



0196786297496



196786297496



0196786297502



196786297502



4573595800615

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.