




## HP E27u G5 QHD USB-C Monitor PC lamekuvar 68,6 cm (27") 2560 x 1440 pikslit Quad HD LCD Must

**Brand :** HP

**Product code:** 6N4D3AA#ABB

**Product name :** E27u G5 QHD USB-C Monitor

HP E27u G5 QHD USB-C Monitor. Ekraani diagonaal: 68,6 cm (27"), Ekraani resolutsioon: 2560 x 1440 pikslit, HD tüüp: Quad HD, Ekraani tehnoloogia: LCD, Ekraani pind: Matt, Reaktsiooniaeg: 5 ms, Loomulik kuvasuhe: 16:9, Vaatenurk, horisontaalne: 178°, Vaatenurk, vertikaalne: 178°. Sisesehitatud USB-jaotur, USB-jaoturi versioon: 3.2 Gen 1 (3.1 Gen 1). VESA paigaldamine, Kõrguse reguleerimine. Toote värv: Must



Display		Ergonomics	
Display diagonal *	68.6 cm (27")	Swivelling	✓
Display resolution *	2560 x 1440 pixels	Swivel angle range	-45 - 45°
HD type *	Quad HD	Tilt adjustment	✓
Native aspect ratio *	16:9	Tilt angle range	-5 - 20°
Display technology *	LCD	On Screen Display (OSD)	✓
Panel type *	IPS		
Backlight type	Edge LED	Power	
Touchscreen *	✗	Energy efficiency class (SDR) *	F
Display brightness (typical)	350 cd/m <sup>2</sup>	Energy efficiency class (HDR) *	F
Response time *	5 ms	Power consumption (typical) *	34.5 W
Display surface	Matt	Power consumption (standby) *	0.5 W
Anti-glare screen	✓	Power consumption (max)	160 W
Screen shape *	Flat	AC input voltage	100 - 240 V
	1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1440 x 900 (WXGA+), 1600 x 900, 1680 x 1050 (WSXGA+), 1680 x 1200, 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 2560 x 1440, 640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA)	AC input frequency	50/60 Hz
Supported graphics resolutions		Power supply type	Internal
Aspect ratio	16:9	European Product Registry for Energy Labelling (EPREL) code	1400357
Contrast ratio (typical) *	1000:1	Operational conditions	
Contrast ratio (dynamic)	8000000:1	Operating temperature (T-T)	5 - 35 °C
Maximum refresh rate *	75 Hz	Operating relative humidity (H-H)	5 - 95%
Viewing angle, horizontal	178°	Storage relative humidity (H-H)	20 - 80%
Viewing angle, vertical	178°	Weight & dimensions	
Display number of colours *	16.7 million colours	Width (with stand)	613.4 mm
Pixel pitch	0.23 x 0.23 mm	Depth (with stand)	168.5 mm
Pixel density	109 ppi	Height (with stand)	544.7 mm
Horizontal scan range	30 - 120 kHz	Weight (with stand)	7.2 kg
Vertical scan range	50 - 75 Hz	Width (without stand)	613.4 mm
Viewable size, horizontal	59.7 cm	Depth (without stand)	74.7 mm
Viewable size, vertical	33.6 cm	Height (without stand)	364.6 mm
		Packaging data	
		Package width	699 mm
		Package depth	160 mm

<b>Display</b>		<b>Packaging data</b>	
Display diagonal (metric)	68.6 cm	Package height	446 mm
Surface hardness	3H	Package weight	9.7 kg
Colour depth	8 bit	Package type	Box
Colour gamut standard	sRGB	<b>Packaging content</b>	
Colour gamut	99%	Stand included	✓
sRGB coverage (typical)	99%	Cables included	AC, USB Type-C to USB Type-C
<b>Performance</b>		Quick start guide	✓
NVIDIA G-SYNC *	✗	Bundled software	HP Display Center; HP Display Manager
AMD FreeSync *	✗	<b>Sustainability</b>	
Flicker-free technology	✓	Sustainability certificates	ENERGY STAR
Low Blue Light technology	✓	Sustainable technologies and materials	Low Halogen; Molded paper pulp cushion inside box is 100% sustainably sourced and recyclable; Outside box and corrugated cushions are 100% sustainably sourced and recyclable; Contains ocean-bound recycled plastic; 80% ITE-derived closed loop plastic; At least 30% recycled metal
HP segment	Business	<b>Carbon footprint</b>	
<b>Multimedia</b>		Total carbon footprint (kg of CO2e)	240
Built-in speaker(s) *	✗	Carbon emissions, manufacturing (kg of CO2e)	141
Built-in camera *	✗	Carbon emissions, logistics (kg of CO2e)	3
<b>Design</b>		Carbon emissions, end-of-life (kg of CO2e)	3
Market positioning *	Business	Total carbon emissions, w/o use phase (kg of CO2e)	96
Product colour *	Black	<b>Other features</b>	
Detachable stand	✓	Country of origin	China
<b>Ports &amp; interfaces</b>		UNSPSC-code	43211902
Built-in USB hub *	✓	RJ-45 ports quantity	1
USB hub version	3.2 Gen 1 (3.1 Gen 1)	Weight	7.2 kg
USB upstream port type	USB Type-C	Compliance certificates	BIS, BSMI, CB, CCC, CE, CECP, CEL, EAC, Federal Communications Commission (FCC), KCC, Norma Oficial Mexicana (NOM), PSE, VCCI, WEEE, cTUVus
Number of USB Type-C upstream ports quantity	1	Ethernet LAN (RJ-45) ports	1
USB Type-A downstream ports quantity	3	Certification	BIS; BSMI; CB; CCC; CE; CECP; CEL; cTUVus; EAC; FCC; ISO 9241-307; KC/KCC; Korea MEPS (E-standby); NOM; PSB; SEPA; TUV-S; VCCI; WEEE; ISC; ICE; UAE; TGM; Ukraine certificates; NRCS; PSE; GS; Ukraine EE; TÜV Low Blue Light Hardware Solution certified; Works with Chromebook certified; CEL Grade 2
USB Type-C downstream ports quantity	1	<b>Brand-specific features</b>	
USB Type-C DisplayPort Alternate Mode	✓	HP GTIN (EAN/UPC) with options	(ABB) 196786295973; (ABU) 196786296000
USB Power Delivery (USB PD)	✓	HP GTIN (EAN/UPC)	196786295973, 196786296000
USB Power Delivery up to	65 W	<b>Technical details</b>	
HDMI *	✓	General Product Safety Regulation (GPSR) URL	<a href="https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true">https://support.hp.com/us-en/document/ish_6126692-6126777-16?openCLC=true</a>
HDMI ports quantity	1		
HDMI version	1.4		
DisplayPorts quantity	1		
DisplayPort version	1.2		
Headphone out *	✗		
<b>Network</b>			
Ethernet LAN	✓		
Remotely operated	✓		
<b>Ergonomics</b>			
VESA mounting *	✓		
Panel mounting interface	100 x 100 mm		
Cable lock slot *	✓		
Height adjustment *	✓		
Adjustable height (max)	15 cm		
Pivot	✓		
Pivot angle	-90 - 90°		



5715063299722



0196786295973



196786295973

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.