iiyama

iiyama ProLite XCB3494WQSN-B5 LED display 86,4 cm (34") 3440 x 1440 pikslit UltraWide Quad HD Must

Brand : iiyama

Product family: ProLite

Product code: XCB3494WQSN-B5

Product name :
XCB3494WQSN-B5

iiyama ProLite XCB3494WQSN-B5. Ekraani diagonaal: 86,4 cm (34"), Ekraani resolutsioon: 3440 x 1440 pikslit, HD tüüp: UltraWide Quad HD, Ekraani pind: Matt, Reaktsiooniaeg: 0,4 ms, Loomulik kuvasuhe: 21:9, Vaatenurk, horisontaalne: 178°, Vaatenurk, vertikaalne: 178°. Sisseehitatud kõlar(id). Sisseehitatud USB-jaotur. VESA paigaldamine, Kõrguse reguleerimine. Toote värv: Must

Display

Display diagonal *	86.4 cm (34")
Display resolution *	3440 x 1440 pixels
HD type *	UltraWide Quad HD
Native aspect ratio *	21:9
Panel type *	VA
Touchscreen *	✘
Display brightness (typical)	300 cd/m²
Response time *	0.4 ms
Display surface	Matt
Screen shape *	Curved
Screen curvature rating	1500R
Contrast ratio (typical) *	3000:1
Contrast ratio (dynamic)	8000000:1
Maximum refresh rate *	120 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.78 million colours
Pixel pitch	0.232 x 0.232 mm
Horizontal scan range	30 - 185 kHz
Display diagonal (metric)	86.4 cm
sRGB coverage (typical)	99%
NTSC coverage (typical)	93%

Performance

AMD FreeSync *	✔
Flicker-free technology	✔
Low Blue Light technology	✔

Multimedia

Number of speakers	2
RMS rated power	2 W
Built-in speaker(s) *	✔
Built-in camera *	✘

Design

Product colour *	Black

Ports & interfaces

Built-in USB hub *	✔
Number of USB Type-C upstream ports quantity	1
USB Type-A downstream ports quantity	3

Ports & interfaces

HDMI *	✔
HDMI ports quantity	1
DisplayPorts quantity	1
Headphone out *	✔
Built-in KVM switch	✔
HDCP	✔

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm
Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✔
Adjustable height (max)	15 cm
Tilt adjustment	✔
Tilt angle range	-5 - 23°
On Screen Display (OSD)	✔
On Screen Display (OSD) languages	Czech, German, Dutch, English, Spanish, French, Italian, Japanese, Polish, Portuguese, Russian

Power

Energy efficiency class (SDR) *	G
Power consumption (typical) *	56 W
Power consumption (standby) *	0.5 W
Power consumption (off)	0.5 W
AC input voltage	100 - 240 V
AC input frequency	50 - 60 Hz
Power supply type	Internal
European Product Registry for Energy Labelling (EPREL) code	1396054

Weight & dimensions

Width (with stand)	809.5 mm
Depth (with stand)	245.5 mm
Height (with stand)	431 mm
Weight (with stand)	9.4 kg

Packaging data

Package width	900 mm
Package depth	236 mm
Package height	480 mm
Package weight	12.4 kg

Ports & interfaces		Packaging content	
USB Power Delivery (USB PD)	✔	Cables included	AC, DisplayPort, HDMI, USB, USB Type-C
USB Power Delivery up to	65 W	Quick start guide	✔

4948570121410