

Alienware AW2725DF PC lamekuvar 67,8 cm (26.7") 2560 x 1440 pikslit Quad HD QD-OLED Must

Brand : Alienware

Product code: AW2725DF

Product name : AW2725DF

Alienware AW2725DF. Ekraani diagonaal: 67,8 cm (26.7"), Ekraani resolutsioon: 2560 x 1440 pikslit, HD tüüp: Quad HD, Ekraani tehnoloogia: QD-OLED, Reaktsiooniaeg: 0,03 ms, Loomulik kuvasuhe: 16:9, Vaatenurk, horisontaalne: 178°, Vaatenurk, vertikaalne: 178°. Sisseehitatud USB-jaotur, USB-jaoturi versioon: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA paigaldamine, Kõrguse reguleerimine. Toote värv: Must



Display

Display diagonal *	67.8 cm (26.7")
Display resolution *	2560 x 1440 pixels
HD type *	Quad HD
Native aspect ratio *	16:9
Display technology *	QD-OLED
Panel type *	OLED
Touchscreen *	✗
Display brightness (peak)	1000 cd/m ²
Display brightness (typical)	250 cd/m ²
Response time *	0.03 ms
Screen shape *	Flat
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1600 x 900, 1920 x 1080 (HD 1080), 2560 x 1440
Supported video modes	480p, 576p, 720p, 1080i, 1080p, 1440p
Contrast ratio (dynamic)	1500000:1
Maximum refresh rate *	359.98 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	1.07 billion colours
Pixel pitch	0.2292 x 0.2292 mm
Pixel density	111 ppi
Horizontal scan range	27 - 621.32 kHz
Vertical scan range	48 - 360 Hz
Viewable size, horizontal	59 cm
Viewable size, vertical	33.4 cm
Display diagonal (metric)	678.2 cm

Ergonomics

Panel mounting interface	100 x 100 mm
Wall mountable	✓
Cable management	✓
Cable lock slot *	✓
Cable lock slot type	Kensington
Height adjustment *	✓
Adjustable height (max)	11 cm
Pivot	✓
Pivot angle	-90 - 90°
Swivelling	✓
Swivel angle range	-20 - 20°
Tilt adjustment	✓
Tilt angle range	-5 - 21°
On Screen Display (OSD)	✓
Plug and Play	✓
LED indicators	✓

Power

Energy efficiency class (SDR) *	G
Energy efficiency class (HDR) *	G
Energy consumption (SDR) per 1000 hours *	28 kWh
Energy consumption (HDR) per 1000 hours *	28 kWh
Power consumption (typical) *	27.6 W
Power consumption (standby) *	0.5 W
Power consumption (max)	130 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V

Display		Power	
High Dynamic Range (HDR) supported	✓	AC input frequency	50/60 Hz
High Dynamic Range (HDR) technology	DisplayHDR 400 True Black	Power supply type	Internal
Colour gamut standard	DCI-P3	Energy efficiency scale	A to G
Colour gamut	99.3%	European Product Registry for Energy Labelling (EPREL) code	1833147
Performance		Operational conditions	
NVIDIA G-SYNC *	✗	Operating temperature (T-T)	0 - 40 °C
AMD FreeSync *	✓	Storage temperature (T-T)	-20 - 60 °C
AMD FreeSync type	FreeSync Premium Pro	Operating relative humidity (H-H)	10 - 80%
Flicker-free technology	✓	Storage relative humidity (H-H)	5 - 90%
Low Blue Light technology	✓	Operating altitude	0 - 5000 m
Smart modes	FPS, MOBA/RTS, RPG, Sports	Non-operating altitude	5000 - 12192 m
Multimedia		Weight & dimensions	
Built-in speaker(s) *	✗	Width (with stand)	609.1 mm
Built-in camera *	✗	Depth (with stand)	243.7 mm
Design		Height (with stand)	516.2 mm
Market positioning *	Gaming	Weight (with stand)	6.3 kg
Product colour *	Black	Width (without stand)	609.1 mm
Front bezel colour	Black	Depth (without stand)	67.6 mm
Feet colour	Black	Height (without stand)	359 mm
Ports & interfaces		Weight (without stand)	4.3 kg
Built-in USB hub *	✓	Bezel width (side)	9.35 mm
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Bezel width (top)	5.84 mm
USB upstream port type	USB Type-B	Bezel width (bottom)	1.94 cm
Number of upstream ports	1	Packaging data	
USB Type-A downstream ports quantity	3	Package weight	9.97 kg
USB Type-C downstream ports quantity	1	Packaging content	
HDMI *	✓	Stand included	✓
HDMI ports quantity	1	Cables included	AC, DisplayPort, USB Type-C to DisplayPort
HDMI version	2.1	Quick start guide	✓
DisplayPorts quantity	2	Sustainability	
DisplayPort version	1.4	Sustainability compliance	✓
Headphone out *	✗	Doesn't contain	PVC/BFR
HDCP	✓	Other features	
HDCP version	1.4/2.3	Heavy metals free	Hg (mercury)
AC (power) in	✓	Compliance certificates	RoHS
Ergonomics			
VESA mounting *	✓		



0884116463283



884116463283

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.