

## DELL UltraSharp UP3218KA PC lamekuvar 80 cm (31.5") 7680 x 4320 pikslit 8K Ultra HD LCD Must, Hõbe

Brand : DELL

Product family: UltraSharp

Product code: DELL-UP3218KA

Product name : UP3218KA

DELL UltraSharp UP3218KA. Ekraani diagonaal: 80 cm (31.5"), Ekraani resolutsioon: 7680 x 4320 pikslit, HD tüüp: 8K Ultra HD, Ekraani tehnoloogia: LCD, Reaktsiooniaeg: 8 ms, Loomulik kuvasuhe: 16:9, Vaatenurk, horisontaalne: 178°, Vaatenurk, vertikaalne: 178°. Sisseehitatud USB-jaotur. VESA paigaldamine, Kõrguse reguleerimine. Toote värv: Must, Hõbe

Display		Ergonomics	
Display diagonal *	80 cm (31.5")	Pivot	1
Display resolution *	7680 x 4320 pixels	Pivot angle	• 90 - 90°
HD type *	8K Ultra HD	Swivelling	✓ ·
Native aspect ratio *	16:9	5	-30 - 30°
Display technology *	LCD	Swivel angle range	
Panel type *	IPS	Tilt adjustment	✓
Backlight type	LED	Tilt angle range	5 - 21°
Touchscreen *	×	On Screen Display (OSD)	1
Display brightness (typical)	400 cd/m <sup>2</sup>	Plug and Play	1
Response time *	8 ms	LED indicators	1
Screen shape *	Flat	Power	
	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 800, 1600 x 1200, 1920 x 1080 (HD 1080), 2048 x 1080, 2560 x 1440, 3840 x 2160,	Energy efficiency class (SDR) *	G
Supported graphics resolutions		Energy consumption (SDR) per 1000 hours *	
Supported graphics resolutions		Power consumption (typical) *	107.2 W
		Power consumption (standby) *	0.3 W
	7680 x 4320	Power consumption (max)	125 W
Supported video modes	480i, 480p, 576i, 576p, 720p, 1080i, 1080p, 2160p, 4320p	Power consumption (off)	0.3 W
Contrast ratio (typical) *	1300:1	AC input voltage	100 - 240 V
Maximum refresh rate *	60 Hz	AC input frequency	50 - 60 Hz
Viewing angle, horizontal	178°	Input current	2.1 A
Viewing angle, vertical	178°	Power supply type	Internal
Display number of colours *	1.07 billion colours	Energy efficiency scale	A to G
Response time (fast)	6 ms	European Product Registry for	1323156
Pixel pitch	0.0303 x 0.0909 mm	Energy Labelling (EPREL) code	
Horizontal scan range	30 - 90 kHz	Operational conditions	
Vertical scan range	59 - 61 Hz	Operating temperature (T-T)	0 - 35 °C
Viewable size, horizontal	69.8 cm	Storage temperature (T-T)	-20 - 60 °C
Viewable size, vertical	39.3 cm	Operating relative humidity (H-H)	10 - 80%
Viewable size diagonal	80 cm	Storage relative humidity (H-H)	5 - 90%
Display diagonal (metric)	80.01 cm	Operating altitude	0 - 5000 m
Surface hardness	2H	Non-operating altitude	0 - 12192 m
Colour depth	10 bit	Weight & dimensions	
Colour gamut standard	DCI-P3	Width (with stand)	720.5 mm
Colour gamut	98%	Depth (with stand)	222 mm
sRGB coverage (typical)	100%	Height (with stand)	498.4 mm
Adobe RGB coverage	100%	Weight (with stand)	10.5 kg
Heat dissipation	301.97 BTU/h	Width (without stand)	720.5 mm
Multimedia		Depth (without stand)	53.2 mm
Built-in speaker(s) *	×	Height (without stand)	421.2 mm
		Weight (without stand)	6.9 kg

Publication date: 03-JAN-2025. Prints or copies of Information are only valid on the printed Publication date

Multimedia		Packaging data	
Built-in camera *	×	Package weight	18.5 kg
Design		USB cable length	1.8 m
Product colour *	Black, Silver	Packaging content	
Ports & interfaces		Stand included Cables included	✓ AC, DisplayPort, USB
Built-in USB hub *	✓	Quick start guide DisplayPort cable length	✓ 1.8 m
USB upstream port type Number of upstream ports	ream ports 1 vnstream ports 4 x antity 2		
USB Type-A downstream ports quantity		Sustainability	
HDMI *		Sustainability certificates Doesn't contain	ENERGY STAR Arsenic, PVC/BFR
DisplayPorts quantity		Other features	
DisplayPort version Audio output Headphone out *	1.4 ✓ ×	Heavy metals free USB charging port Compliance certificates	Hg (mercury) ✓ RoHS
Ergonomics		compliance certificates	
VESA mounting * Panel mounting interface Cable management	✓ 100 x 100 mm ✓		

1 Adjustable height (max) 12 cm

1

Cable lock slot \*

Height adjustment \*

Publication date: 03-JAN-2025. Prints or copies of Information are only valid on the printed Publication date



5397184657201

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.