## Neomounts DS70-250WH1 monitori kinnitus ja alus 88,9 cm (35") Laud Valge

Brand : Neomounts Product code: DS70-250WH1

Product name: DS70-250WH1

Neomounts DS70-250WH1. Paigaldus: Klamber/kaitsekrae, Maksimaalne kaal (mahutavus): 9 kg, Ekraani minimaalne suurus: 43,2 cm (17"), Ekraani maksimaalne suurus: 88,9 cm (35"), Paigaldussüsteemi ühilduvus (min): 75 x 75 mm, Paigaldussüsteemi ühilduvus (max): 100 x 100 mm. Kõrguse reguleerimine, Pöördenurga ulatus: -90 - 90°, Kaldenurk: -45 - 45°. Toote värv: Valge





Mounting		Design	
Minimum screen size *  Maximum weight capacity *  Maximum weight capacity (per curved/ultra-wide display)	aximum weight capacity * 9 kg aximum weight capacity (per red/ultra-wide display)  aximum screen size * 88.9 cm (35")  Clamp/Grommet  Desk animum VESA mount * 75 x 75 mm  aximum VESA mount * 100 x 100 mm  anel mounting interface 75 x 75,100 x 100 mm  ansher of displays supported * 1  ask thickness (min) 1 cm  ask thickness (max) 5 cm  stance to the wall (min) 12.5 cm	Housing material Product colour * Accepts padlock Weight & dimensions	Aluminium White X
Mounting Mounting type * Minimum VESA mount *		Width Depth Height	114 mm 580 mm 552 mm
Maximum VESA mount *		Packaging data	
Number of displays supported * Desk thickness (min) Desk thickness (max)		Package width Package depth Package height Package weight	198 mm 108 mm 428 mm 2.9 kg
Distance to the wall (max)		Other features	
<b>Ergonomics</b> Height adjustment	✓ Gas spring 215 - 495 mm ✓ 70 - 525 mm ✓ -45 - 45°	Minimum weight Width adjustment range Warranty period	1 kg 0 - 910 mm 5 year(s)
Height adjustment type Height adjustment range		Logistics data	
Adjustable depth Depth adjustment range Tilt adjustment Tilt angle range		Master (outer) case width Master (outer) case length Master (outer) case height Master (outer) case gross weight Products per master (outer) case	410 mm 345 mm 445 mm 18.3 kg 6 pc(s)

Ergonomics		Logistics data	
Swivelling	✓	Country of origin	China
Swivel angle range	-90 - 90°	Master (outer) case net weight	13.8 kg
Rotating	✓	Harmonized System (HS) code	7326909890
Angle of rotation	360°	Products per pallet (EU)	84 pc(s)
Cable management	✓		



8717371443016

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.