



## Imou Ranger Dual 6MP IP süsteemiga turvakaamera Hoonesisene 2304 x 1296 pikslit Laud

**Brand :** Imou

**Product code:** IPC-S2XP-6M0WED

**Product name :** Ranger Dual 6MP

Imou Ranger Dual 6MP. Tüüp: IP süsteemiga turvakaamera, Toetatud paigutus: Hoonesisene, Ühenduvustehnoloogia: Juhtmega ühendatud & juhtmevaba. Kinnituse tüüp: Laud, Toote värv: Valge. Objektiivi vaatenurk, horisontaalne: 84°, Objektiivi vaatenurk, vertikaalne: 45°, Objektiivi vaatenurk, diagonaalne: 101°. Anduri tüüp: CMOS, Optilise sensori suurus: 25,4 / 2,8 mm (1 / 2.8"). Digitaalne suum: 8x, Fikseeritud fookuskaugus: 3,6 mm



| Performance                    |                          | Network  |                                     |
|--------------------------------|--------------------------|--|-------------------------------------|
| Type *                         | IP security camera       | Ethernet interface type                              | Fast Ethernet                       |
| Placement supported *          | Indoor                   | Wi-Fi *  | ✓                                   |
| Connectivity technology *      | Wired & Wireless         | Wi-Fi standards                                      | 802.11b, 802.11g, Wi-Fi 4 (802.11n) |
| PTZ control                    | ✓                        | Bluetooth *  | ✗                                   |
| Auto-tracking                  | ✓                        | <b>Storage</b>                                       |                                     |
| Day/night mode                 | ✓                        | Built-in HDD *                                       | ✗                                   |
| Certification                  | CE, UKCA                 | Card reader integrated                               | ✓                                   |
| <b>Design</b>                  |                          | Compatible memory cards                              | MicroSD (TransFlash)                |
| Mounting type *                | Desk                     | Maximum memory card size                             | 256 GB                              |
| Product colour *               | White                    | <b>Ports &amp; interfaces</b>                        |                                     |
| <b>Camera</b>                  |                          | Ethernet LAN (RJ-45) ports                           | 1                                   |
| Lens viewing angle, horizontal | 84°                      | <b>Security</b>                                      |                                     |
| Lens viewing angle, vertical   | 45°                      | Video motion detection                               | ✓                                   |
| Lens viewing angle, diagonal   | 101°                     | Intelligent Video Surveillance (IVS) system features | Human detection, Pet detection      |
| Tilt angle range               | 0 - 90°                  | <b>Management features</b>                           |                                     |
| Pan range                      | 0 - 355°                 | Reset button   | ✓                                   |
| <b>Image sensor</b>            |                          | Smartphone/tablet remote support                     | ✓                                   |
| Number of sensors              | 2                        | <b>Power</b>   |                                     |
| Optical sensor size            | 25.4 / 2.8 mm (1 / 2.8") | Power source type *                                  | DC                                  |
| Progressive scan               | ✓                        | Power consumption (max)                              | 5.65 W                              |
| Sensor type *                  | CMOS                     | DC output voltage                                    | 5                                   |
| <b>Lens system</b>             |                          | DC output current                                    | 1.5 A                               |
| Digital zoom                   | 8x                       | <b>Operational conditions</b>                        |                                     |
| Number of lenses *             | 2                        | Operating temperature (T-T)                          | -10 - 45 °C                         |
| Fixed focal length             | 3.6 mm                   | Operating relative humidity (H-H)                    | 0 - 95%                             |
| <b>Night vision</b>            |                          | <b>System requirements</b>                           |                                     |
| Night vision *                 | ✓                        | Mobile operating systems supported                   | Android, iOS                        |
| Night vision distance          | 15 m                     | <b>Weight &amp; dimensions</b>                       |                                     |
| <b>Video</b>                   |                          | Width  | 82.2 mm                             |
| Maximum resolution *           | 2304 x 1296 pixels       | Depth  | 82.2 mm                             |
| Total megapixels *             | 3 MP                     | Height   | 115.4 mm                            |
| Video compression formats      | H.264, H.265             | Weight   | 225 g                               |
| Frame rate                     | 15 fps                   |  |                                     |

| Video               |       | Sustainability            |     |
|---------------------|-------|---------------------------|-----|
| Privacy masking     | ✓     | Sustainability compliance | ✓   |
| Audio               |       | Packaging content         |     |
| Built-in speaker(s) | ✓     | Number of cameras *       | 1   |
| Audio system        | 2-way | Cables included           | USB |
| Built-in microphone | ✓     | Mounting kit              | ✓   |
| Audio detection     | ✓     | Screws included           | ✓   |
| Network             |       |                           |     |
| Ethernet LAN *      | ✓     |                           |     |



6976391037014

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.