Imou Cruiser Z Torn IP süsteemiga turvakaamera Hoonesisene & hooneväline Lagi/sein

Brand : Imou

Product name : Cruiser Z

Product code: IPC-S7DP-5M0WEZ

Imou Cruiser Z. Tüüp: IP süsteemiga turvakaamera, Toetatud paigutus: Hoonesisene & hooneväline, Ühenduvustehnoloogia: Juhtmega ühendatud & juhtmevaba. Kinnituse tüüp: Lagi/sein, Toote värv: Must, Valge, Toote kuju: Torn. Objektiivi vaatenurk, horisontaalne: 24.4°, Objektiivi vaatenurk, vertikaalne: 14°, Objektiivi vaatenurk, diagonaalne: 28.1°. Anduri tüüp: CMOS, Optilise sensori suurus: 25,4 / 3 mm (1 / 3"). Digitaalne suum: 12x, Fikseeritud fookuskaugus: 12 mm

Performance

Type *	IP security camera
Placement supported *	Indoor & outdoor
Connectivity technology *	Wired & Wireless
Day/night mode	✔
Built-in light	✔

Design

Form factor *	Turret
Mounting type *	Ceiling/wall
Product colour *	Black, White
Housing material	Plastic
Protection features	Waterproof
International Protection (IP) code	IP66

Camera

Lens viewing angle, horizontal	24.4°
Lens viewing angle, vertical	14°
Lens viewing angle, diagonal	28.1°
Tilt angle range	0 - 90°
Pan range	0 - 355°
Viewing angle, horizontal (2.8mm lens)	95.3°
Viewing angle, vertical (2.8mm lens)	52.1°
Viewing angle, diagonal (2.8mm lens)	113.7°

Image sensor

Number of sensors	1
Optical sensor size	25.4 / 3 mm (1 / 3")
Progressive scan	✔
Sensor type *	CMOS

Lens system

Zoom capability	✔
Digital zoom	12x
Number of lenses *	1
Maximum aperture number	1.6
Fixed focal length	12 mm

Audio

Built-in speaker(s)	✔
Built-in microphone	✔

Network

Ethernet LAN *	✔
Ethernet interface type	Fast Ethernet
Wi-Fi *	✔
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6 (802.11ax)
Bluetooth *	✘

Storage

Built-in HDD *	✘
Card reader integrated	✔
Compatible memory cards	MicroSD (TransFlash)
Maximum memory card size	512 GB

Ports & interfaces

Ethernet LAN (RJ-45) ports	1

Security

Built-in siren	✔
Siren noise level	110 dB
Video motion detection	✔
Intelligent Video Surveillance (IVS) system features	Human detection, Vehicle detection
Configurable region	✔

Management features

Reset button	✔

Power

Power source type *	DC
Power consumption (max)	12 W
DC output voltage	12
DC output current	1 A

Operational conditions

Operating temperature (T-T)	-30 - 50 °C
Operating relative humidity (H-H)	0 - 95%

Night vision

Night vision *	✔
Night vision distance	56 m
LED type	White

Video

Total megapixels *	5 MP
Video compression formats	H.264, H.265
Frame rate	15 fps

Weight & dimensions

Width	129 mm
Depth	110 mm
Height	110 mm
Weight	438 g

Sustainability

Compliance certificates	CE

Packaging content

Number of cameras *	1
Mounting kit	✔
Screws included	✔
AC adapter included	✔
Quick start guide	✔

6976391038110