## Viewsonic PX704HDE andmeprojektor 4000 ANSI luumenit DMD 1080p (1920x1080) Must, Valge

Brand : Viewsonic Product code: PX704HDE

**Product name:** PX704HDE

Viewsonic PX704HDE. Projektori heledus: 4000 ANSI luumenit, Projektsioonitehnoloogia: DMD, Projektori loomulik resolutsioon: 1080p (1920x1080). Valgusallika tüüp: Lamp, Valgusallika kasutusiga: 4000 h, Valgusallika kasutusiga (säästurežiim): 15000 h. Fookus: Manuaal, Fookuskauguse ulatus: 21.8 - 24 mm, Apertuuriulatus (F-F): 2,5 - 2,67. Toetatud graafikaresolutsioonid: 640 x 480 (VGA), 1920 x 1200 (WUXGA), Toetatud videorežiimid: 480i, 480p, 576i, 720p, 1080i, 1080p. Jadaliidese tüüp: RS-232, HDMI-pistiku tüüp: Täissuurus





Projector       Ports & interfaces         Screen size compatibility *       762 - 7620 mm (30 - 300")       Headphone outputs       1         Projection distance       1 - 10 m       Serial interface type *       RS-232         Projector brightness *       4000 ANSI lumens       HDMI ports quantity *       2         Projector native resolution *       1080p (1920x1080)       Features         Projector native resolution *       1.09 pillion colours       MDCP       ✓         Number of colours       1.07 billion colours       HDCP       ✓         Number of colours       1.07 billion colours       HDCP       ✓         Vertical scan range       15 - 102 kHz       On Screen Display (OSD)       ✓         Keystone correction, horizontal       -40 - 40°       On Screen Display (OSD) languages       French, Greek, Indonesian, Japanese, Korean, Norwegi Polish, Portuguese, Russian Swedish, Thai, Turkish, Vie Service life of light source *       4000 h       Number of OSD languages       23         Service life of light source *       4000 h       Number of OSD languages       23       23         Service life of light source *       4000 h       Number of OSD languages       23       23         Service life of light source *       4000 h       Number of DSD languages       23       23	
Projection distance 1 - 10 m Serial interface type * RS-232  Projector brightness * 4000 ANSI lumens HDMI ports quantity * 2  Projector native resolution * 1080p (1920x1080) Contrast ratio (typical) * 25000:1  Number of colours 1.07 billion colours Horizontal scan range 15 - 102 kHz  Vertical scan range 23 - 120 Hz  Keystone correction, horizontal Keystone correction, vertical -40 - 40°  Light source Light source type * Lamp Service life of light source (economic mode) Lamp type Lamp power 240 W  Lens system Focus * Manual Focal length range 21.8 - 24 mm Aperture range (F-F) Zoom capability  Another years and the first surce service in the first surce service in the first speaker service in the first sp	
Projector native resolution * 1080p (1920x1080)  Contrast ratio (typical) * 25000:1  Number of colours 1.07 billion colours  Horizontal scan range 15 - 102 kHz  Vertical scan range 23 - 120 Hz  Keystone correction, horizontal -40 - 40°  Keystone correction, vertical -40 - 40°  Light source 1.07 billion colours  Light source 4.000 h  Service life of light source 4.000 h  Service life of light source (economic mode)  Lamp type 1.000 h  Lamp type 1.000 h  Lens system 2.40 W  Lens system 6.000 h  Focus * Manual	
Contrast ratio (typical) * 25000:1  Number of colours 1.07 billion colou	
Vertical scan range  Keystone correction, horizontal  Keystone correction, vertical  Light source  Light source type *  Service life of light source  Lamp  Service life of light source  Lamp type  L	
Light source type * Lamp  Service life of light source * 4000 h  Service life of light source (economic mode)  Lamp type  Lamp power  Lens system  Focus * Manual  Focal length range  Aperture range (F-F)  Zoom capability  Lamp  Lamp  Lamp  Lamp  Lamp  Lamp  Apolish, Portuguese, Russian Swedish, Thai, Turkish, Vie Swedish, Thai, Turkish,	Italian,
Service life of light source * 4000 h  Service life of light source (economic mode)  Lamp type  Lamp power  Lens system  Focus *  Focal length range  Aperture range (F-F)  Zoom capability  A000 h  Number of OSD languages  Noise level *  Number of OSD languages  Apple TV, Roku Channel  Number of OSD languages  Apple TV, Roku Channel  Number of OSD languages  Apple TV, Roku Channel  Number of Design  Number of OSD languages  Apple TV, Roku Channel  Number of Design  Market positioning *  Business	
Lamp power 240 W  Lens system  Focus * Manual Focal length range Aperture range (F-F) Zoom capability  Authorized a Multimedia  Built-in speaker(s) *  RMS rated power 3 W  Number of built-in speakers 1  Design  Market positioning *  Business	namese
Built-in speaker(s) *       Lens system     RMS rated power     3 W       Focus *     Manual     Number of built-in speakers     1       Focal length range     21.8 - 24 mm     Design       Aperture range (F-F)     2.5 - 2.67     Market positioning *     Business	
Focus * Manual Number of built-in speakers 1  Focal length range Aperture range (F-F) 2.5 - 2.67  Zoom capability	
Aperture range (F-F)  Zoom capability  Design  Market positioning * Business	
Zoom capability Market positioning * Business	
Zoom ratio	
Throw ratio 1.48 - 1.62 <b>Power</b>	
Offset 132% Power source * AC	
Video Power consumption (typical) * 295 W	
Full HD *  Supported graphics resolutions  Full HD *  AC input voltage  AC input voltage  AC input frequency  AC input frequency  50/60 Hz	
480i 480n 576i 720n 1080i <b>Operational conditions</b>	
Supported video modes 1080p Operating temperature (T-T) 0 - 40 °C	
Ports & interfaces  Weight & dimensions	
HDMI connector type HDMI version 1.4 Depth 234 mm USB 2.0 ports quantity 1 Height 115 mm USB 2.0 Type-A ports quantity 1 Weight * Package width Package depth 337 mm	

Weight & dimensions		
Package height	168 mm	
Package weight	3.8 kg	
Packaging content		
Remote control included *	✓	
Cables included	AC	
Manual	✓	





766907026795

0766907026795

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.