



## TP-Link Omada ER7412-M2 juhtmega ruuter 2.5 Gigabit Ethernet, Gigabit Ethernet Must

**Brand :** TP-Link

**Product family:** Omada

**Product code:** ER7412-M2

**Product name :** ER7412-M2



TP-Link Omada ER7412-M2. Võrgustandardid: IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z, Ethernet-liidese tüüp: 2.5 Gigabit Ethernet, Gigabit Ethernet, Ethernet LAN-i andmeedastuskiirused: 10,100,1000,2500 Mbit/s. Turvaalgoritmid: 128-bit AES, 192-bit AES, 256-bit AES, DES, MD5, SHA-1, SHA-2, SHA-384, SHA-512. Vastavussertifikaadid: CE, Föderaalne kommunikatsioonikomisjon (FCC). Kaablid kaasa arvatud: Vahelduvvool, LAN (RJ-45). Välmälu: 128 MB, Sisemälu: 1024 MB, Sisemälu tüüp: DDR4



<b>WAN connection</b>		<b>Security</b>	
Ethernet WAN *	✓	Network address translation (NAT)	✓
DSL WAN *	✗	VPN tunnels quantity	80
SIM card slot *	✗	<b>Certificates</b>	
3G/4G USB modem compatibility *	✓	Compliance certificates	CE, Federal Communications Commission (FCC)
SFP WAN *	✓	<b>Packaging content</b>	
<b>Network</b>		Cables included	AC, LAN (RJ-45)
Networking standards *	IEEE 802.1Q, IEEE 802.3, IEEE 802.3ab, IEEE 802.3u, IEEE 802.3x, IEEE 802.3z	Quick start guide	✓
Ethernet interface type *	2.5 Gigabit Ethernet, Gigabit Ethernet	<b>Features</b>	
Ethernet LAN data rates	10,100,1000,2500 Mbit/s	Flash memory	128 MB
Static route	✓	Internal memory	1024 MB
VLAN support	✓	Internal memory type	DDR4
<b>Management features</b>		Windows operating systems supported	Windows 10, Windows 11, Windows 2000, Windows 7, Windows 8, Windows 8.1, Windows 98SE, Windows NT, Windows Vista, Windows XP
Web-based management *	✓	Mac operating systems supported	✓
Universal Plug and Play (UPnP)	✓	Linux operating systems supported	✓
Reset button	✓	<b>Design</b>	
<b>Ports &amp; interfaces</b>		Product colour *	Black
Ethernet LAN (RJ-45) ports *	7	Rack mounting	✓
WAN/Ethernet LAN ports quantity	2	<b>Power</b>	
SFP module slots quantity	2	Power consumption (max)	18.5 W
Number of console ports	1	AC input voltage	100 - 240 V
USB ports quantity	1	AC input frequency	50/60 Hz
<b>Protocols</b>			
DMZ support	✓		

Protocols		Operational conditions	
DHCP server *	✓	Operating temperature (T-T)	0 - 45 °C
<b>Security</b>		Storage temperature (T-T)	-40 - 70 °C
		Operating relative humidity (H-H)	10 - 90%
Security algorithms *	128-bit AES, 192-bit AES, 256-bit AES, DES, MD5, SHA-1, SHA-2, SHA-384, SHA-512	Storage relative humidity (H-H)	5 - 90%
		Weight & dimensions	
URL filtering	✓	Width	294 mm
DoS attack prevention	✓	Depth	180 mm
ARP attack prevention	✓	Height	44 mm
ICMP attack prevention	✓		
Access Control List (ACL)	✓		



4895252505184



0840030711077



840030711077



4895252505191

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.