

DELL PowerEdge R360 server 480 GB Püstik (1U) Intel Xeon E E-2468 2,6 GHz 16 GB DDR5-SDRAM 700 W

Brand : DELL

Product family: PowerEdge

Product code: EMEA_PER360SPL4

 $\mathbf{X} \mathbf{Y} \mathbf{M} \mathbf{Y} \mathbf{Y} \mathbf{Y}$

Product name : R360

DELL PowerEdge R360. Protsessori perekond: Intel Xeon E, Protsessori sagedus: 2,6 GHz, Protsessori mudel: E-2468. Sisemälu: 16 GB, Sisemälu tüüp: DDR5-SDRAM, Mälu (pesad x suurus): 1 x 16 GB. Salvestusmaht kokku: 480 GB. Ethernet LAN. Toiteallikas: 700 W, Üleliigse toite (RPS) tugi. Keretüüp: Püstik (1U)



Processor		Design	
Processor manufacturer *	Intel	Chassis type *	Rack (1U)
Processor family *	Intel Xeon E	Product colour	Black
Processor model *	E-2468	Rack rails	 Image: A set of the set of the
Processor frequency *	2.6 GHz	Bezel	1
Processor boost frequency	5.2 GHz	Performance	
Performance cores	8		
Processor cores	8	Remote administration	iDRAC9 Basic 16G
Processor cache	24 MB	Software	
Number of processors installed	1	Operating system installed *	×
Memory 16 GB Internal memory type * DDR5-SDRAM Buffered memory type Unregistered (unbuffered)	Compatible operating systems *	Canonical [®] Ubuntu [®] Server LTS Microsoft [®] Windows Server [®] with Hyper-V RedHat [®] Enterprise Linux SUSE [®] Linux Enterprise Server VMware [®] ESXi [®]	
Memory slots	4x DIMM	Power	
ECC	<i>✓</i>	Redundant power supply (RPS)	1
Memory clock speed	4800 MHz	support *	
Memory layout (slots x size)	1 x 16 GB	Power supply *	700 W
Maximum internal memory *	128 GB	Number of redundant power supplies supported	2
Storage		Number of redundant power	
Total storage capacity *	480 GB	supplies installed	2
Number of SSDs installed	1	Power cable length	2 m
SSD capacity	480 GB	Power cable connector 1	C13 coupler
SSD interface	SATA III	Power cable connector 2	C14 coupler
SSD size	2.5"	Power cable current	10 A
Supported SSD sizes	3.5"	Certificates	
Number of SSDs supported	4	80 PLUS certification	80 PLUS Titanium
RAID support *	×		
Supported RAID controllers	PERC H755		

Storage		Carbon footprint	
Hot-Plug support	J.	Total carbon footprint (kg of CO2e)	1140
Optical drive type *	×	Total carbon emissions, standard deviation (kg of CO2e)	943
Internal drive bays Drive writes per day (DWPD)	4 PD) 1	Carbon emissions, manufacturing (kg of CO2e)	308
Storage drive adapter included Storage drive adapter type	✓ 2.5" - 3.5"	Carbon emissions, logistics (kg of CO2e)	103
Network		Carbon emissions, energy usage (kg of CO2e)	718
LAN controller Ethernet LAN	Broadcom 5720	Carbon emissions, end-of-life (kg of CO2e)	11
Ethernet interface type	Gigabit Ethernet	Total carbon emissions, w/o use phase (kg of CO2e)	422
Ports & interfaces		PAIA version	1.4.0, 2024
Ethernet LAN (RJ-45) ports *	2	Weight & dimensions	
USB 2.0 ports quantity	2	Width	482 mm
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity	1	Height	42.8 mm
VGA (D-Sub) ports quantity	1	Technical details	
Serial ports quantity	1	3.5" HDD support	4
Expansion slots		Other features	
PCI Express x8 slots	1	Data transfer rate	6 Gbit/s
PCI Express x16 slots	1	Bytes per sector	512

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.