



TP-Link LiteWave LS105GP võrgulüliti Mittejuhitav Gigabit Ethernet (10/100/1000) Power over Ethernet tugi Must

Brand : TP-Link

Product family: LiteWave

Product code: LS105GP

Product name : LS105GP



TP-Link LiteWave LS105GP. Lüliti tüüp: Mittejuhitav. RJ-45 Etherneti ühenduse pesade tüüp: Gigabit Ethernet (10/100/1000), RJ-45 Etherneti ühenduse pesade arv: 5. MAC-aadresside tabel: 2000 sisestust, Lülitusvõime: 10 Gbit/s. Võrgustandardid: IEEE 802.1p, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x. Alalisvoolu sisendpinge: 53.5 V. Power over Ethernet tugi



Management features		Power	
Switch type *	Unmanaged	Power source *	DC/PoE
Quality of Service (QoS) support	✓	Power supply included *	✓
Ports & interfaces		AC input voltage	220 V
Basic switching RJ-45 Ethernet ports quantity *	5	AC input frequency	50 Hz
Basic switching RJ-45 Ethernet ports type *	Gigabit Ethernet (10/100/1000)	DC input voltage	53.5 V
Network		Power consumption (max)	74.46 W
Networking standards *	IEEE 802.1p, IEEE 802.3ab, IEEE 802.3af, IEEE 802.3at, IEEE 802.3i, IEEE 802.3u, IEEE 802.3x	Power over Ethernet (PoE)	
10G support *	✗	Power over Ethernet (PoE) *	✓
Cable types supported	Cat3, Cat5e, Cat4, Cat5	Power over Ethernet (PoE) ports quantity	4
Flow control support	✓	Power over Ethernet (PoE) power per port	30 W
Auto MDI/MDI-X	✓	Total Power over Ethernet (PoE) budget	65 W
Auto-negotiation	✓	Operational conditions	
MAC address auto-learning supported	✓	Operating temperature (T-T)	0 - 40 °C
MAC address auto-aging supported	✓	Storage temperature (T-T)	-40 - 70 °C
Data transmission		Operating relative humidity (H-H)	10 - 90%
Switching capacity *	10 Gbit/s	Storage relative humidity (H-H)	5 - 90%
Forwarding rate	7.44 Mpps	Heat dissipation	253.16 BTU/h
MAC address table *	2000 entries	Weight & dimensions	
Store-and-forward	✓	Width	99.8 mm
Jumbo frames	16000	Depth	98 mm
Security		Height	25 mm
IGMP snooping	✓	Packaging content	
		User guide	✓

Design		Packaging data	
Product colour	Black	Package type	Box
LED indicators	✓	Certificates	
		Certification	CE, FCC, RoHS



4895252504552

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.