

TP-Link Omada ES205G Juhitav Gigabit Ethernet (10/100/1000) Power over Ethernet tugi Must

Brand : TP-Link

Product family: Omada

Product code: ES205GP

Product name : ES205G

TP-Link Omada ES205G. Lüliti tüüp: Juhitav. RJ-45 Etherneti ühenduse pesade tüüp: Gigabit Ethernet (10/100/1000), RJ-45 Etherneti ühenduse pesade arv: 5. MAC-aadresside tabel: 8000 sisestust, Lülitusvõime: 10 Gbit/s. Võrgustandardid: IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.3at, IEEE 802.3x. Alalisvoolu sisendpinge: 53.5 V. Power over Ethernet tugi. Seinale kinnitatav







Management features		Design	
Switch type *	Managed	Reset button	1
Quality of Service (QoS) support	1	LED indicators	1
Cloud-managed	1	Wall mountable	1
Ports & interfaces		Performance	
Basic switching RJ-45 Ethernet ports quantity *	⁵ 5	Fanless	1
Basic switching RJ-45 Ethernet ports	Gigabit Ethernet (10/100/1000)	Power	
type *		Power source *	AC/DC
Network		Power supply included *	4
Networking standards *	IEEE 802.1Q, IEEE 802.1ab, IEEE 802.1p, IEEE 802.3at, IEEE 802.3x	DC input voltage	53.5 V
10G support *	×	Power over Ethernet (PoE)	
Port mirroring		Power over Ethernet (PoE) *	 Image: A set of the set of the
Flow control support	 ✓ 	Power over Ethernet (PoE) ports quantity	4
Link aggregation	1	Power over Ethernet plus (PoE+)	4
Auto MDI/MDI-X	1	ports quantity	
Auto-negotiation	 Image: A set of the set of the	Power over Ethernet (PoE) power per port	30 W
VLAN support	1	Total Power over Ethernet (PoE)	65 W
Virtual LAN features	MTU VLAN, Port-based VLAN, Tagged VLAN	budget Operational conditions	
Optical fiber		Operating temperature (T-T)	0 - 40 °C
Transmission distance (max)	0.25 km	Storage temperature (T-T)	-40 - 70 °C
Data transmission		Operating relative humidity (H-H)	10 - 90%
Switching capacity *	10 Gbit/s	Storage relative humidity (H-H)	5 - 90%
Forwarding rate	7.4 Mpps	Weight & dimensions	
MAC address table *	8000 entries	Width	100 mm
Store-and-forward	1	Depth	98 mm
Jumbo frames support	 Image: A set of the set of the	Height	25 mm
Jumbo frames	15	Packaging content	
Packet buffer memory	4 MB	User guide	1
Security		Packaging data	
DHCP features	DHCP client	Package type	Box
IGMP snooping	1	Certificates	
Loop protection	✓		CE, Federal Communications
		Compliance certificates	Commission (FCC), RoHS

Design


Product colour

Black





8885020620948



8885020620917

8885020620931

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.