

## TCL C65 65C655 teler 165,1 cm (65") 4K Ultra HD Nutiteleri funktsioon WiFi Titaanium 450 cd/m<sup>2</sup>

Brand : TCL

## Product family: C65

Product code: 65C655

Product name : 65C655

TCL C65 65C655. Ekraani diagonaal: 165,1 cm (65"), Ekraani resolutsioon: 3840 x 2160 pikslit, HD tüüp: 4K Ultra HD, Ekraani tehnoloogia: QLED, Ekraani kuju: Lame, LED tagantvalguse tüüp: Direct-LED. Nutiteleri funktsioon. Resolutsiooni interpolatsiooni tehnoloogia: PPI (Picture Performance Index) 3200, Ekraani heledus: 450 cd/m<sup>2</sup>, Reaktsiooniaeg: 15 ms, Loomulik kuvasuhe: 16:9. Digitaalsignaali formaadisüsteem: DVB-C, DVB-S2, DVB-T2. WiFi, Ethernet LAN. Toote värv: Titaanium





Display		Performance	
Display diagonal *	165.1 cm (65")	Adaptive picture	✓
HD type *	4K Ultra HD	Smartphone/tablet remote support	1
Display technology *	QLED	USB cloning	1
LED backlight	1	DVD player	×
LED backlighting type	Direct-LED		
Screen shape *	Flat	Ports & interfaces	
Native aspect ratio *	16:9	HDMI version	2.1
Display brightness *	450 cd/m <sup>2</sup>	HDMI Quick Switch	1
Response time	15 ms	Audio Return Channel (ARC)	✓
Motion interpolation technology *	PPI (Picture Performance Index) 3200	HDCP	✓
Native refresh rate	60 Hz	HDCP version	2.2
Display refresh rates supported	50 Hz, 120 Hz	PC in (D-Sub) *	×
Dynamic contrast ratio marketing	Mega Contrast	Ethernet LAN (RJ-45) ports	1
name	Mega Contrast	USB 2.0 ports quantity *	1
Display resolution * Display diagonal (metric)	3840 x 2160 pixels 165.1 cm	USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	1
Anti-glare screen		Audio (L/R) in	1
Colour gamut standard	Rec. 709	Digital audio optical out	1
Peak luminance ratio	73%	RF ports quantity	2
TV tuner		RF connector type	F, IEC
		Common interface (CI) *	✓
Tuner type *	Analog & digital NTSC, PAL BG, PAL DK, PAL I, PAL L,	Common interface Plus (CI+) *	✓
Analog signal format system *	SECAM B/G, SECAM D/K, SECAM L	Common interface Plus (CI+) version	1.4
Digital signal format system *	DVB-C, DVB-S2, DVB-T2	HDMI ports quantity *	3
Auto channel search	✓	Consumer Electronics Control (CEC)	T-link
Smart TV		Management features	
Smart TV *	<ul> <li>Image: A set of the set of the</li></ul>	Voice control	1
Internet TV *	1	Electronic Programme Guide (EPG)	1
Operating system installed *	Google TV	Programming period	8 day(s)
Operating system version	ATV 12.0	On Screen Display (OSD)	<ul> <li></li></ul>
Apple AirPlay 2 support	✓	Number of OSD languages	29
Hybrid Broadcast Broadband TV (HbbTV)	1		
Hybrid Broadcast Broadband TV (HbbTV) version	2.0.2		

Jank and additional state of the state o	Smart TV		Management features	
Bulkin Chromecual Ago darbulton platom Ago darbulton platom Ago darbulton platomAgo darbult Ago darbulton platomAgo darbulton Ago darbulton platomAgo darbulton Ago darbulton platomAgo darbulton platom Ago darbulton platomAgo dar		Sports	Hanagement reactives	ALB Bulgarian Croatian Czech
App distribution platform Videa appGoogle Pay Amisor Prime Video. Apple 70Speech Display (JOSD) language Amison Prime Video. Apple 70Speech Display (JOSD) language Amison Prime Video. Apple 70AudioNumber of speakes*2Auto power offVideo. Apple 70Audio autor frames2Auto power offVideo. Apple 70Audio autor frames2Number of speakes*2Ball-in subword Frames2Number of speakes*Video. Apple 70Ball-in subword Frames2Number of speakes*Video. Apple 70Subword FramesAmison Data Apple 70Number of speakes*Video. Apple 70Subword FramesAmison Data Apple 70Number of speakes*Video. Apple 70Autor outor frames2Number of speakes*Video. Apple 70Subword Frames2Number of speakes*Subword 70Subword 70Subword Frames2 <t< td=""><td></td><td>1</td><td></td><td></td></t<>		1		
Vice appsAmazen Prime Vulce. Apple 17 Northells, YouTubeOn Screen Lapity (OSD) incluses Primaries Ugradesbie SER, Stock, Storweins, Sexistion, SER, Storweins, S				
And/oNumber of papelers is an editional specified of papelers is accided and specified of papeler			On Screen Display (OSD) languages	Lithuanian, MAC, Norwegian, Polish,
AudioTurkity, UsrahianTurkity, UsrahianNumber of specified2Alto power off4Number of specified2Siep timeraMarkan pagnadabileNetwork, USBSubundor th MS power1Si UnivariaMarkan pagnadabileNetwork, USBSubundor th MS power1Si UnivariaSi UnivariaSi UnivariaSubundor th MS power2Si UnivariaSi UnivariaSi UnivariaSubundor th MS power1Si UnivariaSi UnivariaSi UnivariaSubundor th MS power2Si UnivariaSi UnivariaSi UnivariaSubundor th MS power2Si UnivariaSi UnivariaSi Univaria<	video apps	Netflix, YouTube		5
RN State over *20 Work shows *Seep ther work upgradeable with Auge on Metwork, USBAudio dupt channels21 channels*Metwork, USBSubwork PMS power15 WWorks with Anason Alexa*Subwork PMS power15 Wiral SL, DISH Audio, Dolby Audio, Dolby Trome BWorks with the Google Assistant*Subwork PMS power*Power consumption (typical)Subwork PMS powerAudio decoders*Power consumption (typical)Subwork PMS powerAudio Maren Power*Power consumption (typical)Subwork PMS powerKetwork*Power consumption (typical)Subwork PMS powerKetwork*Power consumption (typical)Subwork PMS powerWFif**Power power po	Audio			
Audio output channels2.1 channelsFirmware upgradeableNetwork, USBBuilt- subworder MS power3 SWNorise with Amazon AleaaAudio decodersDTS ViralalX, DTS-HD, Dolby TouchWorks with the Google AssistantAudio decoders-Power consumption (typical)*2 SWAudio decoders-Power consumption (typical)*0.5 WEnhanced Audio Return Channel-Power consumption (typical)*0.5 WEnhanced Audio Return Channel-Energy efficiency class (SDR) *6Kettoric-Energy efficiency class (SDR) *6Wr.Fi-Energy efficiency class (SDR) *6Wr.Fi-Energy efficiency class (SDR) *6Buletoth *-Energy efficiency class (SDR) *7Wr.Fi-Energy efficiency class (SDR) *7Buletoth *Energy efficiency class (SDR) *7Buletoth *Energy efficiency class (SDR) *7Buletoth *Energy efficiency class (SDR) *7Buletoth *Buletoth *MracastMracastMracastMracastMracastMracast <tr< td=""><td>Number of speakers *</td><td>2</td><td>Auto power off</td><td>1</td></tr<>	Number of speakers *	2	Auto power off	1
Builtin subworderFirmware upgradeable viaNetwork, USBSubworder NMS power15 WKorks with Amazon AlexaAudio decoders15 WWorks with the Google AssistantSubworder NMS powerPower consumption (typical)205 WAuto volume levellerPower consumption (typical)0.5 WEnhanced Audio Return ChannelPower consumption (typical)0.5 WRetworkEnergy efficiency class (tDR) *6Wi-FiPower consumption (tDRB) per 10006 W/hWi-Fi*Power consumption (tDRB) per 10006 W/hWi-Fi*Power consumption (tDRB) per 10006 W/hBilletoth *Power consumption (tDRB) per 10006 W/hBilletoth *A Cinput frequency50 HzBilletoth *A Cinput frequency50 HzBilletoth version5.0Energy efficiency scaleA Vo 6Billetoth versionA 202P, HDEnergy efficiency scaleA Vo 6Billetoth versionA 202P, HDEnergy efficiency scaleA Vo 6Billetoth versionA 202P, HDStatianability complianceA Vo BAProduct colour *Teacher berry efficiency scaleA Vo BAProduct colour *Yes with standoStatianability complianceA Vo BAProductor berry efficiency scaleA Vo BAStatianability complianceA Vo BAProductor berry efficiencyLeg standoStatianability complianceA Vo BA </td <td>RMS rated power *</td> <td>20 W</td> <td>Sleep timer</td> <td>1</td>	RMS rated power *	20 W	Sleep timer	1
Subooter RMS power15 WInfinite upgrobes of a set o	·		Firmware upgradeable	<ul> <li>Image: A start of the start of</li></ul>
Audio decodersDTS WrinaUX, DTS-HD, Dolby Audio, Dolby Audio, Dolby Tuendo Manos, Dolby Audio, Dolby Audio, Dolby Tuendo Manos, Dolby Audio, Dolby Audio, Dolby Tuendo Manos, Dolby Audio,			Firmware upgradeable via	Network, USB
Autoo scoresAtmos, Dolby Audio, Dolby TreedReverEqualizer<	Subwooter RMS power		Works with Amazon Alexa	<i>✓</i>
Alto volume leveller·Power consumption (typical)205 WEnhanced Audio Return Channel·Power consumption (typical)205 WRetworkEnergy efficiency class (RDR) VFNetwork·Energy efficiency class (RDR) Parton66 kWnWi-Fi standardsØ20.11g, Wi-Fi 4 (002.11n, Wi	Audio decoders		Works with the Google Assistant	✓
Bodes consumption (standby)* (cMRC)         0.5 W           Certary efficiency class (SDR)*         F           Network         Energy efficiency class (SDR)*         6           Wi-F1*         Ferrary efficiency class (SDR)*         6           Bluetooth *         600.010000**         6         Wi-F1*           Bluetooth *         S         6.000.000**         6         Wi-F1*           Bluetooth version         5.000         Consumption (HDR) performery scale         7.000         7.000           Bluetooth profiles         A2DP, HID         Energy efficiency scale         Nothol Scale	Equalizer	<ul> <li>Image: A set of the set of the</li></ul>	Power	
teckAC)     Energy efficiency class (SDR)*     F       Network     Energy efficiency class (INDR)*     G       Wi-Fi*     Comparity consumption (SDR) per 1009     96 kWh       Wi-Fi standards     802.11g, Wi-Fi 4 (80.2.11n,)     Energy consumption (INDR) per 1009     96 kWh       Buletooth     A     Act input voltage     220 - 240 V       Buletooth version     5.0     Act input voltage     220 - 240 V       Buletooth version     S.0     Act input voltage     220 - 240 V       Buletooth version     S.0     Act input voltage     220 - 240 V       Buletooth version     S.0     Act input voltage     220 - 240 V       Buletooth version     S.0     Act input voltage     220 - 240 V       Buletooth version     Act input voltage     Act input voltage     220 - 240 V       Buletooth version     AZDP, HID     Brand-specific features     KHDR Pro, Apple AlrPlay, DTS HD, Dydy Atmos %, Dolby Valido %, Game Master 30, Gooige TV, HMM AACC, HOM RACC, H	Auto volume leveller	<ul> <li>Image: A second s</li></ul>		
Network         Energy efficiency class (MP)*         G           Wi-Fi*         -         Energy efficiency class (MP)*         G           Wi-Fi standards         802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.1		1	, ,	
MarketPergr consumption (SDR) per 100096 kWhWi-Fi standards2011g, Wi-Fi 4 (802.11n, Wi-Fi 3 (802.11a, °)Energy consumption (HDR) per 1000 hours*179 kWhBluetooth*Acinput requery220 - 240 VBluetooth version5.0Acinput frequery5.0 kdBluetooth versionAcinput frequery5.0 kdBluetooth versionAcinput frequery5.0 kdBluetooth versionAcinput frequery5.0 kdBluetooth versionACP, HDAcinput frequery6.0 kHDR free, Apple AirPlay. DTS HD, Came Master 3.0, Googie TV, HDMWeb browserAct HDR free, Apple AirPlay. DTS HD, 			5, , ,	
Wi-H*Hours,**Hours,**Hours,**Hours,**Hours,****Hours,***Hours,***Hours,****Ho				
With standards(100 section (1000 per sect	Wi-Fi *		hours *	96 кWh
Buteooth version         Sol Actionation frequency         Ease and solution frequency           Ethernet LAN*          Energy efficiency scale         A to G           Bluetooth profiles         20P, HID         Brand-specific features         A to G           Web browser          A         A to G           Design         -         A to CA         Doity Atmos®, Doity Audio®, Game Master 3.0, Google TV, HOMI ARC, HOM RARC, HOM RANC, HOM RARC, HOM RANC, HOM RARC, HOM RANC, HOM RARC, HOM RANC, HANG, HAM RANC, HAM		(802.11ac)		179 kWh
Ehernet LAN*Bluetoth profilesA2DP, HIDBrad-specific featuresA to GMiracastWeb browserDesignTcL technologies (AV/TV)A to GDesignTitaniumYCSA mounting*Poduct colour*TitaniumVESA mounting interfaceSustainability complianceLD indicatorsSustainability complianceProduct colour *Sustainability complianceTrameless designSustainability complianceIntroducton yearCo24Sustainability compliancePerformanceDepth (with stand)303 mmHigh Dynamic Range (HDR)Dolby Vision, DOlay Vision (D, High Dynamic Range 10 (HDR10), High Dynamic Range 10 (HDR10				
Billetooth profiles         A2DP, HID         Brads specific features           Miracast         -           Web browser         -           Design         -           Product colour *         Ttanium         -           VESA mounting *         -         -           Panel mounting interface         400 x 300 mm         Sustainability compliance         -           Stand type         -         Sustainability coefficitates         TÜV mark           Introduction year         2024         Sustainability coefficitates         TÜV mark           Performance         -         -         -         -           High Dynamic Range (HDR)         Dolby Vision (Diby Vision (Dib				
MiracastAnd spectra returnsWeb browser-DesignTCL technologies (AV/TV)Product colour*ThaniumVESA mounting *-Panel mounting interface400 x 300 mmLED indicators-Sustainability complianceTU warkLED indicators-Statanability complianceTU warkLED indicators-Statanability complianceTU warkLegs standWeight d dimensionsLegs standVidth (with stand)PerformanceDolby Vision, Dolby Vision (NDIN), High Dynamic Range 10+ (HDR10), High Dynamic Range 10+ (HDR10), High Dynamic Range 10+ (HDR10), High Dynamic Range 10+ (HDR10), High Dynamic Range 10+ (HDR10) Plos) Hybrid LoG-Gamma (HLG)Game mode-Game mode-Video formats supportedAVI, MKV, MP4, MPG, TS, VP9, WEBM, WMVVideo formats supportedMP3, WAVideo formats supportedMP3, WAVideo compression formats AU LupEde, HLES, PEC, PNGAutio formats supportedMP3, WAVideo compression formats AU LupEde, HLES, VP9Package depth140 mmAutio Low Latency Mode (ALLM), Supported*-Noise reduction *-Video compressin formats Supported*-Video compressin formats Supported*-Video compressin formats Supported*-Video compressin formats Supported*-Video compressin formats Supported*-Video compressin formats Supported*- <td></td> <td></td> <td></td> <td>A to G</td>				A to G
Web browser <td>•</td> <td></td> <td>Brand-specific features</td> <td></td>	•		Brand-specific features	
Design     TCL technologies (AV/TV)     Game Master 3.0, Google TV, HDMI ARC, HDMI eARC, HDMI ARC, HDMI AR		-		
Product colour **IntantumcastcastCastCastVESA mounting interface400 x 300 mmSustainability complianceLED indicators<			TCL technologies (AV/TV)	Game Master 3.0, Google TV, HDMI
VESA mounting interfacePanel mounting interface400 x 300 mmSustainability complianceLED indicatorsSustainability complianceTÜV markFrameless design024Weight dimensionsIntroduction year023Weight Adimensions2014PerformanceDolby Vision, Dolby Vision	Product colour *	Titanium		, , , , , , , , , , , , , , , , , , , ,
Panel mounting interface400 x 30 mmLED indicators<	VESA mounting *	1	Custoine kilitu	
Leb moduloSubstainability certificatesTÜV markFrameless design2024Weight & dimensionsIntroduction year2024Weight & dimensionsStand typeLegs standWidth (with stand)1444 mmPerformanceDolby Vision, Dolby Vision IO, High Dynamic Range 10 (HDR10), High Dynamic Range 104 (HDR10) Plus Hybrid Log-Gamma (HLG)90 mmGame mode-Height (with stand)17.4 kgGame mode-Height (without stand)17.4 kgSubtites function-Stand width17.8 cmVideo formats supportedMY, MY4, MP4, MPG, TS, VP9, WEBM, WMVStand depth30.3 cmVideo compression formatsAVI, H264, H.265, VP9Package dight1608 mmAubio formats supportedMP9, HEIF, JPG, PNGPackage weight147 mmVideo compression formatsAVI, H.264, H.265, VP9Package deight147 mmAubier mode-Package weight23 kgViture processing technologyTCL AIPO Pro EnginePackage model-Noise reduction *-Package corror included-Noise reduction *-Package corror included-Noise reduction *-Remote control included-Noise reduction *-Scondbar included-Processor cores4Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable RefreshScondbar	Panel mounting interface	400 x 300 mm		
Prantiess design/Introduction year2024Weight & dimensionsStand typeLegs standWidth (with stand)1444 mmPerformanceDolby Vision, Dolby Vision IO, High Dynamic Range 10 (HDR10), High Dynamic Range 10 (HDR10), High Dynamic Range 10 + (HDR10 Plus), Hybrid Log-Gamma (HLG)Dolty (with stand)1344 mmGame mode-Height (with stand)1.3 kgGame mode-Height (without stand)17 kgSubtitles function-Stand width107.8 cmSubtitles function-Stand width107.8 cmVideo formats supportedMP3, WMAPackagie dath1608 mmImage formats supportedMP3, WMAPackage elight1447 mmMabient modeYesPackage keight1608 mmVideo compression formatsAV1, H.264, H.265, VP9Package keight944 mmNoise reduction *-Package keight94 mmNoise reduction *-Deskto gtand.Noise reduction *-Package cortor included-Noise reduction *-Deskto gtand.Noise reduction *-Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable Refresh Ret (VRB)Soundbar included-Game featuresAuto Low Latency Mode (ALLM), Game Bar 3.0, Variable RefreshCher Features-Game featuresAuto Low Latency Mode (ALLM), Game Bar 3.0, Variable RefreshCher Features-Game featuresGame features-<	LED indicators	<ul> <li>Image: A set of the set of the</li></ul>		
Stand typeLegs standWidth (with stand)1444 mmPerformanceDelpth (with stand)303 mmHigh Dynamic Range (HDR) technologyDolby Vision, Dolby Vision IQ, High Dynamic Range 10 (HDR10) High Dynamic Range 10 (HDR10 Plus) Hybrid Log-Gamma (HLG)Septh (without stand)893 mmGame modeGame mode </td <td>Frameless design</td> <td><ul> <li>Image: A set of the set of the</li></ul></td> <td></td> <td>TOV mark</td>	Frameless design	<ul> <li>Image: A set of the set of the</li></ul>		TOV mark
PerformanceDepth (with stand)303 mmHigh Dynamic Range (HDR) technologyDolby Vision, Dolby Vision IQ, High Dynamic Range 10 (HDR10), High Dynamic Range 10 + (HDR10 Plus), Hybrid Log-Gamma (HLG)Depth (with stand)17.3 kgGame modeHeight (without stand)1444 mmGame modeHeight (without stand)1444 mmTeletext functionWeight (without stand)17 kgSubtitles functionStand width107.8 cmVideo formats supportedAVI, MKV, MP4, MPG, TS, VP9, WEBM, WMVStand depth30.3 cmAudio formats supportedMP3, WMAPackage width1608 mmImage formats supportedMP1, HEIF, JPG, PNGPackage width147 mmAudio formats supportedMP1, HZ64, H.265, VP9Package depth147 mmAndio formats supportedMP2Package weight23 kgAl UpscalePackaging content23 kgPicture processing technologyTCL AiPQ Pro EngineRemote control includedNoise reduction *Deskto ystandNoise reduction *Remote control includedProcessor cores4Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable Refresh Rate (VRR)Kther featuresKther features	-		-	
Height (with stand)893 mmHigh Dynamic Range (HDR) bynamic Range 10 (HDR10), High Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG)Height (with stand)1.7.3 kgGame mode•Height (with stand)1.444 mmGame mode•Height (without stand)331 mmTeletext function•Weight (without stand)17 kgSubtitles function•Stand depth107.8 cmVideo formats supportedAVI, MKV, MP4, MPG, TS, VP9, WEBM, WMVStand depth107.8 cmAudio formats supportedMP3, WMAPackage width1608 mmImage formats supportedMP3, WMAPackage width1608 mmVideo compression formatsAV1, H.264, H.265, VP9 YesPackage depth94 mmAubient modeYesPackage depth94 mmAl Upscale•Desktop stand23 kgPicture processing technologyTCL AiPQ Pro EnginePackaging content•Noise reduction *•Pesktop stand•Noise reduction *•Package control included•High Dynamic Range (HDR) supported *•Package control included•Noise reduction *••Package control included•Noise reduction *••Package negth•Noise reduction *••Package control included•Noise reduction *••Package control included•Noise reduction *••Package stand•Processor	Stand type	Legs stand		
High Dynamic Range (HDR) bynamic Range 10 (HDR10), High Dynamic Range 10 (HDR10), High Weight (without stand)17.3 kgGame modeHeight (without stand)1444 mm Depth (without stand)Game modeWeight (without stand)831 mmTeletext functionStand width107.8 cmSubtitles functionStand width107.8 cmVideo formats supportedMP3, WMAStand depth30.3 cmNage formats supportedMP3, WMAPackage width1608 mmImage formats supportedMP4. HLF, JPG, PNGPackage depth147 mmAudio formats supportedAV1, H.264, H.265, VP9Package depth147 mmAmbient modeYesPackage weight23 kgAl UpscaleDesktop standPicture processing technologyTCL AIPQ Pro EngineRemote control includedNoise reduction *Sundbar includedHigh Dynamic Range (HDR) supported *Auto Low Latency Mode (ALLM), Rate (KR)Sundbar includedXGame featuresAuto Low Latency Mode (ALLM), Rate (KR)Sundbar includedX	Performance		• • •	
Ingright and point of targe (indity)Dynamic Range 10+ (HDR10 Plus), Hybrid Log-Gamma (HLG)Widt (without stand)1444 mmGame modeHeight (without stand)531 mmGame modeWeight (without stand)17 kgSubtitles functionStand width107.8 cmSubtitles functionStand width107.8 cmVideo formats supportedAVI, MKV, MP4, MPG, TS, VP9, WEBM, WMVStand depth30.3 cmAudio formats supportedMP3, WMAPackaging data147 mmImage formats supportedMP4, HIF, JPG, PNGPackage depth147 mmVideo compression formatsAV1, H.264, H.265, VP9Package weight994 mmAmbient modeYesPackaging content23 kgI UpscaleDesktop standNoise reduction *Mente control includedHigh Dynamic Range (HDR)Remote control includedSupported *Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable Refresh Rate (VRR)Xuo Low Latency Mode (ALLM), Game Bar 3.0, Variable RefreshChter features	High Dynamic Pange (HDP)		5 ( )	
Game modeAnnotationDepint (without stand)7.5 mmGame modeAnnotationHeight (without stand)831 mmTeletext functionImage formats supportedImage formats supportedAVI, MKV, MP4, MPG, TS, VP9, WEBM, WMVStand depth30.3 cmAudio formats supportedMP3, WMAPackaging dataImage solutionImage formatsImage formats supportedBMP, HEIF, JPG, PNGPackage width1608 mmVideo compression formatsAV1, H.264, H.265, VP9Package depth147 mmAmbient modeYesPackage weight23 kgAl UpscaleImage formatsImage formatsImage formatsNoise reduction *Image formatsImage formatsImage formatsAl UpscaleImage formatsImage formatsImage formatsAl UpscaleImage formatsImage formatsImage formatsPicture processing technologyTCL AiPQ Pro EngineImage formatsImage formatsNoise reduction *Image formatsImage formatsImage formatsSupported *Image formatsImage formatsImage formatsSupported *Image formatsImage formatsImage formatsSupported *Image formatsImage formatsImage formatsSupported *Image formatsImag	5, 5,	Dynamic Range 10+ (HDR10 Plus),		5
Teletext functionSubtites functionWeight (without stand)17 kgSubtites functionStand width107.8 cmVideo formats supportedAVI, MKV, MP4, MPG, TS, VP9, WEBM, WMVStand depth30.3 cmAudio formats supportedMP3, WMAPackaging data1608 mmImage formats supportedBMP, HEIF, JPG, PNGPackage width1608 mmVideo compression formatsAV1, H.264, H.265, VP9Package depth147 mmAmbient modeYesPackage height994 mmAl UpscalePackage weight23 kgPicture processing technologyTCL AiPQ Pro EnginePackage control includedNoise reduction *Desktop standHigh Dynamic Range (HDR) supported *Remote control includedProcessor cores4Soundbar includedXAuto Low Latency Mode (ALLM), Game Bar 3.0, Variable RefreshOther features			Depth (without stand)	75 mm
Subtities functionImage (number stand)Image (number stand)Image (number stand)Video formats supportedAVI, MKV, MP4, MPG, TS, VP9, WEBM, WMVStand depth30.3 cmAudio formats supportedMP3, WMAPackaging data30.3 cmImage formats supportedBMP, HEIF, JPG, PNGPackage width1608 mmVideo compression formatsAV1, H.264, H.265, VP9Package depth147 mmAmbient modeYesPackage height994 mmAl UpscaleImage (number stand)YesPackage weight23 kgPicture processing technologyTCL AiPQ Pro EnginePackaging contentImage control includedImage (number stand)Noise reduction *Image (number stand)Image control includedImage (number stand)Image (number stand)Noise reduction *Image (number stand)Image control includedImage (number stand)Noise reduction *Image (number stand)Image (number stand)Image (number stand)Noise reduction *Image (number stand)Image (number stand)Image (number stand)Processor cores4Soundbar includedImage (number stand)Game featuresAuto Low Latency Mode (ALLM), Game Bar 3.0, Variable RefreshOther features			-	
Video formats supportedAVI, MKV, MP4, MPG, TS, VP9, WEBM, WMVStand depth30.3 cmAudio formats supportedMP3, WMAPackaging dataImage formats supportedBMP, HEIF, JPG, PNGPackage width1608 mmVideo compression formatsAV1, H.264, H.265, VP9Package depth147 mmAmbient modeYesPackage weight994 mmAl UpscaleImage formatsYesPackage weight23 kgPicture processing technologyTCL AiPQ Pro EnginePackaging contentImage formatsNoise reduction *Image formatsImage formatsImage formatsHigh Dynamic Range (HDR) supported *Image formatsImage formatsImage formatsProcessor coresAAuto Low Latency Mode (ALLM), Game featuresImage formats formatsImage formatsAnd featuresAuto Low Latency Mode (ALLM), Bate (VRR)Image formats formatsImage formatsAnd featuresAuto Low Latency Mode (ALLM), Bate (VRR)Image formats formatsImage formats formatsAnd featuresAuto Low Latency Mode (ALLM), Bate (VRR)Image formats formatsImage formats formatsAuto Low Latency Mode (ALLM), Bate (VRR)Image formats formatsImage formats formatsImage formatsAuto Low Latency Mode (ALLM), Bate (VRR)Image formatsImage formatsImage formatsAuto Low Latency Mode (ALLM), Bate (VRR)Image formatsImage formatsImage formatsAuto Low Latency Mode (ALLM), Bate (VRR)Image formatsImage formats <t< td=""><td></td><td></td><td>5</td><td>5</td></t<>			5	5
Video formats supportedWEBM, WMVPackaging dataAudio formats supportedMP3, WMAPackage width1608 mmImage formats supportedBMP, HEIF, JPG, PNGPackage width147 mmVideo compression formatsAV1, H.264, H.265, VP9Package depth147 mmAmbient modeYesPackage weight994 mmAI UpscalePackage weight23 kgPicture processing technologyTCL AiPQ Pro EnginePackaging contentNoise reduction *Desktop standHigh Dynamic Range (HDR) supported *Remote control includedProcessor cores4Soundbar includedXSoundbar includedXGame featuresGame Bar 3.0, Variable Refresh Rate (VRR)Other featuresXOther features	Subtitles function	-		
Image formats supportedBMP, HEIF, JPG, PNGPackage width1608 mmVideo compression formatsAV1, H.264, H.265, VP9Package depth147 mmAmbient modeYesPackage height994 mmAl UpscalePackage weight23 kgPicture processing technologyTCL AiPQ Pro EnginePackaging contentNoise reduction *Desktop standHigh Dynamic Range (HDR) supported *Remote control includedProcessor cores4 Auto Low Latency Mode (ALLM), Game featuresAuto Low Latency Mode (ALLM), Rate (VRR)Cher featuresXuon Low Latency Mode (ALLM), Rate (VRR)Cher features		WEBM, WMV	·	565 cm
Image formats supportedBMP, HEIF, JPG, PNGPackage depth147 mmVideo compression formatsAV1, H.264, H.265, VP9Package depth994 mmAmbient modeYesPackage height994 mmAl UpscalePackage weight23 kgPicture processing technologyTCL AiPQ Pro EnginePackaging contentNoise reduction *Desktop standHigh Dynamic Range (HDR) supported *Remote control includedProcessor cores4Soundbar includedXGame featuresGame Bar 3.0, Variable Refresh Rate (VRR)Cher featuresX				1608 mm
Ambient modeYesPackage height994 mmAl UpscaleImage: Image:	5 11	-		
Al UpscalePackage weight23 kgPicture processing technologyTCL AiPQ Pro EnginePackaging contentNoise reduction *<	·		5 5	
Picture processing technologyTCL AiPQ Pro EnginePackaging contentNoise reduction *Desktop standHigh Dynamic Range (HDR) supported *Remote control includedProcessor cores4 Auto Low Latency Mode (ALLM), Game Bar 3.0, Variable RefreshSoundbar includedXOther featuresRet (VRR)Other features			Package weight	23 kg
High Dynamic Range (HDR)     Image: Remote control included     Image: Remote control included       supported *     Remote control included     Remote control type       Processor cores     4     Soundbar included       Auto Low Latency Mode (ALLM),     Soundbar included     X       Game features     Game Bar 3.0, Variable Refresh Rate (VRR)     Other features	•	TCL AiPQ Pro Engine	Packaging content	
supported *     Remote control type     RC833       Processor cores     4     Soundbar included     ×       Game features     Game Bar 3.0, Variable Refresh Rate (VRR)     Other features     Other features	Noise reduction *	1	Desktop stand	1
supported *     Remote control type     RC833       Processor cores     4     Soundbar included     ×       Game features     Game Bar 3.0, Variable Refresh Rate (VRR)     Other features     Other features		1	Remote control included	1
Auto Low Latency Mode (ALLM),     Soundbar included     ×       Game features     Game Bar 3.0, Variable Refresh Rate (VRR)     Other features	••	-	Remote control type	RC833
Game features Game Bar 3.0, Variable Refresh Rate (VRR) Other features			Soundbar included	×
Rate (VKR) Doesn't contain Cadmium	Game features	Game Bar 3.0, Variable Refresh	Other features	
		Kale (VKK)	Doesn't contain	Cadmium

## **Other features**

Digital Living Network Alliance (DLNA) certified Warranty period

2 year(s)



5901292523183

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.