

## Lindy 43392 sülearvuti dokk ja pordireplikaator Dokkimine USB 3.2 Gen 1 (3.1 Gen 1) Type-C Söehall

**Brand :** Lindy

**Product code:** 43392

**Product name :** 43392

Lindy 43392. Ühenduvustehnoloogia: Dokkimine, Hostiliides: USB 3.2 Gen 1 (3.1 Gen 1) Type-C, USB Power Delivery kuni: 100 W. Ethernet LAN-i andmeedastuskiirused: 10,100,1000 Mbit/s. Toote värv: Söehall, Ühilduvad mälukaardid: MicroSD (TransFlash), SD, Andmeedastuskiirus: 10 Gbit/s. Toiteallika tüüp: USB, Toitepistikmik: USB tüüp-C, Toiteallikas: 15 W. Laius: 270 mm, Sügavus: 45 mm, Kõrgus: 16 mm



Ports & interfaces		Performance	
Connectivity technology *	Docking	Product colour *	Anthracite
Host interface *	USB 3.2 Gen 1 (3.1 Gen 1) Type-C	Plug and Play	✓
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2	Housing material	Aluminium
USB 3.2 Gen 2 (3.1 Gen 2) Type-C ports quantity	2	Certification	CE, FCC, REACH & RoHS, CP65
USB Power Delivery (USB PD)	✓	<b>Power</b>	
USB Power Delivery revision	3.0	Power source type	USB
USB Power Delivery up to	100 W	Power connector	USB Type-C
HDMI ports quantity *	1	Power supply	15 W
HDMI version	2.1	USB cable length	0.36 m
DisplayPorts quantity	1	<b>Operational conditions</b>	
DisplayPort version	1.4a	Operating temperature (T-T)	0 - 40 °C
Combo headphone/mic port	✓	Storage temperature (T-T)	-10 - 70 °C
Headphone outputs *	1	Operating relative humidity (H-H)	0 - 85%
Headphone connectivity	3.5 mm	<b>Sustainability</b>	
HDCP	✓	Sustainability compliance	✓
HDCP version	1.4/2.2	<b>Weight &amp; dimensions</b>	
USB Type-C DisplayPort Alternate Mode	✓	Width	270 mm
<b>Network</b>		Depth	45 mm
Ethernet LAN *	✓	Height	16 mm
Ethernet LAN (RJ-45) ports	1	Weight	224 g
Ethernet LAN data rates	10,100,1000 Mbit/s	<b>Packaging data</b>	
Wake-on-LAN ready	✓	Quantity per pack	1 pc(s)
<b>Performance</b>		Package width	365 mm
Card reader integrated *	✓	Package depth	93 mm
Compatible memory cards	MicroSD (TransFlash), SD	Package height	35 mm
		Package weight	330 g

**Performance**

Data transfer rate	10 Gbit/s
Maximum digital resolution	7680 x 4320 pixels
Number of displays supported	2
Maximum refresh rate	120 Hz

**Packaging content**

Manual	✓
--------	---

**Technical details**

Warranty period	2 year(s)
Compliance certificates	CE, Federal Communications Commission (FCC), REACH, RoHS



4002888433921

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.