

ASUS RT-BE86U juhtmevaba ruuter 10 Gigabit Ethernet Kaks sagedusala (2,4 GHz / 5 GHz) Must

Brand : ASUS

Product code: 90IG08W0-MO9A0V

Product name : RT-BE86U

ASUS RT-BE86U. WAN-ühenduse tüüp: RJ-45. Wi-Fi laineala: Kaks sagedusala (2,4 GHz / 5 GHz), Wi-Fi standard: Wi-Fi 7 (802.11be), WLAN edastuskiirus (max): 5764 Mbit/s. Ethernet LAN-liidese tüüp: 10 Gigabit Ethernet, Ethernet LAN-i andmeedastuskiirused: 10,100,1000,2500,10000 Mbit/s, Võrgustandardid: IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11be, IEEE 802.11g, IEEE 802.11n. Turvaalgoritmid: WPA-Personal, WPA2-Enterprise, WPA2-Personal, WPA3-Enterprise, WPA3-Personal, WPS, MAC-aadresside tabel: 64 sisestust, NAT-funktsionaalsus: PPTP Pass-Through L2TP Pass-Through IPSec Pass-Through RTSP Pass-Through H.323 Pass-Through SIP.... Toote tüüp: Laua peale asetatav ruuter, Toote värv: Must, LED-indikaatorid: LAN, Võimsus, WAN



| WAN connection | | Security | |
|---------------------------------------|---|-----------------------------------|--|
| Ethernet WAN * | ✓ | Firewall | ✓ |
| DSL WAN * | ✗ | Guest access | ✓ |
| SIM card slot * | ✗ | Parental control | ✓ |
| 3G/4G USB modem compatibility * | ✗ | Filtering | ✓ |
| WAN connection type | RJ-45 | MAC address filtering | ✓ |
| Wireless LAN features | | MAC address table | 64 entries |
| Wi-Fi band * | Dual-band (2.4 GHz / 5 GHz) | URL filtering | ✓ |
| Top Wi-Fi standard * | Wi-Fi 7 (802.11be) | DMZ support | ✓ |
| WLAN data transfer rate (max) * | 5764 Mbit/s | Network address translation (NAT) | ✓ |
| Wi-Fi standards | 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be) | NAT functionality | PPTP Pass-Through L2TP Pass-Through IPSec Pass-Through RTSP Pass-Through H.323 Pass-Through SIP Pass-Through PPPoE Relay |
| WLAN data transfer rate (first band) | 1032 Mbit/s | Protocols | |
| WLAN data transfer rate (second band) | 5764 Mbit/s | DHCP server | ✓ |
| Network | | Design | |
| Ethernet LAN * | ✓ | Product colour | Black |
| Ethernet LAN interface type * | 10 Gigabit Ethernet | Indication light | ✓ |
| Ethernet LAN data rates | 10,100,1000,2500,10000 Mbit/s | LED indicators | LAN, Power, WAN |
| Networking standards | IEEE 802.11a, IEEE 802.11ac, IEEE 802.11ax, IEEE 802.11b, IEEE 802.11be, IEEE 802.11g, IEEE 802.11n | On/off switch | ✓ |
| Port forwarding | ✓ | Product type * | Tabletop router |
| Port triggering | ✓ | Packaging content | |
| Dynamic DNS (DDNS) | ✓ | Cables included | LAN (RJ-45) |
| Support Samba (storage) | ✓ | AC adapter included | ✓ |
| | | Warranty card | ✓ |
| | | Quick start guide | ✓ |

| Network | | Packaging content | |
|---|---|--------------------------------|--|
| VPN server | VPN Server IPSec, VPN Server Open VPN, VPN Server PPTP, VPN Server WireGuard | Packaging content | RT-BE86U WiFi router RJ-45 cable Power adapter Quick Start Guide Warranty card |
| Media server | ✓ | Antenna | |
| VPN support | Instant Guard VPN Client L2TP VPN Client Open VPN VPN Client PPTP VPN Client WireGuard VPN Server IPSec VPN Server Open VPN VPN Server PPTP VPN Server WireGuard VPN Fusion Support Surfshark | Antenna design * | Internal & external |
| Ports & interfaces | | Antennas quantity | 4 |
| Ethernet LAN (RJ-45) ports * | 4 | Features | |
| USB port * | ✓ | Built-in processor | ✓ |
| USB 2.0 ports quantity | 1 | Processor frequency | 2.6 MHz |
| USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity | 1 | Processor cores | 4 |
| DC-in jack | ✓ | Internal memory | 1000 MB |
| Management features | | Flash memory | 256 MB |
| Web-based management | ✓ | Firmware upgradeable | ✓ |
| Bandwidth control | ✓ | Power | |
| Quality of Service (QoS) support | ✓ | Power source type * | DC |
| Wake-on-LAN ready | ✓ | AC input voltage | 110 - 240 V |
| Reset button | ✓ | AC input frequency | 50/60 Hz |
| WPS push button | ✓ | Output voltage | 12 V |
| Intelligent Mesh technology | ✓ | Output current | 5 A |
| MU-MIMO technology | ✓ | Weight & dimensions | |
| Security | | Width | 235 mm |
| Security algorithms | WPA-Personal, WPA2-Enterprise, WPA2-Personal, WPA3-Enterprise, WPA3-Personal, WPS | Depth | 90 mm |
| | | Height | 316 mm |
| | | Weight | 854 g |
| | | Packaging data | |
| | | Package type | Box |



4711387581452



0197105581432



197105581432

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.