



TP-Link TL-MR6500v juhtmevaba ruuter Kiire Ethernet Üks sagedusala (2,4 GHz) 4G Must

Brand : TP-Link

Product code: TL-MR6500V

Product name : TL-MR6500v

TP-Link TL-MR6500v. WAN-ühenduse tüüp: RJ-45. Wi-Fi laineala: Üks sagedusala (2,4 GHz), Wi-Fi standard: Wi-Fi 4 (802.11n), WLAN edastuskiirus (max): 300 Mbit/s. Ethernet LAN-liidese tüüp: Kiire Ethernet, Ethernet LAN-i andmeedastuskiirused: 10,100 Mbit/s, Kaabeldustehnoloogia: 10/100Base-T(X). Mobiilsidevõrgu põlvkond: 4G, 3G-standardid: DC-HSPA+, HSPA, HSPA+, UMTS, 4G-standardid: LTE-TDD & LTE-FDD. Turvaalgoritmid: 64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK, Tulemüür: : DoS, SPI Firewall, IP and MAC Address Binding



WAN connection		Management features	
Ethernet WAN *	✓	Quality of Service (QoS) support	✓
DSL WAN *	✗	Reset button	✓
SIM card slot *	✓	WPS push button	✓
3G/4G USB modem compatibility *	✓	Security	
WAN connection type	RJ-45	Security algorithms	64-bit WEP, 128-bit WEP, WPA, WPA-PSK, WPA2, WPA2-PSK
Wireless LAN features		Firewall	✓
Wi-Fi band *	Single-band (2.4 GHz)	Firewall security	: DoS, SPI Firewall, IP and MAC Address Binding
Top Wi-Fi standard *	Wi-Fi 4 (802.11n)	Guest access	✓
WLAN data transfer rate (max) *	300 Mbit/s	Parental control	✓
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n)	DMZ support	✓
WLAN data transfer rate (first band)	300 Mbit/s	Protocols	
Network		DHCP client	✓
Ethernet LAN *	✓	DHCP server	✓
Ethernet LAN interface type *	Fast Ethernet	Universal Plug and Play (UPnP)	✓
Ethernet LAN data rates	10,100 Mbit/s	VoIP protocols	SIP(RFC3261)/RTP(RFC1889/3550), G.711A/u, G.729AB, G.726
Cabling technology	10/100Base-T(X)	Design	
Networking standards	IEEE 802.11a, IEEE 802.11ac, IEEE 802.11b, IEEE 802.11g, IEEE 802.11n	Product colour	Black
Port forwarding	✓	Wall mountable	✓
Port triggering	✓	On/off switch	✓
Dynamic DNS (DDNS)	✓	Product type *	Tabletop router
Static route	✓	Packaging content	
Number of guest networks (2.4 GHz)	1	Cables included	LAN (RJ-45)
VPN server	PPTP VPN, OpenVPN	AC adapter included	✓
VPN tunnels quantity	10		

Network		Packaging content	
VPN Passthrough	✓	Quick installation guide	✓
Mobile network		Antenna	
Mobile network generation	4G	Antenna design *	External
3G	✓	Antennas quantity	2
4G	✓	Detachable antenna(s)	✓
Dual SIM support	✗	Power	
3G standards	DC-HSPA+, HSPA, HSPA+, UMTS	Power source type *	DC
4G standard	LTE-TDD & LTE-FDD	Output voltage	12 V
UMTS bands supported	900,2100 MHz	Output current	1 A
4G bands supported	800,900,1800,2100,2300,2500,2600 MHz	Operational conditions	
SIM card type	MicroSIM	Operating temperature (T-T)	0 - 40 °C
Ports & interfaces		Storage temperature (T-T)	-40 - 70 °C
Ethernet LAN (RJ-45) ports *	2	Storage relative humidity (H-H)	5 - 90%
USB port *	✗	Weight & dimensions	
RJ-11 ports quantity	1	Width	202 mm
Memory card slot(s)	✗	Depth	141 mm
DC-in jack	✓	Height	33.6 mm
Management features		Packaging data	
Wi-Fi Multimedia (WMM)/(WME)	✓	Package width	307 mm
		Package depth	223 mm
		Package height	70 mm
		Package weight	640 g
		Logistics data	
		Harmonized System (HS) code	85176990



6935364072377



6935364072353

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 14-JAN-2025. Prints or copies of Information are only valid on the printed Publication date