TP-Link M7650 mobiilsidevõrgu seade Mobiilsidevõrgu ruuter

Brand : TP-Link **Product code:** M7650

Product name : M7650

TP-Link M7650. Seadme tüüp: Mobiilsidevõrgu ruuter, Toote värv: Must, Hall, Turu positsiooneerimine: Kaasaskantav. WiFi-standardid: 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Toetatud WLAN andmeedastuskiirused: 867 Mbit/s, Wi-Fi sagedus: 5 GHz. Andmevõrk: 2G, 3G, 4G, LTE, 2G-standardid: Edge, GPRS, GSM, 3G-standardid: DC-HSPA+, HSPA, UMTS. Ühilduvad mälukaardid: MicroSD (TransFlash). Turvaalgoritmid: WPA-PSK, WPA2-PSK

Design

Device type *	Cellular network router
Product colour *	Black, Grey
Market positioning	Portable
Built-in display	✔
Display type	TFT
Display diagonal	3.66 cm (1.44")
Reset button	✔
LED indicators	✔

Ethernet LAN features

Ethernet LAN *	✘
DHCP client	✔
DHCP server	✔

Wireless LAN features

Wi-Fi *	✔
Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac)
WLAN data transfer rates supported	867 Mbit/s
Wi-Fi frequency	5 GHz

Mobile network

Data network *	2G, 3G, 4G, LTE
2G standards	Edge, GPRS, GSM
3G standards	DC-HSPA+, HSPA, UMTS
4G standard	LTE
2G bands supported	850,900,1800,1900 MHz
3G bands supported	900,2100 MHz
4G bands supported	800,900,1800,2100 MHz
GSM bands supported	850,900,1800,1900 MHz

Ports & interfaces

Compatible memory cards	MicroSD (TransFlash)

Security

Security algorithms	WPA-PSK, WPA2-PSK

Certificates

Certification	CE, RoHS

Packaging content

Cables included	Micro-USB

Performance

Windows operating systems supported	Windows 10, Windows 7, Windows 8, Windows 8.1, Windows Vista, Windows XP

Power

Power source type *	AC
Battery capacity	3000 mAh

Operational conditions

Operating temperature (T-T)	0 - 35 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 90%
Storage relative humidity (H-H)	5 - 90%

Weight & dimensions

Width	106 mm
Depth	66 mm
Height	16 mm

Packaging data

User guide	✔

Mobile network

UMTS bands supported	900,2100 MHz
SIM card type	MicroSIM

Ports & interfaces

Card reader integrated	✔

Packaging data

Package width	149 mm
Package depth	101 mm
Package height	60 mm
Package weight	260 g

Logistics data

Harmonized System (HS) code	85176990

6935364080556