iiyama

iiyama ProLite XUB2497HSU-B1 PC lamekuvar 61 cm (24") 1920 x 1080 pikslit Full HD LED Must

Brand : iiyama

Product family: ProLite

Product code: XUB2497HSU-B1

Product name : XUB2497HSU-B1

iiyama ProLite XUB2497HSU-B1. Ekraani diagonaal: 61 cm (24"), Ekraani resolutsioon: 1920 x 1080 pikslit, HD tüüp: Full HD, Ekraani tehnoloogia: LED, Reaktsiooniaeg: 1 ms, Loomulik kuvasuhe: 16:9, Vaatenurk, horisontaalne: 178°, Vaatenurk, vertikaalne: 178°. Sisseehitatud kõlar(id). Sisseehitatud USB-jaotur, USB-jaoturi versioon: 2.0. VESA paigaldamine, Kõrguse reguleerimine. Toote värv: Must

Display

Display diagonal *	61 cm (24")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LED
Panel type *	IPS
Display brightness (typical)	250 cd/m²
Response time *	1 ms
Screen shape *	Flat
Aspect ratio	16:9
Contrast ratio (typical) *	1300:1
Contrast ratio (dynamic)	80000000:1
Maximum refresh rate *	110 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Pixel pitch	0.275 x 0.275 mm
Viewable size, horizontal	52.7 cm
Viewable size, vertical	29.6 cm
Display diagonal (metric)	60.5 cm
DDC/CI	✔
sRGB coverage (typical)	99%
NTSC coverage (typical)	72%

Performance

VESA Adaptive Sync support	✔
Flicker-free technology	✔
Low Blue Light technology	✔

Multimedia

Number of speakers	2
RMS rated power	2 W
Built-in speaker(s) *	✔

Design

Market positioning *	Business
Product colour *	Black

Ports & interfaces

Built-in USB hub *	✔
USB hub version	2.0
HDMI *	✔

Ergonomics

Panel mounting interface	100 x 100 mm
Cable management	✔
Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✔
Adjustable height (max)	15 cm
Pivot	✔
Pivot angle	90 - 90°
Swivelling	✔
Swivel angle range	45 - 45°
Tilt adjustment	✔
Tilt angle range	5 - 23°
On Screen Display (OSD) languages	Czech, German, English, Spanish, French, Hindi, Italian, Japanese, Polish, Russian

Power

Energy efficiency class (SDR) *	E
Energy efficiency class (HDR) *	Not available
Energy consumption (SDR) per 1000 hours *	18 kWh
Power consumption (typical) *	18 W
Power consumption (standby) *	0.5 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Power supply type	Internal
Energy efficiency scale	A to G
European Product Registry for Energy Labelling (EPREL) code	1894174

Weight & dimensions

Width (with stand)	538.5 mm
Depth (with stand)	209.5 mm
Height (with stand)	500 mm

Packaging data

Package width	685 mm
Package depth	126 mm
Package height	405 mm

Packaging content

Cables included	DisplayPort, HDMI, Power, USB

Ports & interfaces			Packaging content	
HDMI ports quantity	1		Quick start guide	✔
HDMI version	1.4		**Sustainability**	
DisplayPorts quantity	1		Sustainability compliance	✔
DisplayPort version	1.2		Sustainability certificates	ErP, TCO
Headphone out *	✔		**Other features**	
HDCP	✔		Warranty period	5 year(s)
Ergonomics			Compliance certificates	CE, EAC, PSE, REACH, RoHS, TÜV mark, UKCA, VCCI, WEEE
VESA mounting *	✔			

4948570124145