

Axagon RVD-VGN videokaabliadapter 0,15 m DisplayPort VGA (D-Sub) Must

Brand : Axagon

Product code: RVD-VGN

Product name : RVD-VGN

Axagon RVD-VGN. Kaabli pikkus: 0,15 m, Pistmik 1: DisplayPort, Pistmik 2: VGA (D-Sub). Vastavussertifikaadid: RoHS, Sertifikaat: CE. Kaal: 31 g, Laius: 16 mm, Sügavus: 42 mm. Pakendi laius: 25 mm, Pakendi sügavus: 90 mm, Pakendi kõrgus: 180 mm. Kogus pakis: 1 tk



Features		Features	
Connector 1 form factor	Straight	Linux operating systems supported	CentOS 5.1, CentOS 5.2, CentOS 5.8, CentOS 6.2, CentOS 7.0, Debian 5.0, Debian 5.0.1, Debian 5.0.2, Debian 5.0.3, Fedora 24, Fedora 25, Fedora 26, Fedora 27, Fedora 6, Fedora 7, Fedora 8, Fedora 9, FreeBSD 6.3, Oracle Linux 5.8, Oracle Linux 6.2, Oracle Linux 7.0, PCLinuxOS 2011, PCLinuxOS 2014.12, Red Hat Enterprise Linux WS 4.0, Red Hat Enterprise Linux WS 5.0, Red Hat Enterprise Linux WS 6.0, SUSE Linux Enterprise Desktop 11, SUSE Linux Enterprise Desktop 12, Solaris 10 U4, Solaris 10 U5, SuSE Linux 10, SuSE Linux 10.2, SuSE Linux 10.3, SuSE Linux 11, SuSE Linux 11.1, Ubuntu 15.04, Ubuntu 15.10, Ubuntu 16.04, Ubuntu 16.10, Ubuntu 17.10, Ubuntu 8.04, Ubuntu 8.04.1, Ubuntu 8.04.2, Ubuntu 8.10
Connector 2 form factor	Straight		
Cable length *	0.15 m		
Connector 1 *	DisplayPort		
Connector 2 *	VGA (D-Sub)		
Connector 1 gender *	Male	Other operating systems supported	Android
Connector 2 gender *	Female		
DisplayPort version	1.1a	Operational conditions	
Maximum resolution	1920 x 1200 pixels	Operating temperature (T-T)	0 - 40 °C
Supported graphics resolutions	640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1280 x 800 (WXGA), 1280 x 960, 1360 x 768 (WXGA), 1366 x 768, 1366 x 768, 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+), 1600 x 1200 (UXGA), 1600 x 900, 1680 x 1050 (WSXGA+), 1680 x 1056, 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA)	Storage temperature (T-T)	-20 - 85 °C
		Certificates	
Maximum refresh rate	60 Hz	Compliance certificates	RoHS
Refresh rate at maximum resolution	60 Hz	Certification	CE
Product colour	Black	Weight & dimensions	
Plug and Play	✓	Weight	31 g
Converter type	Active video converter	Width	16 mm
Country of origin	China	Depth	42 mm

Features		Weight & dimensions	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 2000, Windows 2000 Professional, Windows 3.x, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 7 x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows 95, Windows 98, Windows 98SE, Windows CE, Windows ME, Windows NT, Windows RT, Windows RT 8.1, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows XP x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	Height	37 mm
		Packaging data	
Mac operating systems supported	Mac OS 8.0, Mac OS 8.1, Mac OS 8.5, Mac OS 8.6, Mac OS 9.0, Mac OS 9.1, Mac OS 9.2, Mac OS X 10.0 Cheetah, Mac OS X 10.1 Puma, Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, macOS	Package width	25 mm
		Package depth	90 mm
		Package height	180 mm
		Package weight	66 g
		Package type	Hanging box
		Packaging content	
		Quantity per pack	1 pc(s)
		Manual	✓



8595247904386

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-JAN-2025. Prints or copies of Information are only valid on the printed Publication date