## GIGABYTE X870E AORUS XTREME AI TOP AMD X870E Protsessoripesa AM5 Laiendatud ATX

**Brand : GIGABYTE Product code:** X870E A XTREME AI TOP

Product name: X870E AORUS XTREME AI TOP

GIGABYTE X870E AORUS XTREME AI TOP. Protsessori tootja: AMD, Protsessori pesa: Protsessoripesa AM5, Ühilduvad protsessoriseeriad: AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series. Toetatud mälutüübid: DDR5-SDRAM, Maksimaalne sisemälu: 256 GB, Mälupesa tüüp: DIMM. Kõvaketta ühenduse tüüp: M.2, SATA III, Toetatud ketaste tüübid: HDD & SSD, RAID-tasemed: 0, 1, 10. Maksimaalne resolutsioon: 4096 x 2160 pikslit. Ethernet-liidese tüüp: 10 Gigabit Ethernet, LAN-kontroller: Marvell AQtion AQC113C, Wi-Fi standard: Wi-Fi 7 (802.11be)





Processor		Network	
Processor manufacturer *	AMD	Wi-Fi *	1
Processor socket *	Socket AM5	Top Wi-Fi standard	Wi-Fi 7 (802.11be)
Compatible processor series * Supported processor sockets	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series Socket AM5	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be)
Memory	SUCKEL AIMS	WLAN controller model	Qualcomm QCNCM865
Supported memory types * DDRS-SDRAM  Number of memory slots * 4  Memory slots type  DIMM  Memory channels  Dual-channel  ECC compatibility  ECC & Non-ECC	3,7800,7600,7400,7200,7000,6800,6600,6400,6200,6000,5800,5600,5200,4800.4400	Bluetooth	✓
		Bluetooth version	5.3
		Bidetootii versioii	5.5
Supported memory clock speed (max) 8800 MHz		Features	
Maximum internal memory * 256 GB Unbuffered memory ✓		Motherboard chipset *	AMD X870E
Maximum internal memory per slot 64 GB		Audio chip	Realtek ALC1220
Storage controllers		Audio output channels *	7.1 channels
Supported storage drive types	HDD & SSD	Product colour	Black
Supported storage drive interfaces	M.2, SATA III	PC health monitoring	Fan, Temperature, Voltage, Water
Number of HDDs supported	4	5	cooling
Number of storage drives supported	I 8	Component for *	PC
RAID support	✓	Motherboard form factor *	Extended ATX
RAID levels	0, 1, 10	Motherboard chipset family *	AMD
Graphics		Power source type	ATX
Parallel processing technology support *	Not supported	Windows operating systems supported	Windows 11 x64
Maximum resolution	4096 x 2160 pixels	Expansion slots	
HDCP	✓	PCI Express x16 (Gen 4.x) slots	1
DirectX version	12.0	PCI Express x16 (Gen 5.x) slots	2
	12.0	Number of M.2 (M) slots	4
Internal I/O		1st M.2 largest key size	25110
USB 2.0 connectors *	2	1st M.2 highest PCI Express generation	5.0

Internal I/O		Expansion slots	
USB 3.2 Gen 1 (3.1 Gen 1)	2	2nd M.2 largest key size	22110
connectors * USB 3.2 Gen 2x2 connectors	1	2nd M.2 highest PCI Express generation	4.0
Number of SATA III connectors *	4	3rd M.2 largest key size	22110
Front panel audio connector	✓	3rd M.2 highest PCI Express generation	4.0
Front panel connector	✓	4th M.2 largest key size	22110
ATX Power connector (24-pin)	<b>✓</b>	4th M.2 highest PCI Express	4.0
CPU fan connector	✓	generation	4.0
Number of CPU fan connectors	1	BIOS	
Number of chassis fan connectors	8	BIOS type *	UEFI AMI
EPS power connector (8-pin)	✓	BIOS memory size	256 Mbit
Number of EPS power connectors (8-pin)	2	ACPI version	5.0
TPM connector	<b>✓</b>	Clear CMOS jumper	•
Number of water pump connectors	5	Clear CMOS button	•
RGB LED pin header	<b>✓</b>	Desktop Management Interface (DMI) version	2.7
Number of RGB LED pin headers	4	System Management BIOS (SMBIOS) version	2.7
Rear panel I/O ports		Logistics data	
USB 2.0 ports quantity *	2		Taiwan
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	6	Country of origin Products per shipping (inner) case	1 pc(s)
USB4 Gen 2x2 ports quantity Ethernet LAN (RJ-45) ports *	2	Battery	
HDMI ports quantity *	1	Battery weight	3 g
HDMI version	2.1	Lithium weight per battery	0.07 g
DisplayPort version	1.4	Number of battery cells	1
Line-in	<b>/</b>	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
Microphone in	<b>/</b>	Battery type	CR2032
S/PDIF out port WiFi-AP antenna jack	2	Packaging data	
•	2	Package width	381 mm
Network		Package depth	311 mm
Ethernet LAN	<b>/</b>	Package height	107 mm
Ethernet interface type	10 Gigabit Ethernet	Package weight	4.5 kg
LAN controller	Marvell AQtion AQC113C	Weight & dimensions	
		Width	305 mm
		Depth	269 mm
		Height	35 mm
		Packaging content	
		Batteries included	✓
		Antenna included	✓
		Screws included	<b>✓</b>
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Other features	
		Weight	3.76 kg
		Technical details	
		Warranty period	3 year(s)

