

## DELL Latitude 3550 Intel® Core™ i3 i3-1315U Sülearvuti 39,6 cm (15.6") HD 8 GB DDR5-SDRAM 512 GB SSD Wi-Fi 6E (802.11ax) Windows 11 Pro Hall

Brand : DELL Product family: Latitude Product code:
N004L355015EMEA VP

**Product name: 3550** 

DELL Latitude 3550. Toote tüüp: Sülearvuti, Toote kuju: Kokkukäiv. Protsessori perekond: Intel® Core™ i3, Protsessori mudel: i3-1315U. Ekraani diagonaal: 39,6 cm (15.6"), HD tüüp: HD, Ekraani resolutsioon: 1366 x 768 pikslit. Sisemälu: 8 GB, Sisemälu tüüp: DDR5-SDRAM. Salvestusmaht kokku: 512 GB, Salvestusseade: SSD. Pardagraafika adapteri mudel: Intel® UHD Graphics. Installitud operatsioonisüsteem: Windows 11 Pro. Toote värv: Hall. Kaal: 1,81 kg





| Design   |   | Network  |   |
|--|---|--|---|
| Product type * Product colour * Form factor * Market positioning | Laptop<br>Grey<br>Clamshell<br>Business   | Mobile network connection * Wi-Fi data rate (max) Antenna type WLAN controller model | X<br>2400 Mbit/s<br>2x2<br>Intel Wi-Fi 6E AX211             |
| Display  |   | WLAN controller manufacturer   | Intel   |
| Display diagonal * Display resolution * Touchscreen *            | 39.6 cm (15.6")<br>1366 x 768 pixels<br>X | Ethernet LAN Ethernet LAN data rates Bluetooth                                       | 10,100,1000 Mbit/s  |
| HD type  | HD  | Ports & interfaces   |   |
| Panel type<br>LED backlight<br>Native aspect ratio               | TN<br>✓ 16:9                              | USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity * USB4 Gen 2x2 ports quantity        | 3   |
| Anti-glare screen  | 10.9                                      | Ethernet LAN (RJ-45) ports   | 1   |
| Display brightness Pixel pitch                                   | 220 cd/m <sup>2</sup><br>0.252 x 0.252 mm | HDMI ports quantity * Combo headphone/mic port                                       | 1   |
| Pixel density  | 100 ppi                                   | PowerShare   | ✓   |
| RGB colour space<br>Colour gamut                                 | NTSC<br>45%                               | Number of USB ports with<br>PowerShare support                                       | 1   |
| Display response rise/fall                                       | 25 ms                                     | Keyboard   |   |
| Maximum refresh rate<br>Contrast ratio (typical)                 | 60 Hz<br>500:1                            | Pointing device Numeric keypad *   | Touchpad<br>✓   |
| Processor  |   | Keyboard backlit   | <b>✓</b>  |
| Processor manufacturer *   | Intel                                     | Spill-resistant keyboard   | <b>✓</b>  |
| Processor family *   | Intel® Core™ i3                           | Software   |   |
| Processor generation Processor model *                           | Intel Core i3-13xxx<br>i3-1315U           | Operating system architecture  | 64-bit  |
| Processor cores Processor threads                                | 6 8                                       | Trial software   | Microsoft Office Trial,McAfee<br>Business Protection 1-year |

| Processor                                 |   | Software   |   |
|---|---|--|---|
| Processor boost frequency                 | 4.5 GHz   | Operating system installed *                       | Windows 11 Pro                                |
| Performance cores                         | 2   | Battery  |   |
| Efficient cores                           | 4   | Number of battery cells                            | 3   |
| Performance-core Max Turbo<br>Frequency   | 4.5 GHz   | Battery voltage                                    | 11.4 V  |
| Efficient-core Max Turbo Frequency        | 3.3 GHz   | Battery recharge time                              | 4 h   |
| Processor cache                           | 10 MB   | Fast charging                                      | <b>✓</b>                                      |
| Processor cache type                      | Smart Cache   | Power  |   |
| Processor base power                      | 15 W  |  | 65 W  |
| Maximum turbo power                       | 55 W  | AC adapter power AC adapter frequency              | 50/60 Hz                                      |
| Memory                                    |   | AC adapter input voltage                           | 100 - 240 V                                   |
| Internal memory *                         | 8 GB  |  | 200 210 1                                     |
| Internal memory type                      | DDR5-SDRAM  | Security   |   |
| Memory form factor                        | SO-DIMM   | Cable lock slot                                    | ✓   |
| Memory layout (slots x size)              | 1 x 8 GB  | Cable lock slot type                               | Wedge   |
| Memory slots                              | 2x SO-DIMM  | Fingerprint reader                                 | ✓   |
| Maximum internal memory *                 | 64 GB   | Trusted Platform Module (TPM)                      | <b>✓</b>                                      |
| Memory data transfer rate                 | 5600 MT/s   | Trusted Platform Module (TPM)                      | 2.0   |
| Storage                                   |   | version  |   |
| Total storage capacity *                  | 512 GB  | Operational conditions                             |   |
| Storage media *                           | SSD   | Operating temperature (T-T)                        | 0 - 40 °C                                     |
| Total SSDs capacity                       | 512 GB  | Storage temperature (T-T)                          | -40 - 65 °C                                   |
| Number of SSDs installed                  | 1   | Operating relative humidity (H-H)                  | 0 - 90%                                       |
| SSD capacity                              | 512 GB  | Storage relative humidity (H-H)                    | 0 - 95%                                       |
| SSD interface                             | PCI Express 4.0   | Operating altitude                                 | -15.2 - 3048 m                                |
| NVMe                                      | ✓   | Non-operating altitude                             | -15.2 - 10668 m                               |
| SSD form factor                           | M.2   | Operating shock Operating vibration                | 140 G<br>0.66 G                               |
| Optical drive type *                      | ×   |  | 0.00 G  |
| Card reader integrated                    | ×   | Sustainability                                     |   |
| Graphics                                  |   | Sustainability compliance                          | <b>✓</b>                                      |
| Discrete graphics card model *            | Not available   | Sustainability certificates                        | ENERGY STAR, EPEAT Climate +,<br>EPEAT Silver |
| On-board graphics card *                  | ✓   | Wainht C dimensions                                | E. E. H. Silvei                               |
| On-board GPU manufacturer                 | Intel   | Weight & dimensions                                |   |
| Discrete graphics card *                  | ×   | Width  | 359 mm  |
| On-board graphics card family             | Intel® UHD Graphics                                       | Depth  | 239.7 mm                                      |
| On-board graphics card model *            | Intel® UHD Graphics                                       | Height (front)                                     | 1.81 cm<br>2.04 cm                            |
| Audio                                     |   | Height (rear) Weight *                             | 1.81 kg                                       |
|   | Dooltok ALC2204   | J  | 1.01 Ng                                       |
| Audio chip                                | Realtek ALC3204<br>MaxxAudio Pro                          | Carbon footprint                                   |   |
| Audio system  Number of built-in speakers | Maxxaudio Pro<br>2  | Total carbon footprint (kg of CO2e)                | 120   |
| Speakers manufacturer                     | Waves   | Carbon emissions, manufacturing (kg of CO2e)       | 86  |
| Speaker power                             | 2 W   | Carbon emissions, logistics (kg of                 | -   |
| Built-in microphone                       | ✓ ·   | CO2e)  | 5   |
| Number of microphones                     | 2   | Carbon emissions, energy usage (kg                 | 27  |
| Camera                                    |   | of CO2e) Carbon emissions, end-of-life (kg of      | 2   |
| Front camera                              | <b>✓</b>  | CO2e)  | 2   |
| Privacy camera                            | 1   | Total carbon emissions, w/o use phase (kg of CO2e) | 93  |
| Privacy type                              | Privacy shutter   | PAIA version                                       | GaBi version 1, 2024                          |
|   |   |  | 3351 VC(3)011 1, 2027                         |
| Network                                   | W: F: CF (002 11- )                                       | Packaging content                                  | 10  |
| Top Wi-Fi standard *                      | Wi-Fi 6E (802.11ax)                                       | Cables included                                    | AC  |
| Wi-Fi standards                           | 802.11a, Wi-Fi 5 (802.11ac),<br>802.11b, 802.11g, Wi-Fi 4 |  |   |
|   | (802.11n), Wi-Fi 6E (802.11ax)                            |  |   |
|   |   |  |   |

