
Alienware AW2725QF PC lamekuvar 68,6 cm (27") 3840 x 2160 pikslit 4K Ultra HD LCD Must

Brand : Alienware Product code: 210-BNHT

Product name: AW2725QF







Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	HDCP	✓
Display resolution *	3840 x 2160 pixels	HDCP version	1.4/2.2
HD type * Native aspect ratio *	4K Ultra HD 16:9	Ergonomics	
Display technology *	LCD	VESA mounting *	✓
Panel type *	IPS	Panel mounting interface	100 x 100 mm
LED backlight	····	Cable management	1
Backlight type	Edge LED	Cable lock slot *	✓
Touchscreen *	×	Cable lock slot type	Kensington
Display brightness (peak)	600 cd/m ²	Height adjustment *	✓
Display brightness (typical)	400 cd/m ²	Adjustable height (max)	11 cm
Response time *	0.5 ms	Pivot	✓
Anti-glare screen	✓	Pivot angle	-90 - 90°
Screen shape *	Flat	Swivelling	✓
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 800, 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 2560 x 1440, 3840 x	Swivel angle range	-20 - 20°
		Tilt adjustment	✓
		Tilt angle range	-5 - 21°
		Picture-in-Picture	✓
		On Screen Display (OSD)	✓
	2160	Plug and Play	✓
Supported video modes	480p, 576p, 720p, 1080p, 2160p	LED indicators	✓
Contrast ratio (typical) * Maximum refresh rate *	1000:1 180 Hz	Power	
Viewing angle, horizontal	178°	Energy efficiency class (SDR) *	G
Viewing angle, vertical	178°	Energy efficiency class (HDR) *	G
Display number of colours *	1.07 billion colours	Energy consumption (SDR) per 1000	
Response time (fast)	3 ms	hours *	26 kWh
Pixel pitch	0.1554 x 0.1554 mm	Energy consumption (HDR) per	68 kWh

Display		Power	
Pixel density Horizontal scan range Vertical scan range Viewable size, horizontal Viewable size, vertical Viewable size diagonal High Dynamic Range (HDR)	163 ppi 30 - 430 kHz 48 - 180 Hz 59.7 cm 33.6 cm 68.5 cm	Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off) AC input voltage AC input frequency Energy efficiency scale	26.1 W 0.5 W 140 W 0.3 W 100 - 240 V 50/60 Hz A to G
supported High Dynamic Range (HDR)		Operational conditions	
technology Surface hardness Colour depth sRGB coverage (typical) DCI-P3 coverage Performance	High Dynamic Range (HDR) 600 3H 8 bit 100% 95%	Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H) Storage relative humidity (H-H) Operating altitude Non-operating altitude	0 - 40 °C -20 - 60 °C 10 - 80% 5 - 90% 0 - 5000 m 5000 - 12192 m
		Weight & dimensions	
NVIDIA G-SYNC * NVIDIA G-SYNC type AMD FreeSync * VESA Adaptive Sync support Flicker-free technology Low Blue Light technology Smart modes	G-SYNC Compatible	Width (with stand) Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand)	611.4 mm 243.7 mm 518.7 mm 6.73 kg 611.4 mm 67.4 mm 361.2 mm
Multimedia		Weight (without stand)	4.75 kg
Built-in speaker(s) * Built-in camera *	× ×	Bezel width (side) Bezel width (top) Bezel width (bottom)	7.35 mm 7.35 mm 1.82 cm
Design		Packaging data	
Market positioning * Product colour *	Gaming Black	Package weight	11.2 kg
Ports & interfaces		Packaging content	
Built-in USB hub * USB hub version USB upstream port type Number of USB Type-B upstream ports quantity	3.2 Gen 1 (3.1 Gen 1) USB Type-B	Stand included Cables included DisplayPort cable length HDMI cable length	AC, DisplayPort, HDMI, USB Type-A to USB Type-B 1.8 m 1.8 m
USB Type-A downstream ports	3	Sustainability	
quantity USB Type-C downstream ports quantity	1	Doesn't contain Other features	Arsenic, PVC/BFR
HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort out version Headphone out *	2 2.1 1 1.4	Heavy metals free Compliance certificates	Hg (mercury) RoHS

