


GIGABYTE Z790 D AX emaplaat Intel Z790 Express LGA 1700 ATX

Brand : GIGABYTE

Product code: Z790 D AX

Product name : Z790 D AX

GIGABYTE Z790 D AX. Protsessori tootja: Intel, Protsessori pesa: LGA 1700, Ühilduvad protsessoriseeriad: Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9,.... Toetatud mälutüübid: DDR5-SDRAM, Maksimaalne sisemälu: 192 GB, Mälupesade tüüp: DIMM. Kõvaketta ühenduse tüüp: M.2, SATA III, Toetatud ketaste tüübid: HDD & SSD, RAID-tasemed: 0, 1, 5, 10. Maksimaalne resolutsioon: 4096 x 2304 pikslit. USB-pistmiku tüüp: USB tüüp A, USB tüüp-C



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	Headphone outputs	1
Processor socket *	LGA 1700	Microphone in	✓
Compatible processor series *	Intel® Celeron®, Intel® Core™ i3, Intel® Core™ i5, Intel® Core™ i7, Intel® Core™ i9, Intel® Pentium® Gold	S/PDIF out port	✓
Maximum number of SMP processors	1	WiFi-AP antenna jack	2
Supported processor sockets	LGA 1700	USB connector type	USB Type-A, USB Type-C
Maximum internal memory supported by processor	192 GB	Network	
Memory		Ethernet LAN	✓
Supported memory types *	DDR5-SDRAM	Ethernet interface type	2.5 Gigabit Ethernet
Number of memory slots *	4	LAN controller	Realtek RTL8125
Memory slots type	DIMM	Wi-Fi *	✓
Memory channels	Dual-channel	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
ECC compatibility	ECC & Non-ECC	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Supported memory clock speeds	4400,4800,5200,5400,5600,5800,6000,6200,6400,6600,6800,7000,7200,7400,7600 MHz	WLAN controller model	Intel Wi-Fi 6E AX211
Supported memory clock speed (max)	7600 MHz	Bluetooth	✓
Maximum internal memory *	192 GB	Bluetooth version	5.3
Supported memory module capacities	1GB, 2GB, 4GB, 8GB, 12GB, 16GB, 32GB, 48GB	Features	
Unbuffered memory	✓	Motherboard chipset *	Intel Z790 Express
Storage controllers		Audio chip	Realtek ALC897
Supported storage drive types	HDD & SSD	Audio output channels *	7.1 channels
Supported storage drive interfaces *	M.2, SATA III	Product colour	Brown
Number of HDDs supported	4	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Number of storage drives supported	7	Component for *	PC
RAID support	✓	Motherboard form factor *	ATX
RAID levels	0, 1, 5, 10	Motherboard chipset family *	Intel
Graphics		Power source type	ATX
Parallel processing technology support *	Not supported		

Graphics		Features	
Maximum resolution	4096 x 2304 pixels	Windows operating systems supported	Windows 10 x64, Windows 11 x64
HDCP	✓	Expansion slots	
DirectX version	12.0	PCI Express x1 (Gen 3.x) slots	2
Discrete graphics support	✓	PCI Express x16 (Gen 3.x) slots	1
Internal I/O		PCI Express x16 (Gen 4.x) slots	1
USB 2.0 connectors *	2	PCI Express x16 (Gen 5.x) slots	1
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Number of M.2 (M) slots	3
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	BIOS	
Number of SATA III connectors *	4	BIOS type *	UEFI AMI
Total number of SATA connectors	4	BIOS memory size	256 Mbit
Front panel audio connector	✓	ACPI version	5.0
Front panel connector	✓	Clear CMOS jumper	✓
ATX Power connector (24-pin)	✓	Clear CMOS button	✓
Number of EATX power connectors	2	Desktop Management Interface (DMI) version	2.7
CPU fan connector	✓	System Management BIOS (SMBIOS) version	2.7
EPS power connector (8-pin)	✓	Logistics data	
TPM connector	✓	Country of origin	China
Thunderbolt headers	2	Products per shipping (inner) case	1 pc(s)
12V power connector	✓	Battery	
RGB LED pin header	✓	Battery weight	3 g
Rear panel I/O ports		Lithium weight per battery	0.07 g
USB 2.0 ports quantity *	2	Number of battery cells	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	4	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1	Battery type	CR2032
USB 3.2 Gen 2x2 Type-C ports quantity	1	Packaging data	
Ethernet LAN (RJ-45) ports *	1	Package width	335 mm
PS/2 ports quantity	1	Package depth	270 mm
HDMI ports quantity *	1	Package height	80 mm
HDMI version	2.1	Package weight	1.84 kg
DisplayPorts quantity	1	Weight & dimensions	
DisplayPort version	1.2	Width	305 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Cables included	SATA
		Batteries included	✓
		Antenna included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Technical details	
		Warranty period	3 year(s)



4719331860592

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 12-FEB-2025. Prints or copies of Information are only valid on the printed Publication date