



APC BE850G2-GR puhvertoiteallikas (UPS) Ooteseisund (võrgust väljas) 0,85 kVA 520 W 8 vahelduvvoolu kontakt

Brand : APC

Product code: BE850G2-GR

Product name : BE850G2-GR

APC BE850G2-GR. Puhvertoiteallika topoloogia: Ooteseisund (võrgust väljas), Väljundvõimsuse potentsiaal: 0,85 kVA, Väljundvõimsus: 520 W. AC-väljundi tüüp: Tüüp F, Elektripistik: Tüüp F, AC-väljundite arv: 8 vahelduvvoolu kontakt. Akutehnoloogia: Suletud pliiaku (VRLA), Aku mahutavus: 93 Ah, Tüübipärane varundamisaeg täiskoormusega: 2 min. Toote kuju: Kompaktne, Toote värv: Must, Kaabli pikkus: 1,83 m. Vastavussertifikaadid: RoHS, Sertifikaat: REACH, CE, EAC



Features		Battery	
UPS topology *	Standby (Offline)	Battery recharge time	16 h
Output power capacity *	0.85 kVA	Hot-swap battery	✓
Output power *	520 W	Automatic battery test	✓
Waveform *	Sine	Cold start	✓
Input operation voltage (min) *	220 V	Design	
Input operation voltage (max) *	230 V	Form factor *	Compact
Input frequency *	47/63 Hz	Cable length	1.83 m
Output operation voltage (min)	220 V	Product colour *	Black
Output operation voltage (max)	230 V	LED indicators	✓
Output frequency	47/63 Hz	Operational conditions	
Automatic Voltage Regulation (AVR) ✗		Operating temperature (T-T)	0 - 40 °C
Maximum current	6 A	Storage temperature (T-T)	-15 - 45 °C
Surge energy rating	310 J	Operating relative humidity (H-H)	0 - 90%
Noise level	45 dB	Storage relative humidity (H-H)	0 - 95%
Surge protection	✓	Operating altitude	0 - 900 m
Surge protection features	Digital Subscriber Line (DSL), Fax, Modem, Network, Telephone	Non-operating altitude	0 - 4500 m
Audible alarm(s)	✓	Certificates	
Audible alarm modes	Alarm when on battery, Low battery alarm, Overload alarm	Compliance certificates	RoHS
Ports & interfaces		Certification	REACH, CE, EAC
AC outlet types	Type F	Packaging content	
Power plug	Type F	Manual	✓
AC outlets quantity	8 AC outlet(s)	Sustainability	
Number of type F outputs	8	Sustainability certificates	Green Premium
USB port	✓	Weight & dimensions	
USB 2.0 ports quantity	2	Width	130 mm
Battery		Depth	365 mm
Battery technology	Sealed Lead Acid (VRLA)	Height	120 mm
Battery capacity	93 Ah	Weight	4.5 kg
Typical backup time at full load	2 min	Packaging data	
Typical backup time at half load	9 min	Package width	186 mm
Battery life (max)	5 year(s)	Package depth	441 mm
		Package height	190 mm

Packaging data

Package weight	5 kg
----------------	------

Logistics data

Harmonized System (HS) code	85078000
-----------------------------	----------

Master (outer) case gross weight	16 kg
----------------------------------	-------



0731304347286



731304347286

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.