

## Epson WorkForce Enterprise AM-C400 Tint A4 600 x 2400 DPI

**Brand :** Epson

**Product family:** WorkForce

**Product code:** C11C93401

**Product name :** Enterprise AM-C400

Epson WorkForce Enterprise AM-C400. Printimistehnoloogia: Tint, Printimine: Värviline printimine, Maksimaalne resolutsioon: 600 x 2400 DPI. Kopeerimine: Värviline kopeerimine, Maksimaalne kopeerimisresolutsioon: 600 x 600 DPI. Skaneerimine: Värviskaneerimine, Optilise skaneerimise resolutsioon: 600 x 600 DPI. Faksimine: Värviline faksimine. Dupleksfunktsioonid: Print, Skaneerimine. Maksimaalne ISO A-seeria paberi suurus: A4. Otseprintimine. Toote värv: Valge



Printing		Input & output capacity	
Print technology *	Inkjet	Auto document feeder (ADF) input capacity	100 sheets
Printing *	Colour printing	Maximum input capacity	2100 sheets
Duplex printing *	✓	<b>Paper handling</b>	
Maximum resolution *	600 x 2400 DPI	Maximum ISO A-series paper size *	A4
Print speed (ISO/IEC 24734) black	40 ppm	Paper tray media types *	Envelopes, Letterhead, Plain paper, Recycled paper
Print speed (ISO/IEC 24734) colour	40 ppm	ISO A-series sizes (A0...A9) *	A4, A5, A6
Time to first page (black, normal)	4.9 s	ISO B-series sizes (B0...B9)	B5, B6
Time to first page (colour, normal)	4.9 s	Non-ISO print media sizes	Executive, Letter
<b>Copying</b>		Envelopes sizes	C4, C5, C6, DL
Duplex copying *	✓	Paper tray media weight	52 - 250 g/m <sup>2</sup>
Copying *	Colour copying	<b>Ports &amp; interfaces</b>	
Maximum copy resolution *	600 x 600 DPI	Direct printing *	✓
Maximum number of copies	9999 copies	USB port	✓
Copier resize	25 - 400%	<b>Network</b>	
<b>Scanning</b>		Wi-Fi *	✗
Duplex scanning *	✓	Ethernet LAN *	✓
Scanning *	Colour scanning	Cabling technology	10/100/1000Base-T(X)
Optical scanning resolution *	600 x 600 DPI	Ethernet LAN data rates	10,100,1000 Mbit/s
Maximum scan area	215 x 355 mm	Management protocols	SNMP, HTTP, DHCP, BOOTP, APIPA, DDNS, mDNS, SNT, SLP, WSD, LLTD, Ping, SMTP, TCP/IPv4, TCP/IPv6, IPSec, IEEE 802.1X, SNMP 2.0c, SNMP 3.0
Scanner type *	ADF scanner	Mobile printing technologies	Apple AirPrint, Epson Connect, Epson Smart Panel
Scan technology	CIS		
Scan to	E-mail, FTP, Network folder, PC, USB		
Image formats supported	BMP, JPEG, PNG, TIFF		
Document formats supported	PDF		
<b>Fax</b>			

<b>Fax</b>		<b>Performance</b>	
Faxing *	Colour faxing	Internal storage capacity	320 GB
Fax transmission speed	3 sec/page	Storage media	HDD
Modem speed	33.6 Kbit/s	Internal memory *	8192 MB
Fax memory	550 pages	<b>Design</b>	
Speed dialling	✓	Product colour *	White
Error Correction Mode (ECM)	✓	Market positioning *	Home & office
<b>Features</b>		Built-in display *	✓
Maximum duty cycle *	384000 pages per month	Control type	Touch
Duplex functions *	Print, Scan	Colour display	✓
Number of print cartridges *	4	<b>Power</b>	
Printing colours *	Black, Cyan, Magenta, Yellow	Power consumption (copying)	84 W
Page description languages	ESC/P-R, ESC/Page, PCL 5c, PCL 5e, PCL 6, PostScript 3	Power consumption (ready)	39 W
<b>Input &amp; output capacity</b>		Power consumption (sleep)	0.9 W
Total number of input trays *	2	Power consumption (off)	0.1 W
Total input capacity *	530 sheets	Energy Star Typical Electricity Consumption (TEC)	0.19 kWh/week
Total output capacity *	300 sheets	AC input voltage	100 - 240 V
Paper tray 1 input capacity	500 sheets	AC input frequency	50/60 Hz
Multi-Purpose tray	✓	<b>System requirements</b>	
Multi-Purpose tray input capacity	100 sheets	Windows operating systems supported	Windows 10, Windows 11, Windows 7, Windows 8, Windows 8.1
Auto document feeder (ADF)	✓	Mac operating systems supported	Mac OS X 11.0 Big Sur, Mac OS X 12.0 Monterey, Mac OS X 13.0 Ventura, Mac OS X 14.0 Sonoma
		Server operating systems supported	Windows Server 2008, Windows Server 2008 R2, Windows Server 2012, Windows Server 2012 R2, Windows Server 2016, Windows Server 2019, Windows Server 2022
		<b>Weight &amp; dimensions</b>	
		Width	465 mm
		Depth	517 mm
		Height	570 mm
		Weight	56.3 kg



8715946703497

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 24-FEB-2025. Prints or copies of Information are only valid on the printed Publication date