


GIGABYTE B840M DS3H emaplaat AMD B840 Protsessoripesa AM5 Mikro ATX

Brand : GIGABYTE

Product code: B840M DS3H

Product name : B840M DS3H

GIGABYTE B840M DS3H. Protsessori tootja: AMD, Protsessori pesa: Protsessoripesa AM5, Ühilduvad protsessoriseeriad: AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series. Toetatud mälu tüübid: DDR5-SDRAM, Maksimaalne sisemälu: 256 GB, Mälupesade tüüp: DIMM. Kõvaketta ühenduse tüüp: M.2, PCI Express 4.0, SATA III, Toetatud ketaste tüübid: HDD & SSD, RAID-tasemed: 0, 1, 10. Maksimaalne resolutsioon: 4096 x 2160 pikslit. Ethernet-liidese tüüp: 2.5 Gigabit Ethernet, LAN-kontroller: Realtek RTL8125



Processor		Rear panel I/O ports	
Processor manufacturer *	AMD	Headphone outputs	1
Processor socket *	Socket AM5	Line-in	✓
Compatible processor series *	AMD Ryzen 7000 Series, AMD Ryzen 8000 Series, AMD Ryzen 9000 Series	Microphone in	✓
Supported processor sockets	Socket AM5	Network	
Memory		Ethernet LAN	✓
Supported memory types *	DDR5-SDRAM	Ethernet interface type	2.5 Gigabit Ethernet
Number of memory slots *	4	LAN controller	Realtek RTL8125
Memory slots type	DIMM	Wi-Fi *	✗
Memory channels	Dual-channel	Features	
ECC compatibility	Non-ECC	Motherboard chipset *	AMD B840
Supported memory clock speeds	8200,8000,7950,7900,7800,7600,7400,7200,7000,6800,6666,6600,6400,6200,6000,5600,5200,4800,4400 MHz	Audio chip	Realtek ALC897
Supported memory clock speed (max)	8200 MHz	Audio output channels *	7.1 channels
Maximum internal memory *	256 GB	Product colour	Dark brown
Unbuffered memory	✓	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Maximum internal memory per slot	64 GB	Component for *	PC
Storage controllers		Motherboard form factor *	micro ATX
Supported storage drive types	HDD & SSD	Motherboard chipset family *	AMD
Supported storage drive interfaces *	M.2, PCI Express 4.0, SATA III	Cooling type	Passive
Number of HDDs supported	4	Power source type	ATX
Number of storage drives supported	6	Windows operating systems supported	Windows 10 x64, Windows 11 x64
RAID support	✓	Expansion slots	
RAID levels	0, 1, 10	PCI Express x16 (Gen 3.x) slots	1
Graphics		PCI Express x16 (Gen 4.x) slots	1
Parallel processing technology support *	Not supported	Number of M.2 (M) slots	2
Maximum resolution	4096 x 2160 pixels	1st M.2 largest key size	2580
HDCP	✓		
DirectX version	12.0		
Internal I/O			
USB 2.0 connectors *	2		

Internal I/O		Expansion slots	
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	1st M.2 highest PCI Express generation	4.0
Number of SATA III connectors *	4	2nd M.2 largest key size	25110
Front panel audio connector	✓	2nd M.2 highest PCI Express generation	4.0
Front panel connector	✓	BIOS	
ATX Power connector (24-pin)	✓	BIOS type *	UEFI AMI
CPU fan connector	✓	BIOS memory size	256 Mbit
Number of CPU fan connectors	2	ACPI version	5.0
Number of chassis fan connectors	2	Clear CMOS jumper	✓
EPS power connector (8-pin)	✓	Desktop Management Interface (DMI) version	2.7
Number of EPS power connectors (8-pin)	1	System Management BIOS (SMBIOS) version	2.7
TPM connector	✓	Logistics data	
Number of water pump connectors	2	Products per shipping (inner) case	1 pc(s)
RGB LED pin header	✓	Battery	
Number of RGB LED pin headers	3	Battery weight	3 g
Rear panel I/O ports		Lithium weight per battery	0.07 g
USB 2.0 ports quantity *	4	Number of battery cells	1
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity *	1	Battery type	CR2032
Ethernet LAN (RJ-45) ports *	1	Packaging data	
PS/2 ports quantity	1	Package width	265 mm
HDMI ports quantity *	1	Package depth	265 mm
HDMI version	2.1	Package height	54 mm
DisplayPorts quantity	2	Package weight	1.13 kg
DisplayPort version	1.4	Weight & dimensions	
		Width	244 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Batteries included	✓
		Screws included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Other features	
		Weight	1.05 kg
		Technical details	
		Warranty period	3 year(s)



4719331868437

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 26-FEB-2025. Prints or copies of Information are only valid on the printed Publication date