

GIGABYTE B860 DS3H WIFI6E emaplaat Intel B860 LGA 1851 (Socket V1) ATX

Brand : GIGABYTE

Product code: B860 DS3H WIFI6E

Product name : B860 DS3H WIFI6E



GIGABYTE B860 DS3H WIFI6E. Protsessori tootja: Intel, Protsessori pesa: LGA 1851 (Socket V1), Ühilduvad protsessoriseeriad: Intel Core Ultra (Series 2). Toetatud mälutüübid: DDR5-SDRAM, Maksimaalne sisemälu: 256 GB, Mälupesaja tüüp: DIMM. Kõvaketta ühenduse tüüp: M.2, SATA III, Toetatud ketaste tüübid: HDD & SSD, RAID-tasemed: 0, 1, 5, 10. Maksimaalne resolutsioon: 4096 x 2160 pikslit. Ethernet-liidese tüüp: 2.5 Gigabit Ethernet, LAN-kontroller: Realtek RTL8125, Wi-Fi standard: Wi-Fi 6E (802.11ax)



Processor		Rear panel I/O ports	
Processor manufacturer *	Intel	WiFi-AP antenna jack	2
Processor socket *	LGA 1851 (Socket V1)	Network	
Compatible processor series *	Intel Core Ultra (Series 2)	Ethernet LAN	✓
Supported processor sockets	LGA 1851	Ethernet interface type	2.5 Gigabit Ethernet
Memory		LAN controller	Realtek RTL8125
Supported memory types *	DDR5-SDRAM	Wi-Fi *	✓
Number of memory slots *	4	Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Memory slots type	DIMM	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Memory channels	Dual-channel	WLAN controller model	Intel Wi-Fi 6E AX211
ECC compatibility	ECC & Non-ECC	Bluetooth	✓
Supported memory clock speeds	9066,8800,8600,8400,8266,8200,8000,7950,7900,7800,7600,7400,7200,7000,6800,6600,6400,5600 MHz	Bluetooth version	5.3
Supported memory clock speed (max)	9066 MHz	Features	
Maximum internal memory *	256 GB	Motherboard chipset *	Intel B860
Unbuffered memory	✓	Audio chip	Realtek ALC897
Maximum internal memory per slot	64 GB	Audio output channels *	7.1 channels
Storage controllers		Product colour	Dark brown
Supported storage drive types	HDD & SSD	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Supported storage drive interfaces *	M.2, SATA III	Component for *	PC
Number of HDDs supported	4	Motherboard form factor *	ATX
Number of storage drives supported	6	Motherboard chipset family *	Intel
RAID support	✓	Cooling type	Passive
RAID levels	0, 1, 5, 10	Power source type	ATX
Graphics		Windows operating systems supported	Windows 10 x64, Windows 11 x64
Parallel processing technology support *	Not supported	Expansion slots	
Maximum resolution	4096 x 2160 pixels	PCI Express x16 (Gen 4.x) slots	4
HDCP	✓	PCI Express x16 (Gen 5.x) slots	1
DirectX version	12.0		
Internal I/O			
USB 2.0 connectors *	2		
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2		
Number of SATA III connectors *	4		
S/PDIF out connector	✓		

Internal I/O		Expansion slots	
Front panel audio connector	✓	Number of M.2 (M) slots	2
Front panel connector	✓	1st M.2 largest key size	25110
ATX Power connector (24-pin)	✓	1st M.2 highest PCI Express generation	5.0
CPU fan connector	✓	2nd M.2 largest key size	25110
Number of CPU fan connectors	2	2nd M.2 highest PCI Express generation	4.0
Number of chassis fan connectors	4	BIOS	
EPS power connector (8-pin)	✓	BIOS type *	UEFI AMI
Number of EPS power connectors (8-pin)	1	BIOS memory size	256 Mbit
TPM connector	✓	ACPI version	5.0
Serial port headers	1	Clear CMOS jumper	✓
Number of water pump connectors	3	Desktop Management Interface (DMI) version	2.7
RGB LED pin header	✓	System Management BIOS (SMBIOS) version	2.7
Number of RGB LED pin headers	4	Logistics data	
Rear panel I/O ports		Country of origin	China
USB 2.0 ports quantity *	4	Products per shipping (inner) case	1 pc(s)
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1	Battery	
USB 3.2 Gen 2x2 Type-C ports quantity	1	Battery weight	3 g
Ethernet LAN (RJ-45) ports *	1	Lithium weight per battery	0.07 g
PS/2 ports quantity	1	Number of battery cells	1
HDMI ports quantity *	1	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
HDMI version	2.1	Battery type	CR2032
DisplayPorts quantity	1	Packaging data	
DisplayPort version	2.1	Package width	335 mm
Headphone outputs	1	Package depth	270 mm
Line-in	✓	Package height	80 mm
Microphone in	✓	Weight & dimensions	
		Width	305 mm
		Depth	244 mm
		Height	35 mm
		Packaging content	
		Batteries included	✓
		Antenna included	✓
		Screws included	✓
		Bundled software	Norton Internet Security (OEM version) LAN bandwidth management software
		Other features	
		Weight	2 kg
		Technical details	
		Warranty period	3 year(s)



4719331867515

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-FEB-2025. Prints or copies of Information are only valid on the printed Publication date