



## GIGABYTE B860I AORUS PRO ICE emaplaat Intel B860 LGA 1851 (Socket V1) Mini ITX

**Brand :** GIGABYTE

**Product code:** B860I AORUS PRO ICE

**Product name :** B860I AORUS PRO ICE

GIGABYTE B860I AORUS PRO ICE. Protsessori tootja: Intel, Protsessori pesa: LGA 1851 (Socket V1), Ühilduvad protsessoriseeriad: Intel Core Ultra (Series 1), Intel Core Ultra (Series 2). Toetatud mälutüübid: DDR5-SDRAM, Maksimaalne sisemälu: 128 GB, Mälupesa tüüp: DIMM. Kõvaketta ühenduse tüüp: M.2, SATA III, Toetatud ketaste tüübid: HDD & SSD, RAID-tasemed: 0, 1, 5, 10. Maksimaalne resolutsioon: 5120 x 2880 pikslit. Ethernet-liidese tüüp: 2.5 Gigabit Ethernet, LAN-kontroller: Realtek RTL8125, Wi-Fi standard: Wi-Fi 7 (802.11be)



<b>Processor</b>		<b>Rear panel I/O ports</b>	
Processor manufacturer *	Intel	Digital audio optical out	1
Processor socket *	LGA 1851 (Socket V1)	Thunderbolt ports quantity	1
Compatible processor series *	Intel® Core™ Ultra (Series 1), Intel Core Ultra (Series 2)	WiFi-AP antenna jack	2
Supported processor sockets	LGA 1851	<b>Network</b>	
<b>Memory</b>		Ethernet LAN	✓
Supported memory types *	DDR5-SDRAM	Ethernet interface type	2.5 Gigabit Ethernet
Number of memory slots *	2	LAN controller	Realtek RTL8125
Memory slots type	DIMM	Wi-Fi *	✓
Memory channels	Dual-channel	Top Wi-Fi standard	Wi-Fi 7 (802.11be)
ECC compatibility	ECC & Non-ECC	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax), Wi-Fi 7 (802.11be)
Supported memory clock speeds	5600,6400,9200 MHz	WLAN controller model	MediaTek MT7925
Supported memory clock speed (max)	9200 MHz	Bluetooth	✓
Maximum internal memory *	128 GB	Bluetooth version	5.4
Unbuffered memory	✓	<b>Features</b>	
Maximum internal memory per slot	64 GB	Motherboard chipset *	Intel B860
<b>Storage controllers</b>		Audio chip	Realtek ALC897
Supported storage drive types	HDD & SSD	Audio output channels *	7.1 channels
Supported storage drive interfaces *	M.2, SATA III	Product colour	White
Number of HDDs supported	2	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Number of storage drives supported	4	Component for *	PC
RAID support	✓	Motherboard form factor *	mini ITX
RAID levels	0, 1, 5, 10	Motherboard chipset family *	Intel
<b>Graphics</b>		Cooling type	Passive
Parallel processing technology support *	Not supported	Power source type	ATX
Maximum resolution	5120 x 2880 pixels	Windows operating systems supported	Windows 11 x64
HDCP	✓	<b>Expansion slots</b>	
DirectX version	12.0	PCI Express x16 (Gen 5.x) slots	1
Number of displays supported	3	Number of M.2 (M) slots	2

Internal I/O		Expansion slots	
USB 2.0 connectors *	1	1st M.2 largest key size	2280
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	1st M.2 highest PCI Express generation	5.0
USB 3.2 Gen 2 (3.1 Gen 2) connectors *	1	2nd M.2 largest key size	2280
Number of SATA III connectors *	2	2nd M.2 highest PCI Express generation	4.0
Front panel audio connector	✓	<b>BIOS</b>	
Front panel connector	✓	BIOS type *	UEFI AMI
ATX Power connector (24-pin)	✓	BIOS memory size	256 Mbit
CPU fan connector	✓	ACPI version	5.0
Number of CPU fan connectors	2	Clear CMOS jumper	✓
Number of chassis fan connectors	1	Desktop Management Interface (DMI) version	2.7
EPS power connector (8-pin)	✓	System Management BIOS (SMBIOS) version	2.7
Number of EPS power connectors (8-pin)	1	<b>Logistics data</b>	
TPM connector	✓	Country of origin	China
Number of water pump connectors	1	Products per shipping (inner) case	1 pc(s)
RGB LED pin header	✓	<b>Battery</b>	
Number of RGB LED pin headers	2	Battery weight	3 g
<b>Rear panel I/O ports</b>		Lithium weight per battery	0.07 g
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Number of battery cells	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	3	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
Ethernet LAN (RJ-45) ports *	1	Battery type	CR2032
HDMI ports quantity *	1	<b>Packaging data</b>	
HDMI version	2.1	Package width	235 mm
DisplayPorts quantity	1	Package depth	227 mm
DisplayPort version	2.1	Package height	95 mm
Headphone outputs	1	<b>Weight &amp; dimensions</b>	
Line-in	✓	Width	170 mm
S/PDIF out port	✓	Depth	170 mm
		Height	35 mm
		<b>Packaging content</b>	
		Batteries included	✓
		Antenna included	✓
		Screws included	✓
		Bundled software	Norton Internet Security (OEM version) LAN bandwidth management software
		<b>Other features</b>	
		Weight	1.3 kg
		<b>Technical details</b>	
		Warranty period	3 year(s)



4719331867539

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 27-FEB-2025. Prints or copies of Information are only valid on the printed Publication date