## Honor Magic7 Pro 17,3 cm (6.8") Kaksik-SIM Android 15 5G USB tüüp-C 12 GB 512 GB 5850 mAh Must

Brand : Honor Product code: 5109BQHG

Product name: Magic7 Pro

Honor Magic7 Pro. Ekraani diagonaal: 17,3 cm (6.8"), Ekraani resolutsioon: 2800 x 1280 pikslit. Protsessori perekond: Qualcomm Snapdragon, Protsessori mudel: 8 Elite. RAM-i maht: 12 GB, Sisemine mälumaht: 512 GB. Tagakaamera resolutsioon (numbriline): 200 MP, Tagumise kaamera tüüp: Kolmekordne kaamera (Triple camera). SIM-kaardi võimekus: Kaksik-SIM. Installitud operatsioonisüsteem: Android 15. Aku mahutavus: 5850 mAh. Toote värv: Must. Kaal: 223 g



Display		Network	
Display diagonal * 17.3 cm (6.8")  Screen shape Flat  Panel type OLED  Display resolution * 2800 x 1280 pixels  Display number of colours 1.07 billion colours  Maximum refresh rate 120 Hz  Maximum display brightness (HDR) 5000 cd/m²  Maximum display brightness (Outdoor)  Maximum display brightness (HDR) 1600 cd/m²	Wi-Fi standards  Bluetooth * Bluetooth version  Bluetooth Low Energy (BLE)  Bluetooth profiles  aptX technology  MIMO	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 7 (802.11be)  5.4  AAC, APTX, APTX-HD, LDAC, SBC	
High Dynamic Range (HDR) supported	✓	Ports & interfaces	
High Dynamic Range (HDR) technology DCI-P3 coverage Pixel density	Dolby Vision 100% 453 ppi	USB port USB connector type USB version Headphone connectivity	USB Type-C 3.2 Gen 1 (3.1 Gen 1) USB Type-C
Processor		Design	
Processor family * Processor model * Processor cores Processor boost frequency	Qualcomm Snapdragon 8 Elite 8 4.3 GHz	Form factor * Product colour * International Protection (IP) code	Bar Black IP68, IP69
	4.5 0112	Performance	
Storage  RAM capacity * Internal storage capacity *	12 GB 512 GB	Fast charging Wireless charging	✓ ✓
Camera  Rear camera sensor size  Second rear camera sensor size  Rear camera resolution (numeric) *  Second rear camera resolution (numeric)	1/1.4" 1/1.3" 200 MP	Wireless charging power Fast charging technology Fingerprint reader Face recognition USB On-The-Go support Country of origin	80 W Super Fast Charging  China
Third rear camera resolution (numeric)	50 MP	Navigation	
Rear camera resolution Rear camera aperture number Second rear camera aperture number Third rear camera aperture number Third rear camera field of view (FOV) angle	16384 x 12288 pixels 2.6 2 2	GPS (satellite) GLONASS BeiDou Galileo Electronic compass	* * * * *

Optical zoom         XX         Position location "Wi-Fi positioning"         Y           Digital zoom         100x         Wi-Fi positioning         Y           Front camera resolution (numer)         50 MP         Multimedia           Front camera resolution         8192 x 61.44 pixels         Speakers         stereo           Front camera resolution         8192 x 61.44 pixels         Audio system         TOTS. William (App. OGG, WAV)           Front camera fled of view (FOV)         20°         Audio formats supported         3GP, AAC, AMR, FLAC, MIDI, MP3, AGG, WAV           Rear camera flash of view (FOV)         7         Profester         3GP, MAC, CAMR, FLAC, MIDI, MP3, AGG, WAV           30 depth front camera         7         Profester         4 Audio formats supported         AgG, MAC, CAMR, FLAC, MIDI, MP3, AGG, WAV           30 depth front camera         7         Profester         4 Audio formats supported         Android           1 mage stabilizer         7         Profester         4 Audio formats supported         Android           1 mage stabilizer         6         Profester         4 Audio formats supported         Android           1 mage stabilizer         7         Profester         4 Battery           1 mage stabilizer type         Profester         Provincil mage stabilization (ISI)	Camera		Navigation	
Front camera type         Dual camera         Multimedia           Front camera resolution (numeric)         50 Mp         Speakers         stereo           Front camera resolution         8192 x 6144 pixels         Speakers         stereo           Front camera aperture number         2         Audio system         305 P, AAC, AMR, FLAC, MIDI, MP3, MP4, OGG, WAV           Front camera flish of view (FOV) angle         7         Video formats supported         36P, AAC, AMR, FLAC, MIDI, MP3, MP4, OGG, WAV           Rear camera flish *         ✓         Pattorn*         Android           Rear camera type*         Triple camera         Software         Android           Rear camera flish Dynamic Range (HDR)         Yea         Operating system installed **         Android 15           Gamera High Dynamic Range (HDR)         Yea         Battery type         Lithium Polymer (LIPo)           Image stabilizer         Yea         Battery type (Lithium Polymer (LIPo)         Sastery type (LIPo)           Image stabilizer type         Electronic Image Stabilization (CIS)         Someson         Yea           Naccel protector         Yea         Accelerometer         Yea           Al scene recognition         Yea         Yea         Yea           SIM card capability*         Dual SIM         Yea	Optical zoom	3x	Position location *	✓
Front camera resolution (numeric)         50 MP         Multimedia           Front camera resolution         312x 6144 pixels         Speakers         stereo           Front camera field of view (FOV) angle         90°         Audio formats supported         3GP, AAC, AMR, FLAC, MIDI, MP3, angle           Rear camera fighat         Triple camera         Video formats supported         3GP, MP4           Rear camera figh Dynamic Range (HDR) and Lamera         Forture         Platform*         Android           Camera High Dynamic Range (HDR) and Expendence         Pattern         Android 15           Image stabilizer         Flectronic Image Stabilization (EIS)         Battery           Image stabilizer type         Clictronic Image Stabilization (EIS)         Sessors           Night mode         Y         Battery capacity*         Ses Onah           Macro photography         Y         Andient light sensor         Y           Al scene recognition         Y         Andient light sensor         Y           Metwork         Dula SIM         Colour temperature sensor         Y           SIM card capability*         Dula SIM         Colour temperature sensor         Y           SIM card capability*         Dula SIM         Y         Y           So standard*         WCDMA         Requir	Digital zoom	100x	Wi-Fi positioning	<b>✓</b>
Front camer resolution (numeric)   Sump   Speakers   Speakers   DTS;X Ultra   DTS;X	- ·		Multimedia	
Front camera aperture number   Front camera field of view (FOV) angle   Pront camera   Pront ca				stereo
Front camera field of view (FOV) angle         90°         Audio formats supported         3GP, AAC, AMR, FLAC, MIDI, MP3, MP4, OGG, WAV V           Rear camera flash*         v         Video formats supported         3GP, MP4, OGG, WAV V           Rear camera flash*         v         Video formats supported         3GP, MP4, OGG, WAV V           3D depth front camera         Triple camera         Platform*         Android           Camera High Dypamic Range (HDR)         V         Android 15           mode         Battery         Android 15           Image stabilizer         Postage the provision of the polymer (LiPo)         Battery           Image stabilizer type         Electronic Image Stabilization (CIS) Optical Image Stabilization (OIS)         Sensors           Night mode         V         Proximity sensor         V           Panorama         V         Accelerometer         V           Macro photography         V         Accelerometer         V           All scene recognition         V         Gyroscope         V           SIM card type *         NanoSiM         V         V           SIM card capability *         Dual SIM         Colour temperature sensor         V           SiM card type *         NanoSiM         USB Type-C charging power (max)         100 W <td></td> <td>•</td> <td>•</td> <td></td>		•	•	
Rear camer at pre 1         7 miple camera         Software         Software           20 depth front camera         / Camera High Dynamic Range (HDR) and camera         Platform * Android         Android 15           1 mode 1         Android 15         Android 15           1 mage stabilizer (mage Stabilizer of Image Stabilization (IDIS) optical Image Stabilization	Front camera field of view (FOV)			
Rear camera type "a Did phi front camera" (Pipel phi front camera")       Triple camera       Platform "a Dancing (Pipel phi front camera")       Android 15         Camera High Dynamic Range (HDR) and old Pipel phi mode       Yes a Battery       Android 15         Time Japse mode       Yes a Battery       Battery       Lithium Polymer (LiPo) 5850 mAh         Image stabilizer type       Electronic Image Stabilization (EISo) Optical Image Stabilization (ISIS) Optical Image Stabilization (	•	1	Video formats supported	3GP, MP4
3D depth front camera       Y       Platform "Operating system installed" Android 15         Camera High Dynamic Range (HDR) mode       Y       Battery         Time lapse mode       Y       Battery capacity" 5850 mAh         Image stabilizer       Electronic Image Stabilization (ISIS) Optical Image Stabilization (ISIS)       Sensors         Night mode       Y       Proximity sensor       Y         And acro photography       Y       Accelerometer       Y         All scene recognition       Y       Gyroscope       Y         SIM card capability*       Dual SIM       Colour temperature sensor       Y         SIM card tapability*       Dual SIM       Colour temperature sensor       Y         SIM card tapability*       Dual SIM       WCDMA       Required charging port       Y         SG standards*       WCDMA       Required charging power (max)*       100 W         4G Standard*       WFI 7 (802.11be)       Width       77.1 mm         Poepth       8.8 mm         Height       162.7 mm         Weight**       233 g       Package width       96 mm         Package weight       413 g       Package weight       413 g         Package weight       413 g       Package weight       413 g	Rear camera type *	Triple camera	Software	
mode         Battery           Time lapse mode         4         Battery technology         Lithium Polymer (LiPo)           Image stabilizer         Electronic Image Stabilization (EIS)         Sensors           Night mode         *         *           Panorama         4         Accelerometer         *           Macro photography         *         Accelerometer         *           Al scene recognition         *         Gyroscope         *           Network         Flicker sensor         *           SIM card capability*         Dual SIM         Colour temperature sensor         *           SIM card type*         NanoSIM         Power           SIM card type*         NanoSIM         Required charging power (max)         100 W           3G standards*         WCDMA         Required charging power (max)         100 W           4G standard*         Wi-Fi 7 (802.11be)         Width         77.1 mm           Type Wi-Fi standard*         Wi-Fi 7 (802.11be)         Width         77.1 mm           Li publication         Required charging power (max)         162.7 mm           Weight         223 g         Package width         96 mm           Package weight         181.5 mm         Package weight <t< td=""><td>••</td><td>·</td><td>Platform *</td><td>Android</td></t<>	••	·	Platform *	Android
Time lapse mode		<b>✓</b>	· ·	Android 15
Image stabilizer         V         Battery echnology         Lithium Polymer (LiPo)           Image stabilizer type         Optical Image Stabilization (CIS)         Sensors           Night mode         Y         Proximity sensor         Y           Macro photography         Y         Accelerometer         Y           Al scene recognition         Y         Gyroscope         Y           Network         Flicker sensor         Y           SIM card capability *         Dual SIM         Colour temperature sensor         Y           SIM card capability *         NanoSIM         Y           Mobile network generation *         5G         Power           SIM card type *         NanoSIM         USB Type-C charging port         Y           4G standard *         TO-LTE & FDD-LTE         Required charging power (max) *         100 W           5G standard *         NR         Wi-Fi 7 (802.11be)         Width         77.1 mm           5G standard *         NR         Wi-Fi 7 (802.11be)         Wight & dimensions         8.8 mm           Top Wi-Fi standard *         Wi-Fi 7 (802.11be)         Package width         96 mm           Package width         Package width         96 mm           Package height         181.5 mm <tr< td=""><td>Time lapse mode</td><td><b>✓</b></td><td>•</td><td></td></tr<>	Time lapse mode	<b>✓</b>	•	
Night mode  Night mode  Panorama  Vaccelerometer  Accelerometer  Vaccelerometer  Vacceleromete		✓ Electronic Image Stabilization (EIS),		
Panorama Pan	Image stabilizer type		Sensors	
Macro photography Al scene recognition  **Mobile network  SIM card capability**  Dual SIM  Mobile network generation*  SG  MonoSIM  3G standards*  4G standards*  TD-LTE & FDD-LTE  SG standard*  TD-LTE & FDD-LTE  Mi-Fi 7 (802.11be)  Wi-Fi 7 (802.11be)  Wi-Ght  Package depth  Package wight  AC adapter included *  Package included *  Vi-Fi 7 (802.11be)  Vi-Fi 7	Night mode	1	Proximity sensor	<b>✓</b>
Al scene recognition    V	Panorama	1	Accelerometer	/
Network  Flicker sensor  Colour temperature sensor  Flicker sensor  Colour temperature sensor  Flicker sensor  Colour temperature sensor  Colour temperature sensor  Fower  SIM card type * NanoSIM  NanoSIM  WCDMA  Gestandard * TD-LTE & FDD-LTE  Gestandard * NR  Top Wi-Fi standard * Wi-Fi 7 (802.11be)  Width  Flicker sensor  Weight & dimensions  Width  Flicker sensor  Width  Flicker sensor  Width  Flicker sensor  Width  Flicker sensor  Weight & dimensions  Width  Flicker sensor  Weight & dimensions  Width  Flicker sensor  Weight & dimensions  Flicker sensor  Weight & dimensions  Width  Flicker sensor  Weight & dimensions  Width  Flicker sensor  Weight & dimensions  Weight & dimensions  Weight & dimension	Macro photography	1	Ambient light sensor	/
SIM card capability*  Mobile network generation*  5G  Mocord type*  NanoSIM  3G standards*  WCDMA  4G standard*  TD-LTE & FDD-LTE  SG standard*  NR  Weight & dimensions  Top Wi-Fi standard*  Wi-Fi 7 (802.11be)  Weight *  Weigh	Al scene recognition	1	Gyroscope	/
Mobile network generation * SIM card type * NanoSIM WCDMA G standards * 4G standard * TD-LTE & FDD-LTE SG standard * NR Weight & dimensions  Top Wi-Fi standard * Vi-Fi 7 (802.11be) Wi-Fi 7 (802.11be) Wight * Package width Package depth Package weight Package weight Ala g  Package weig	Network		Flicker sensor	/
SIM card type * 3G standards * WCDMA 4G standard * TD-LTE & FDD-LTE 5G standard * NR Weight & dimensions  Top Wi-Fi standard * Wi-Fi 7 (802.11be) Wight * Weight * We	SIM card capability *	Dual SIM	Colour temperature sensor	✓
SG standards * 4G standard * TD-LTE & FDD-LTE SG standard * NR Weight & dimensions  Top Wi-Fi standard * Wi-Fi 7 (802.11be) Width Depth Height Height Height 162.7 mm Weight * 223 g Package width Package depth Package height Package weight  AC adapter included * Wi-Fi 7 (802.11be)  Packaging content  AC adapter included *  Cuick start guide  ✓ Cables included  ✓ Cables included  ✓ USB Type-C charging pont Violation 100 W  100	Mobile network generation * SIM card type * 3G standards *	NanoSIM WCDMA TD-LTE & FDD-LTE NR	Power	
AG standards *  TD-LTE & FDD-LTE  SG standard *  NR  Weight & dimensions  Top Wi-Fi standard *  Wi-Fi 7 (802.11be)  Width  Depth  Height  Weight *  Package width  Package depth  Package height  Package weight  AC adapter included *  Cuick start guide  ✓  Screen protector  Cables included  Width  77.1 mm  77.1 mm  162.7 mm  162.7 mm  96 mm  96 mm  181.5 mm  181.5 mm  413 g  Packaging content  ✓  Cables included  V  Screen protector  Cables included  V  Wight *  Cadare included  V  Wight *  Cadare included  V  Width  77.1 mm  77.			USB Type-C charging port	1
Figure 1				
Top Wi-Fi standard * Wi-Fi 7 (802.11be)  Width 77.1 mm  Depth 8.8 mm  Height 162.7 mm  Weight * 223 g  Package width 96 mm  Package depth 35 mm  Package height 181.5 mm  Package weight 413 g  Packaging content  AC adapter included * X  Quick start guide ✓  Screen protector ✓  Cables included USB Type-C  SIM card ejector pin ✓			Weight & dimensions	
Height 162.7 mm  Weight * 223 g  Package width 96 mm  Package depth 35 mm  Package height 181.5 mm  Package weight 413 g  Packaging content  AC adapter included * X  Quick start guide ✓  Screen protector ✓  Cables included USB Type-C  SIM card ejector pin ✓				77.1 mm
Weight * 223 g Package width 96 mm Package depth 35 mm Package height 181.5 mm Package weight 413 g  Packaging content  AC adapter included * X Quick start guide ✓ Screen protector ✓ Cables included USB Type-C SIM card ejector pin ✓			Depth	8.8 mm
Package width 96 mm Package depth 35 mm Package height 181.5 mm Package weight 413 g  Packaging content  AC adapter included * X Quick start guide ✓ Screen protector ✓ Cables included USB Type-C SIM card ejector pin ✓			Height	162.7 mm
Package depth 35 mm Package height 181.5 mm Package weight 413 g  Packaging content  AC adapter included * X Quick start guide ✓ Screen protector ✓ Cables included USB Type-C SIM card ejector pin ✓			Weight *	223 g
Package height 181.5 mm Package weight 413 g  Packaging content  AC adapter included *  Quick start guide  Screen protector  Cables included USB Type-C SIM card ejector pin  ✓			<del>-</del>	96 mm
Package weight 413 g  Packaging content  AC adapter included *   Quick start guide   Screen protector  Cables included  USB Type-C  SIM card ejector pin   413 g				
Packaging content  AC adapter included *   Quick start guide   Screen protector   Cables included  USB Type-C  SIM card ejector pin  ✓				
AC adapter included * X  Quick start guide   Screen protector   Cables included   USB Type-C  SIM card ejector pin    X			Package weight	413 g
Quick start guide  Screen protector  Cables included  USB Type-C  SIM card ejector pin  ✓				
Screen protector  Cables included  USB Type-C  SIM card ejector pin			AC adapter included *	X
Cables included USB Type-C SIM card ejector pin ✓			Quick start guide	✓
SIM card ejector pin			Screen protector	1
			Cables included	USB Type-C
Protective case ✓			SIM card ejector pin	✓
			Protective case	✓



6936520858712

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.