Samsung Galaxy Z Fold6 19,3 cm (7.6") Kaksik-SIM Android 14 5G USB tüüp-C 12 GB 256 GB 4400 mAh Meresinine

Brand : Samsung

Product family: Galaxy

Product code: SM-F956BDBBEUE

Product name : Z Fold6

Samsung Galaxy Z Fold6 . Ekraani diagonaal: 19,3 cm (7.6"), Ekraani resolutsioon: 2160 x 1856 pikslit. Protsessori perekond: Qualcomm Snapdragon, Protsessori mudel: 8 Gen 3. RAM-i maht: 12 GB, Sisemine mälumaht: 256 GB. Tagakaamera resolutsioon (numbriline): 50 MP, Tagumise kaamera tüüp: Kolmekordne kaamera (Triple camera). SIM-kaardi võimekus: Kaksik-SIM. Installitud operatsioonisüsteem: Android 14. Aku mahutavus: 4400 mAh. Toote värv: Meresinine. Kaal: 239 g




Display		Camera	
Display diagonal * Screen shape Display technology marketing name Display glass type Gorilla Glass version Display resolution * Display number of colours	19.3 cm (7.6") Flat Dynamic AMOLED 2X Gorilla Glass Gorilla Glass Victus 2 2160 x 1856 pixels 16 million colours	Resolution at capture speed	1280x720@30fps, 1920x1080@120fps, 1920x1080@240fps, 1920x1080@30fps, 1920x1080@60fps, 3840x2160@120fps, 3840x2160@30fps, 3840x2160@60fps, 7680x4320@30fps
Maximum refresh rate	120 Hz	Rear camera type *	Triple camera
Display brightness	1500 cd/m²	Auto focus	1
Maximum display brightness (Outdoor)	2600 cd/m ²	Time lapse mode	1
Pixel density	374 ppi	Image stabilizer	1
Brand specific technologies	Always-on display	Image stabilizer type	Optical Image Stabilization (OIS)
Second display	 Image: A second s	Night mode	1
Second display diagonal	16 cm (6.3")	Panorama	1
Second display resolution	968 x 2376 pixels	Portrait mode	✓
Second display brightness	1500 cd/m²	Slow motion mode	1
Second display pixel density	410 ppi	Network	
Processor		SIM card capability *	Dual SIM
Processor family *	Qualcomm Snapdragon	Mobile network generation *	5G
Processor model *	8 Gen 3	SIM card type *	NanoSIM + eSIM
Processor cores	8	3G standards *	UMTS, WCDMA
Processor boost frequency	3.39 GHz	4G standard *	LTE-TDD & LTE-FDD
Storage		5G standard *	Sub6 FDD, Sub6 SDL, Sub6 TDD
Storage User memory	229.2 GB	5G standard * Wi-Fi	Sub6 FDD, Sub6 SDL, Sub6 TDD
-	229.2 GB 12 GB		
User memory		Wi-Fi	 Image: A second s
User memory RAM capacity * Internal storage capacity *	12 GB 256 GB	Wi-Fi Top Wi-Fi standard *	 Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi
User memory RAM capacity * Internal storage capacity * Compatible memory cards *	12 GB 256 GB	Wi-Fi Top Wi-Fi standard * Wi-Fi standards	 Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6E (802.11ax)
User memory RAM capacity * Internal storage capacity * Compatible memory cards *	12 GB 256 GB Not supported	Wi-Fi Top Wi-Fi standard * Wi-Fi standards Bluetooth *	 Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6E (802.11ax)
User memory RAM capacity * Internal storage capacity * Compatible memory cards * Camera Rear camera sensor size	12 GB 256 GB Not supported 1/1.56"	Wi-Fi Top Wi-Fi standard * Wi-Fi standards Bluetooth * Bluetooth version	 Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6E (802.11ax) 5.3
User memory RAM capacity * Internal storage capacity * Compatible memory cards * Camera Rear camera sensor size Second rear camera sensor size Third rear camera sensor size Rear camera resolution (numeric) *	12 GB 256 GB Not supported 1/1.56" 1/3.2"	Wi-Fi Top Wi-Fi standard * Wi-Fi standards Bluetooth * Bluetooth version Wi-Fi Direct	 Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6E (802.11ax) 5.3
User memory RAM capacity * Internal storage capacity * Compatible memory cards * Camera Rear camera sensor size Second rear camera sensor size Third rear camera sensor size	12 GB 256 GB Not supported 1/1.56" 1/3.2" 1/3.94"	Wi-Fi Top Wi-Fi standard * Wi-Fi standards Bluetooth * Bluetooth version Wi-Fi Direct MIMO	 Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6E (802.11ax) 5.3
User memory RAM capacity * Internal storage capacity * Compatible memory cards * Camera Rear camera sensor size Second rear camera sensor size Third rear camera sensor size Rear camera resolution (numeric) * Second rear camera resolution (numeric) Third rear camera resolution	12 GB 256 GB Not supported 1/1.56" 1/3.2" 1/3.94" 50 MP	Wi-Fi Top Wi-Fi standard * Wi-Fi standards Bluetooth * Bluetooth version Wi-Fi Direct MIMO Modulation Near Field Communication (NFC) Ports & interfaces	 Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6E (802.11ax) 5.3 1024-QAM 1024-QAM
User memory RAM capacity * Internal storage capacity * Compatible memory cards * Camera Rear camera sensor size Second rear camera sensor size Third rear camera sensor size Rear camera resolution (numeric) * Second rear camera resolution (numeric)	12 GB 256 GB Not supported 1/1.56" 1/3.2" 1/3.94" 50 MP 12 MP	Wi-Fi Top Wi-Fi standard * Wi-Fi standards Bluetooth * Bluetooth version Wi-Fi Direct MIMO Modulation Near Field Communication (NFC)	 Wi-Fi 6E (802.11ax) 802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6E (802.11ax) 5.3 1024-QAM

Camera

Second rear camera aperture number	2.2
Third rear camera aperture number	2.4
Rear camera pixel size	1 µm
Second rear camera pixel size	1.12 μm
Third rear camera pixel size	1 µm
Rear camera field of view (FOV) angle	85°
Second rear camera field of view (FOV) angle	123°
Third rear camera field of view (FOV) angle	36°
Optical zoom	Зx
Digital zoom	30x
Front camera type *	Dual came
Front camera sensor size	1/3.24"
Front camera resolution (numeric) $*$	10 MP
Second front camera resolution (numeric)	4 MP
Front camera aperture number	2.2
Second front camera aperture number	1.8
Front camera pixel size	1.22 µm
Second front camera pixel size	2 µm
Front camera field of view (FOV) angle	85°
Second front camera field of view (FOV) angle	85°
Rear camera flash *	1
Flash type	LED
Video capture resolution (max)	4320 x 76
Maximum frame rate	240 fps

2.2
2.4 1 μm 1.12 μm 1 μm
85°
123°
36°
3x 30x Dual camera 1/3.24" 10 MP
4 MP
2.2
1.8
1.22 μm 2 μm
85°
85°
1
LED
4320 x 7680 pixels

Ports & interfaces	
USB version	3.2 Gen 1 (3.1 Gen 1)
Headphone connectivity	USB Type-C
Design	
Form factor *	Clamshell
Product colour *	Navy
International Protection (IP) code	IP48
Performance	
Fast charging	 Image: A set of the set of the
Wireless charging	1
Fingerprint reader	 Image: A set of the set of the
Face recognition	 Image: A set of the set of the
USB On-The-Go support	1
Navigation	
GPS (satellite)	1
GLONASS	1
BeiDou	1
Galileo	1
Quasi-Zenith Satellite System	
(QZSS)	•
Position location *	1
Multimedia	
Audio formats supported	3GA, AAC, AMR, APE, AWB, DFF, DSF, FLAC, IMY, M4A, Mid, MIDI, MP3, MXMF, OGA, OGG, OTA, RTTTL, RTX, WAV, XMF
Video formats supported	3G2, 3GP, AVI, FLV, M4V, MKV, MP4, WEBM
Software	
Platform * Operating system installed * Virtual assistant	Android Android 14 Samsung Bixby
Battery	
Battery recharge time Battery capacity *	1.4 h 4400 mAh
Sensors	
Sensors	
	J
Proximity sensor	J J
Proximity sensor Accelerometer	
Proximity sensor Accelerometer Ambient light sensor	1
Proximity sensor Accelerometer Ambient light sensor Gyroscope	у У
Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer	5 5 5
Proximity sensor Accelerometer Ambient light sensor Gyroscope	5 5 5
Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor	5 5 5
Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions	J J J J J
Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width	5 5 5
Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions	✓ ✓ ✓ ✓ ✓ I32.6 mm
Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth	✓ ✓ ✓ ✓ ✓ ✓ I32.6 mm 5.6 mm
Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height	✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓ ✓
Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth	 ✓ ✓
Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight * Folded width	✓ ✓ ✓ ✓ ✓ ✓ I32.6 mm 5.6 mm 153.5 mm 239 g 6.81 cm
Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth	 ✓ ✓
Proximity sensor Accelerometer Ambient light sensor Gyroscope Barometer Geomagnetic sensor Hall sensor Weight & dimensions Width Depth Height Weight * Folded width Folded depth Folded height	 ✓ ✓



8806095616513

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.