TCL S54 43S5400A teler 109,2 cm (43") Full HD Nutiteleri funktsioon WiFi Hõbe

Brand: TCL Product family: S54 Product code: 43S5400A

Product name: 43S5400A

TCL S54 43S5400A. Ekraani diagonaal: 109,2 cm (43"), Ekraani resolutsioon: 1920 x 1080 pikslit, HD tüüp: Full HD, Ekraani tehnoloogia: LED, Ekraani kuju: Lame, LED tagantvalguse tüüp: Direct-LED. Nutiteleri funktsioon. Resolutsiooni interpolatsiooni tehnoloogia: PPI (Picture Performance Index) 700, Kontrastsustase (tüüpiline): 4000:1, Loomulik kuvasuhe: 16:9. Digitaalsignaali formaadisüsteem: DVB-C, DVB-S2, DVB-T2. WiFi, Ethernet LAN. Toote värv: Hõbe





Display diagonal * 109.2 cm (43") Smartphone/tablet remote support Full HD Display technology * LED Display technology * LED Display technology * LED Dacklight LED Dacklighting type Direct-LED Screen shape * Flat HDMI version				
HD type * Full HD LED LED LED LED Display technology * LED	Display		Performance	
Display technology * LED DVD player X * LED LED backlight	Display diagonal *	109.2 cm (43")	Smartphone/tablet remote support	✓
LED backlight LED backlighting type Direct-LED Flat LED backlighting type Flat LED backlighting type Flat LED backlighting type Flat Flat HDMI version HDMI Quick Switch * HDMI Quick Switch * HDCP # HDCP # Headphone outputs # R F ports quantity # R F ports quantity # Headphone outputs # Headphone outputs # Headphone outputs # Headphone outputs # Headp	HD type *		USB cloning	✓
Direct-LED Screen shape* Scree	Display technology *	LED	DVD player	×
LED Backlighting type Direct-LED Screen shape* Flat Native aspect ratio* 16:9 HDMI Quick Switch V Audio Return Channel (ARC) V Display refresh rates supported Ontrast ratio (typical)* Upynamic contrast ratio marketing name Display resolution* Display resolution* Display resolution* Display diagonal (metric) Display diagonal (metric) Peak luminance ratio TV tuner Tuner type* Analog & digital Analog signal format system* Digital signal format system* DyNB-C, DVB-S2, DVB-T2 Auto channel search Smart TV Smart TV Control type Direct-LED HDMI version 1.4 Audio Return Channel (ARC) V Common interface Plus (Cl) V Common	LED backlight		Ports & interfaces	
Motion interpolation technology** Motion interpolation technology** Motion interpolation technology** Motion interpolation technology** PPI (Picture Performance Index) 700 Audio Return Channel (ARC) PPI (Picture Performance Index) 700 Audio Return Channel (ARC) POPUR (ARC) Audio Return Channel (ARC) Audio Picture Lan, (R)-45) ports Audio Picture Lan, (R)-45) ports Audio Audio Picture Lan, (R)-45) ports Audio Audio Picture Lan, (R)-45) ports Audio Audio Picture Lan, (R)-45 ports Audio Audio Picture Lan, (R)-45 ports Audio Audio Picture Lan,	5 5 71			1.4
Motion interpolation technology** PPI (Picture Performance Index) 700 Native refresh rate 60 Hz 50 Hz, 60 Hz 50 Hz, 60 Hz HDCP 70 in (D-Sub)** Nega Contrast ratio (typical)** Nega Contrast 1920 x 1080 pixels Display resolution 1920 x 1080 pixels Display diagonal (metric) 108 cm Peak luminance ratio 79% 108 cm Peak luminance ratio 108 cm Peak luminativ* 10 common interface Plus (Cl+) 10 common in	•			
Native refresh rate 60 Hz HDCP Display refresh rates supported 50 Hz, 60 Hz HDCP version 1.4 Contrast ratio (typical)* 4000:1 PC in (D-Sub)* Namount contrast ratio marketing name Display resolution* 1920 x 1080 pixels Display diagonal (metric) 108 cm Peak luminance ratio 79% Headphone outputs 1 RF ports quantity 2 RF connector type F, IEC Common interface (CI)* Common interface Plus (CI+)* Common interface Plus	•		•	
Display refresh rates supported Contrast ratio (typical)* 4000:1 PC in (D-Sub)* X Dynamic contrast ratio marketing name Display resolution* Display diagonal (metric) Display dead optical out Display advisoptical out Display optical out Display advisoptical out Display resolution* Display diagonal resultion* Display resolution* Display resoluti	1 37	· · · · · · · · · · · · · · · · · · ·	` ,	
Contrast ratio (typical) * 4000:1 PC in (D-Sub) * X Dynamic contrast ratio marketing name Mega Contrast Ethernet LAN (RJ-45) ports 1 Display resolution * 1920 x 1080 pixels USB 2.0 ports quantity * 1 Display resolution * 1920 x 1080 pixels USB 2.0 ports quantity * 1 Display diagonal (metric) 108 cm Digital audio optical out 1 Headphone outputs 1 RF ports quantity 2 TV tuner Tuner type * Analog & digital Common interface (CI) * ✓ Analog signal format system * NTSC, SECAM L, PAL I, SECAM B/G, PAL L, SECAM D/K, PAL BG, PAL DK Digital signal format system * DVB-C, DVB-S2, DVB-T2 Common interface Plus (CI+) * ✓ Smart TV * Common interface Plus (CI+) * ✓ Common interface Plus (C				
Dynamic contrast ratio marketing name Mega Contrast Ethernet LAN (RJ-45) ports 1 1 Display resolution * 1920 x 1080 pixels Display diagonal (metric) 108 cm Peak luminance ratio 79% Headphone outputs RF ports quantity 2 TV tuner Tuner type * Analog & digital Analog signal format system * DVB-C, DVB-S2, DVB-T2 Auto channel search V Management features Internet TV * Operating system version Hybrid Broadcast Broadband TV (HbbTV) Hybrid Broadcast Broadband TV (HbbTV) version Smart modes Built-in Chromecast W Management features Ethernet LAN (RJ-45) ports 1 2 Common interface outputs 1 2 Common interface (CI) * V Common interface Plus (CI+) * V		,		
name Mega Contrast Etherhet LAN (R)-45) ports 1 Display resolution * 1920 x 1080 pixels 108 cm 108 cm 109 cm 108 cm 108 cm 109 cm 10	• • • • • • • • • • • • • • • • • • • •			
Display resolution* Display diagonal (metric) Display diagonal (metric) Peak luminance ratio 79% RF ports quantity RF connector type F, IEC Tuner type * Analog & digital NTSC, SECAM L, PAL I, SECAM B/G, PAL DK Digital signal format system * DVB-C, DVB-S2, DVB-T2 Auto channel search ** ** ** ** ** ** ** ** **	name	Mega Contrast		
Display diagonal (niterity) Peak luminance ratio 79% Headphone outputs RF ports quantity 2 TV tuner Tuner type * Analog & digital NTSC, SECAM L, PAL I, SECAM B/G, PAL DK Digital signal format system * DVB-C, DVB-S2, DVB-T2 Auto channel search V DVB-C, DVB-S2, DVB-T2 Smart TV Smart TV * Internet TV * Operating system installed * Operating system version 11 Electronic Programming period (HbbTV) Hybrid Broadcast Broadband TV (HbbTV) Programming period On Screen Display (OSD) Number of OSD languages Pr. (EC Common interface (CI) * Common interface Plus (CI+)	Display resolution *	1920 x 1080 pixels		
TV tuner Tuner type * Analog & digital Common interface (CI) * Analog signal format system * Analog & Might L, SECAM B/G, PAL L, SECAM D/K, PAL BG, PAL DK Digital signal format system * DVB-C, DVB-S2, DVB-T2	Display diagonal (metric)	108 cm	•	
TV tuner Tuner type * Analog & digital Common interface (CI) * Analog signal format system * Analog & digital Common interface (CI) * Analog signal format system * Analog & digital NTSC, SECAM L, PAL I, SECAM B/G, PAL L, SECAM B/G, PAL L, SECAM D/K, PAL BG, PAL DK Digital signal format system * DVB-C, DVB-S2, DVB-T2 Common interface Plus (CI+) * HDMI ports quantity * 2 Smart TV Smart TV * Consumer Electronics Control (CEC) T-link Smart TV * Android TV Control type Buttons, Wireless Operating system installed * Android TV Voice control Operating system version 11 Electronic Programme Guide (EPG) * Hybrid Broadcast Broadband TV (HbbTV) Hybrid Broadcast Broadband TV (HbbTV) version Sports Built-in Chromecast * Analog & digital Common interface Plus (CI+) * Common interface Plus (CI+) * Analog Android CI+) * Common interface Plus (CI+) * Analog Android CI+) * Common interface Plus (CI+) * Common interface Plus (CI+) * Analog Android CI+) * Common interface Plus (CI+) * Common interface Plus (CI+) * Analog Android CI+) * Common interface Plus (CI+) * Analog Android CI+) * Analog Android CI+) * Common interface Plus (CI+) * Android CI+) * Android CI+) * Common interface Plus (CI+) * Android CI+) * Android CI+) * Android CI+) * Android CI+) * Common interface Plus (CI+) * Android CI+) * Android CI+) * Common interface Plus (CI+) * Android CI+) * Andro	Peak luminance ratio	79%	·	
Tuner type * Analog & digital Common interface (CI) * ✓ Analog signal format system * NTSC, SECAM L, PAL I, SECAM B/G, PAL L, SECAM D/K, PAL BG, PAL DK Digital signal format system * DVB-C, DVB-S2, DVB-T2 Common interface Plus (CI+) * 1.3 Auto channel search ✓ HDMI ports quantity * 2 Smart TV Consumer Electronics Control (CEC) T-link Smart TV * ✓ Management features Internet TV * ✓ Control type Buttons, Wireless Operating system installed * Android TV Voice control Voice control CEC) Operating system version 11 Electronic Programme Guide (EPG) ✓ Hybrid Broadcast Broadband TV (HbbTV) Hybrid Broadcast Broadband TV (HbbTV) version Sports Built-in Chromecast ✓	TV tuner			
Analog signal format system * NTSC, SECAM L, PAL I, SECAM B/G, PAL L, SECAM D/K, PAL BG, PAL DK Digital signal format system * DVB-C, DVB-S2, DVB-T2 Auto channel search	Tuner type *	Analog & digital		•
Digital signal format system * DVB-C, DVB-S2, DVB-T2	Analog signal format system *		` ,	
Auto channel search **MDMI ports quantity ** 2 **Smart TV** **Smart TV ** **Internet TV ** **Operating system installed ** **Operating system version **Hybrid Broadcast Broadband TV (HbbTV) **Hybrid Broadcast Broadband TV (HbbTV) **Hybrid Broadcast Broadband TV (HbbTV) **Smart modes **Sports **HDMI ports quantity ** 2 **Consumer Electronics Control (CEC) **T-link **Management features **Control type **Control type **Outce control **Outce control **Programme Guide (EPG) **Programming period **On Screen Display (OSD) **Number of OSD languages **June 1 **Jun	Digital signal format system *			1.3
Smart TV *	Auto channel search	✓		2
Smart TV* Internet TV* ✓ Control type Buttons, Wireless Operating system installed * Operating system version Hybrid Broadcast Broadband TV (HbbTV) Hybrid Broadcast Broadband TV (HbbTV) Smart modes Sports Built-in Chromecast ✓ Management features Control type Buttons, Wireless Voice control ✓ Programme Guide (EPG) ✓ Programming period On Screen Display (OSD) Number of OSD languages 29	Smart TV			=
Internet TV * Control type Buttons, Wireless Operating system installed * Android TV Voice control Operating system version 11 Electronic Programme Guide (EPG) Hybrid Broadcast Broadband TV (HbbTV) Programming period 8 day(s) Hybrid Broadcast Broadband TV (HbbTV) Version 2.0.2 Number of OSD languages 29 Smart modes Sports Built-in Chromecast		1	. ,	1 IIIIK
Operating system installed * Android TV Voice control Operating system version Hybrid Broadcast Broadband TV (HbbTV) Hybrid Broadcast Broadband TV (HbbTV) On Screen Display (OSD) Chybrid Broadcast Broadband TV (HbbTV) version Smart modes Sports Built-in Chromecast Android TV Voice control Flectronic Programme Guide (EPG) On Screen Display (OSD) Number of OSD languages Sports				Duttons Wireless
Operating system version Hybrid Broadcast Broadband TV (HbbTV) Hybrid Broadcast Broadband TV (HbbTV) On Screen Display (OSD) Hybrid Broadcast Broadband TV (HbbTV) version Smart modes Sports Built-in Chromecast		Android TV	• •	•
Hybrid Broadcast Broadband TV (HbbTV) Hybrid Broadcast Broadband TV (HbbTV) Hybrid Broadcast Broadband TV (HbbTV) version Smart modes Sports Built-in Chromecast				
(HbbTV) Hybrid Broadcast Broadband TV (HbbTV) version Smart modes Sports Programming period 8 day(s) On Screen Display (OSD) Number of OSD languages 29 Smart modes			•	
Hybrid Broadcast Broadband TV (HbbTV) version 2.0.2 Number of OSD languages 29 Smart modes Sports Built-in Chromecast	(HbbTV)	✓	3 31	
Built-in Chromecast	Hybrid Broadcast Broadband TV (HbbTV) version	2.0.2		
	Smart modes	Sports		
App distribution platform Google Play	Built-in Chromecast	✓		
	App distribution platform	Google Play		

Smart TV		Management features	
	Amazon Prime Video, Twitch,		ALB, Bulgarian, Croatian, Czech,
Video apps Music apps Sports apps	YouTube Spotify Red Bull TV	On Screen Display (OSD) languages	Danish, German, Dutch, English, Spanish, Estonian, Finnish, French, Greek, Hungarian, Italian, LAT, Lithuanian, MAC, Norwegian, Polish,
Audio			Portuguese, Romanian, Russian,
Number of speakers *	2		SER, Slovak, Slovenian, Swedish, Turkish, Ukrainian
RMS rated power *	16 W	Hotel mode	✓
Audio output channels	2.0 channels	Basic hotel mode	✓
Audio decoders	Dolby Audio, Dolby Digital Plus	Sleep timer	✓
Auto volume leveller	✓	Firmware upgradeable	✓
Enhanced Audio Return Channel (eARC)	✓	Firmware upgradeable via	Network, USB
Network		Works with the Google Assistant	✓
Wi-Fi *	1	Power	
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)	Power consumption (typical) *	75 W
Bluetooth *	✓	Power consumption (standby) *	0.5 W
Bluetooth version	5.0	Energy efficiency class (SDR) *	G
Ethernet LAN *	✓	Energy efficiency class (HDR) * Energy consumption (SDR) per 1000	F
Bluetooth profiles	A2DP, HID	hours *	65 kWh
Web browser	✓	Energy consumption (HDR) per 1000 hours *	45 kWh
Design		AC input voltage	220-240 V
Product colour *	Silver	AC input frequency	50 Hz
Colour name	Dark silver	Energy efficiency scale	A to G
VESA mounting * Panel mounting interface	100 x 100 mm	Brand-specific features	
LED indicators	✓		Android TV, Bluetooth, Dolby
Frameless design	·	TCL technologies (AV/TV)	Audio®, HDMI ARC, HDMI eARC, HDR (High Dynamic Range), Micro
Introduction year	2023		Dimming
Bezel type	3 Bezel-less	Weight & dimensions	
Performance		Width (with stand)	955 mm
High Dynamic Range (HDR)	High Dynamic Pages 10 (HDD10)	Depth (with stand)	184 mm
technology	High Dynamic Range 10 (HDR10)	Height (with stand)	600 mm
Game mode	✓	Weight (with stand) Width (without stand)	5.9 kg 955 mm
Subtitles function	✓	Depth (without stand)	84 mm
Video formats supported	AVI, H.264, H.265, MKV, MP4, MPG, OGM, TS, VP9, WMV	Height (without stand)	551 mm
Audio formats supported	MP3, WMA	Weight (without stand)	5.8 kg
Image formats supported	BMP, JPG, PNG	Stand width	85.8 cm
Ambient mode	Yes	Stand depth	18.4 cm
Backlight dimming technology	Micro Dimming	Packaging data	
Picture processing technology	TCL IPQ 2.0 Engine	Package width	1075 mm
Noise reduction *	✓	Package depth	128 mm
High Dynamic Range (HDR) supported *	✓	Package height	652 mm
Processor cores	4	Package weight	8 kg
		Packaging content	
		Desktop stand	√
		Remote control type	RC716
		Soundbar included	X
		Other features	
		Doesn't contain	Cadmium
		Digital Living Network Alliance (DLNA) certified	✓
		Warranty period	2 year(s)



5901292523800

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.