


GIGABYTE B860M DS3H WIFI6E emaplaat Intel B860 LGA 1851 (Socket V1) Mikro ATX

Brand : GIGABYTE

Product code: B860M DS3H WIFI6E

Product name : B860M DS3H WIFI6E

GIGABYTE B860M DS3H WIFI6E. Protsessori tootja: Intel, Protsessori pesa: LGA 1851 (Socket V1), Ühilduvad protsessoriseeriad: Intel Core Ultra (Series 1), Intel Core Ultra (Series 2). Toetatud mälutüübid: DDR5-SDRAM, Maksimaalne sisemälu: 256 GB, Mälupesa tüüp: DIMM. Kõvaketta ühenduse tüüp: M.2, SATA III, Toetatud ketaste tüübid: HDD & SSD, RAID-tasemed: 0, 1, 5, 10. Maksimaalne resolutsioon: 4096 x 2160 pikslit. Ethernet-liidese tüüp: 2.5 Gigabit Ethernet, LAN-kontroller: Realtek RTL8125, Wi-Fi standard: Wi-Fi 6E (802.11ax)



Processor		Network	
Processor manufacturer *	Intel	Ethernet LAN	✓
Processor socket *	LGA 1851 (Socket V1)	Ethernet interface type	2.5 Gigabit Ethernet
Compatible processor series *	Intel® Core™ Ultra (Series 1), Intel Core Ultra (Series 2)	LAN controller	Realtek RTL8125
Supported processor sockets	LGA 1851	Wi-Fi *	✓
Memory		Top Wi-Fi standard	Wi-Fi 6E (802.11ax)
Supported memory types *	DDR5-SDRAM	Wi-Fi standards	802.11a, 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 5 (802.11ac), Wi-Fi 6 (802.11ax), Wi-Fi 6E (802.11ax)
Number of memory slots *	4	WLAN controller model	Intel Wi-Fi 6E AX211
Memory slots type	DIMM	Bluetooth	✓
Memory channels	Dual-channel	Bluetooth version	5.3
ECC compatibility	ECC & Non-ECC	Features	
Supported memory clock speeds	5600,6400,9066 MHz	Motherboard chipset *	Intel B860
Supported memory clock speed (max)	9066 MHz	Audio chip	Realtek ALC897
Maximum internal memory *	256 GB	Audio output channels *	7.1 channels
Unbuffered memory	✓	Product colour	Dark brown
Maximum internal memory per slot	64 GB	PC health monitoring	Fan, Temperature, Voltage, Water cooling
Storage controllers		Component for *	PC
Supported storage drive types	HDD & SSD	Motherboard form factor *	micro ATX
Supported storage drive interfaces *	M.2, SATA III	Motherboard chipset family *	Intel
Number of HDDs supported	4	Cooling type	Passive
Number of storage drives supported	6	Power source type	ATX
RAID support	✓	Windows operating systems supported	Windows 10 x64, Windows 11 x64
RAID levels	0, 1, 5, 10	Expansion slots	
Graphics		PCI Express x16 (Gen 4.x) slots	5
Parallel processing technology support *	Not supported	PCI Express x16 (Gen 5.x) slots	1
Maximum resolution	4096 x 2160 pixels	Number of M.2 (M) slots	2
HDCP	✓	1st M.2 largest key size	2280
DirectX version	12.0	1st M.2 highest PCI Express generation	5.0
Internal I/O		2nd M.2 largest key size	2280
USB 2.0 connectors *	2		

Internal I/O		Expansion slots	
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	2	2nd M.2 highest PCI Express generation	4.0
Number of SATA III connectors *	4	BIOS	
Front panel audio connector	✓	BIOS type *	UEFI AMI
Front panel connector	✓	BIOS memory size	256 Mbit
ATX Power connector (24-pin)	✓	ACPI version	5.0
CPU fan connector	✓	Clear CMOS jumper	✓
Number of CPU fan connectors	2	Desktop Management Interface (DMI) version	2.7
Number of chassis fan connectors	2	System Management BIOS (SMBIOS) version	2.7
EPS power connector (8-pin)	✓	Logistics data	
Number of EPS power connectors (8-pin)	1	Country of origin	China
TPM connector	✓	Products per shipping (inner) case	1 pc(s)
Number of water pump connectors	2	Battery	
RGB LED pin header	✓	Battery weight	3 g
Number of RGB LED pin headers	4	Lithium weight per battery	0.07 g
Rear panel I/O ports		Number of battery cells	1
USB 2.0 ports quantity *	3	Battery technology	Lithium-Manganese Dioxide (LiMnO2)
USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2	Battery type	CR2032
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity *	1	Packaging data	
Ethernet LAN (RJ-45) ports *	1	Package width	270 mm
PS/2 ports quantity	1	Package depth	268 mm
HDMI ports quantity *	1	Package height	68 mm
HDMI version	2.1	Package weight	1.25 kg
DisplayPorts quantity	2	Weight & dimensions	
DisplayPort version	2.1	Width	244 mm
Headphone outputs	1	Depth	244 mm
Line-in	✓	Height	35 mm
Microphone in	✓	Packaging content	
WiFi-AP antenna jack	2	Batteries included	✓
		Antenna included	✓
		Screws included	✓
		Bundled software	Norton® Internet Security (OEM version) LAN bandwidth management software
		Other features	
		Weight	1.1 kg
		Technical details	
		Warranty period	3 year(s)



4719331866815

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 21-MAR-2025. Prints or copies of Information are only valid on the printed Publication date