

be quiet! Silent Loop 3 240 mm Protsessor Kõik-ühes vedelikujahuti 12 cm Must 1 tk

Brand : be quiet!

Product code: BW024

Product name : Silent Loop 3 240 mm

be quiet! Silent Loop 3 240 mm. Tüüp: Kõik-ühes vedelikujahuti, Ventilaatori läbimõõt: 12 cm, Õhuvool: 130,3 m³/h, Maksimaalne õhusurve: 3,96 mmH2O, Laagri tüüp: Fluid Dynamic Bearing (FDB). Laius: 120 mm, Sügavus: 52 mm, Kõrgus: 277 mm. Toote värv: Must



Performance		Weight & dimensions	
Suitable location *	Processor	Radiator width	12 cm
Type *	All-in-one liquid cooler	Radiator depth	27.7 cm
Fan diameter	12 cm	Radiator height	2.7 cm
Supported processor sockets	Intel LGA1851, LGA 1150 (Socket H3), LGA 1151 (Socket H4), LGA 1155 (Socket H2), LGA 1200 (Socket H5), LGA 1700, Socket AM4, Socket AM5	Depth	52 mm
		Tube length	40 cm
		Waterblock width	8 cm
Noise level (low speed)	18.7 dB	Waterblock depth	5.6 cm
Noise level (high speed)	36.9 dB	Waterblock height	9.35 cm
Maximum airflow	76.7 cfm	Height	277 mm
Airflow	130.3 m³/h	Weight	1.38 kg
Maximum air pressure	3.96 mmH2O	Fan dimensions (W x D x H)	120 x 120 x 25 mm
Pulse-width modulation (PWM) support	✓	Cable length	0.5 m
Bearing type	Fluid Dynamic Bearing (FDB)	Package width	240 mm
Pump connector	4-pin	Package depth	321 mm
Quantity per pack	1 pc(s)	Package height	140 mm
Pump motor speed	3500 RPM	Package weight	2.4 kg
Pump motor speed (min)	1700 RPM	Technical details	
Pump motor speed (max)	3500 RPM	Sustainability certificates	Triman
Fan speed (max)	2500 RPM	Warranty period	3 year(s)
Fan's mean time to failure (MTTF)	300000 h	Compliance certificates	CE, Federal Communications Commission (FCC), RoHS, UKCA, WEEE
Design		Packaging content	
Product colour *	Black	Package type	Box
Radiator material	Aluminum	Mounting kit	✓
Base plate material	Copper	Screws included	✓
Number of fans	2 fan(s)	Manual	✓
Illumination LED	✓	CPU bracket(s)	✓
Illumination colour	Multi	Other features	
LED connector type	3-pin	Thermal grease	✓
Fan connector	4-pin	Logistics data	
Power		Products per shipping (inner) case	8 pc(s)
Fan power consumption	3.6 W	Shipping (inner) case width	28.6 cm
LED voltage	5 V	Shipping (inner) case length	65.8 cm
Fan voltage	12 V		

Power		Logistics data	
Fan current	0.3 A	Shipping (inner) case height	50.8 cm
Weight & dimensions		Shipping (inner) case gross weight	20.5 kg
Width	120 mm		



4260052192535

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-APR-2025. Prints or copies of Information are only valid on the printed Publication date