



Imou Doorbell 2S Kit Must

Brand : Imou

Product code: DB-2SP-3T0W/DS2S

Product name : Doorbell 2S Kit

Imou Doorbell 2S Kit. Toote värv: Must, Parim kasutamiseks: Kodu, Kinnituse tüüp: Sein. Ühilduvad mälukaardid: MicroSD (TransFlash), Maksimaalne mälukaardi suurus: 512 GB, Toetatud videoformaadid: H.265. Megapiksel: 3 MP, Maksimaalne video resolutsioon: 2048 x 1536 pikslit, Maksimaalne kaadrisagedus: 15 fps. Ühenduvustehnoloogia: Juhtmevaba, WiFi-standardid: 802.11b, 802.11g, Wi-Fi 4 (802.11n), Toetatud mobiilsed operatsioonisüsteemid: Android, iOS. Toiteallika tüüp: Vahelduvvool, Patarei, DC (alalisvool), Sisendpinge: 100 - 240 V, Alalisvoolu sisendpinge: 8 - 24 V



Features		Ports & interfaces	
Best uses	Home	Mobile operating systems supported Android, iOS	
Illuminated push button	✓	Power	
Weatherproof	✓	Power source type *	AC, Battery, DC
Motion detection supported	✓	Input voltage	100 - 240 V
Product colour *	Black	DC input voltage	8 - 24 V
Mounting type	Wall	Battery voltage	5 V
Plug and Play	✓	Battery current	1 A
Performance		Battery capacity	5000 mAh
Card reader integrated	✓	Rechargeable battery	✓
Compatible memory cards	MicroSD (TransFlash)	USB charging port	✓
Maximum memory card size	512 GB	USB port type	USB Type-C
Built-in microphone	✓	Technical details	
Built-in speaker(s)	✓	Compliance certificates	CE
Call notifications	✓	Weight & dimensions	
Video formats supported	H.265	Bell width	5.5 cm
Reset button	✓	Bell depth	5.03 cm
PIR detector	✓	Bell height	15 cm
Camera		Bell weight	237.5 g
Megapixel (approx.)	3 MP	Transmitter width	6.51 cm
Maximum video resolution	2048 x 1536 pixels	Transmitter depth	3.02 cm
Maximum frame rate	15 fps	Transmitter height	9.55 cm
Image sensor size	1/2.8"	Transmitter weight	79 g
Sensor type	CMOS	Operational conditions	
Fixed focal length	2.3 mm	Operating temperature (T-T)	-20 - 50 °C
		Operating relative humidity (H-H)	0 - 95%

Camera		Packaging content	
Horizontal field of view	125°	Cables included	USB
Vertical field of view	98°	Mounting bracket(s) included	✓
Diagonal field of view	166°	Extension cable	✓
Night vision	✓	Screws included	✓
Night vision distance	5 m	Cable nut(s) included	✓
Built-in camera *	✓	Quick start guide	✓
Ports & interfaces			
Wi-Fi	✓		
Connectivity technology *	Wireless		
Wi-Fi standards	802.11b, 802.11g, Wi-Fi 4 (802.11n)		



6976391039506

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-APR-2025. Prints or copies of Information are only valid on the printed Publication date