

TP-Link INSIGHT S345ZI turvakaamera Kuul (kuju) IP süsteemiga turvakaamera Hooneväline 2688 x 1520 pikslit Sein



Brand : TP-Link

Product code: INSIGHT S345ZI

Product name : INSIGHT S345ZI

TP-Link INSIGHT S345ZI. Tüüp: IP süsteemiga turvakaamera, Toetatud paigutus: Hooneväline, Ühenduvustehnoloogia: Juhtmega ühendatud. Kinnituse tüüp: Sein, Toote värv: Valge, Toote kuju: Kuul (kuju). Objektiivi vaatenurk, horisontaalne: 29.6-102.0, Objektiivi vaatenurk, vertikaalne: 16.8-53.8, Objektiivi vaatenurk, diagonaalne: 34.1-122.8. Anduri tüüp: CMOS, Optilise sensori suurus: 25,4 / 2,9 mm (1 / 2.9"). Optiline suum: 5x, Märkamiskaugus: 207 m, Jälgimiskaugus: 86 m

Performance		Audio	
Type *	IP security camera	Audio system	1-way
Placement supported *	Outdoor	Audio input channels	1 channels
Connectivity technology *	Wired	Audio output channels	1 channels
Maximum operating distance	60 m	Audio formats supported	G.711 A-law
Wide Dynamic Range (WDR)	✓	Sample rate	8 kHz
Day/night mode	✓	Built-in microphone	✓
Infrared (IR) cut-off filter	✓	Number of microphones	1
Remote viewing	✓	Audio detection	✓
Dynamic range	120 dB	Bit rate range	0 - 64 Kbit/s
Design		Network	
Form factor *	Bullet	Ethernet LAN *	✓
Mounting type *	Wall	Networking standards	IEEE 802.3af, IEEE 802.3at
Product colour *	White	Supported network protocols	TCP/IP, UDP, ICMP, HTTP, HTTPS, DHCP, DNS, RTSP, NTP, UPnP, UDP, SSL/TLS, FTP/SFTP, RTP, IPv4, IPv6, ARP
Housing material	Metal	Wi-Fi *	✗
Protection features	Waterproof	Bluetooth *	✗
International Protection (IP) code	IP67	Live view	✓
Weatherproof	✓	Storage	
Camera		Compatible memory cards	MicroSD (TransFlash)
Minimum illumination	0 lx	Maximum memory card size	512 GB
Lens viewing angle, horizontal	29.6-102.0	Ports & interfaces	
Lens viewing angle, vertical	16.8-53.8	Ethernet LAN (RJ-45) ports	1
Lens viewing angle, diagonal	34.1-122.8	DC-in jack	✓
Tilt angle range	0 - 90°	Security	
Camera shutter speed	1/3 to 1/10000	Built-in siren	✓
Image sensor		Password protection	✓
Optical sensor size	25.4 / 2.9 mm (1 / 2.9")	Video motion detection	✓
Progressive scan	✓	IP address filtering	✓
Sensor type *	CMOS	HTTPS encryption	✓
Lens system		Alert notification type	Push notification
Optical zoom	5x	Motion sensor	✓
Detect distance	207 m		
Observe distance	86 m		
Recognize distance	41 m		

Lens system		Security	
Focal length range	2.7 - 13.5 mm	Mirror	✓
Focus	Motorized	Human and vehicle targets classification	✓
Maximum aperture number	1.6	Digest authentication	✓
Identify distance	21 m		
Night vision		Management features	
Night vision *	✓	Web-based management	✓
LED type	IR	Web browser	✓
Video		Cloud-managed *	✓
Maximum resolution *	2688 x 1520 pixels	Reset button	✓
Total megapixels *	4 MP		
Video compression formats	H.264, H.264+, H.265, H.265+		
Supported graphics resolutions	1920 x 1080 (HD 1080), 2048 x 1280, 2304 x 1296, 2560 x 1440, 2688 x 1520		
Video recording	✓		
Noise reduction	✓		
Image quality adjustment	Brightness, Contrast, Mirror, Saturation, Sharpness		
Bit rate control	Constant Bit Rate (CBR)/Variable Bit Rate (VBR)		
Bit rate	Main Stream: 256 Kbps to 6 Mbps, Sub-Stream: 512 Kbps to 1024 Kbps		
Back Light Compensation (BLC)	✓		
Highlight Compensation (HLC)	✓		
Digital Wide Dynamic Range (DWDR)	✓		
Audio		Power	
Built-in speaker(s)	✓	Power source type *	DC, PoE
		Power consumption (max)	10.8 W
		Power consumption (Power over Ethernet (PoE))	12 W
		DC output voltage	12
		Operational conditions	
		Operating temperature (T-T)	-30 - 60 °C
		Storage temperature (T-T)	-40 - 60 °C
		Operating relative humidity (H-H)	0 - 95%
		Storage relative humidity (H-H)	0 - 95%
		Weight & dimensions	
		Width	100 mm
		Height	101 mm
		Length	256 mm
		Packaging data	
		Package type	Box
		Packaging content	
		Number of cameras *	1



1210002606387

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-APR-2025. Prints or copies of Information are only valid on the printed Publication date