



## MSI PRO B760M-B DDR4 emaplaat Intel B760 LGA 1700 Mikro ATX

**Brand :** MSI

**Product code:** PRO B760M-B DDR4

**Product name :** PRO B760M-B DDR4

MSI PRO B760M-B DDR4. Protsessori tootja: Intel, Protsessori pesa: LGA 1700, Ühilduvad protsessoriseeriad: Intel® Celeron®, Intel® Pentium® Gold. Toetatud mälutüübid: DDR4-SDRAM, Maksimaalne sisemälu: 64 GB, Mälupesade tüüp: DIMM. Kõvaketta ühenduse tüüp: M.2, SATA, RAID-tasemed: 0, 1, 5, 10. Ethernet-liidese tüüp: Gigabit Ethernet. Komponent: PC, Emaplaadi kujutegur: Mikro ATX, Emaplaadi kiibistik: Intel



Processor		Internal I/O	
Processor manufacturer *	Intel	CPU fan connector	✓
Processor socket *	LGA 1700	TPM connector	✓
Compatible processor series *	Intel® Celeron®, Intel® Pentium® Gold	RGB LED pin header	✓
Maximum number of SMP processors	1	Rear panel I/O ports	
Supported processor sockets	LGA 1700	USB 2.0 ports quantity *	4
Memory		USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Supported memory types *	DDR4-SDRAM	Ethernet LAN (RJ-45) ports *	1
Number of memory slots *	2	VGA (D-Sub) ports quantity *	1
Memory slots type	DIMM	HDMI ports quantity *	1
Memory channels	Dual-channel	HDMI version	2.1
ECC compatibility	Non-ECC	Network	
Supported memory clock speeds	2133,2400,2666,2933,3200,3333,3400,3466,3600,3733,3800,4000,4200,4266,4400,4600,4800 MHz	Ethernet LAN	✓
Supported memory clock speed (max)	4800 MHz	Ethernet interface type	Gigabit Ethernet
Maximum internal memory *	64 GB	Wi-Fi *	✗
Storage controllers		Features	
Supported storage drive interfaces *	M.2, SATA	Motherboard chipset *	Intel B760
RAID support	✓	Audio chip	Realtek ALC897
RAID levels	0, 1, 5, 10	Audio output channels *	7.1 channels
Internal I/O		Component for *	PC
USB 2.0 connectors *	2	Motherboard form factor *	micro ATX
USB 3.2 Gen 1 (3.1 Gen 1) connectors *	1	Motherboard chipset family *	Intel
Number of SATA connectors	4	Power source type	ATX
Front panel audio connector	✓	Windows operating systems supported	Windows 10, Windows 11
Front panel connector	✓	Expansion slots	
ATX Power connector (24-pin)	✓	PCI Express x1 slots	1
		PCI Express x16 slots	1
		Weight & dimensions	
		Width	220 mm

#### Weight & dimensions

Depth	243.8 mm
-------	----------

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-APR-2025. Prints or copies of Information are only valid on the printed Publication date