

## DELL P1425 PC lamekuvar 35,6 cm (14") 1920 x 1200 pikslit **WUXGA LCD Hõbe**

Brand : DELL

Product code: DELL-P1425

Product name : P1425

DELL P1425. Ekraani diagonaal: 35,6 cm (14"), Ekraani resolutsioon: 1920 x 1200 pikslit, HD tüüp: WUXGA, Ekraani tehnoloogia: LCD, Reaktsiooniaeg: 7 ms, Loomulik kuvasuhe: 16:10, Vaatenurk, horisontaalne: 178°, Vaatenurk, vertikaalne: 178°. Sisseehitatud USB-jaotur. VESA paigaldamine. Toote värv: Hõbe





## Dicula

Display		Ports & interfaces	
Display diagonal *	35.6 cm (14")	HDMI *	×
Display resolution *	1920 x 1200 pixels	Headphone out *	×
HD type *	WUXGA	HDCP	1
Native aspect ratio *	16:10	HDCP version	1.4
Display technology *	LCD		
Panel type *	IPS	Ergonomics	
LED backlight	Image: A start of the start	VESA mounting *	✓
Backlight type	Edge LED	Cable lock slot *	×
Touchscreen *	×	Height adjustment *	×
Display brightness (typical)	400 cd/m <sup>2</sup>	Tilt adjustment	1
Response time *	7 ms	Tilt angle range	10 - 90°
Response time measurement type	GTG (Gray to Gray)	On Screen Display (OSD)	1
Anti-glare screen	1	Plug and Play	1
Screen shape *	Flat		
Supported graphics resolutions	640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1280 x 1024 (SXGA), 1280 x 768, 1280 x 800, 1366 x 768, 1440 x 900, 1600 x	Power Energy efficiency class (SDR) * Energy efficiency class (HDR) *	B Not available
	1200 (UXGA), 1680 x 1050 (WSXGA+)	Energy consumption (SDR) per 1000 hours *	5 kWh
Supported video modes	(WSXGA+)	hours *	5 kWh 5.4 W
Supported video modes Contrast ratio (typical) *			5 KWN
	(WSXGA+) 480p, 576p, 720p, 1080p	hours * Power consumption (typical) *	5.4 W
Contrast ratio (typical) *	(WSXGA+) 480p, 576p, 720p, 1080p 1500:1	hours * Power consumption (typical) * Power consumption (standby) *	5.4 W 0.3 W
Contrast ratio (typical) * Maximum refresh rate *	(WSXGA+) 480p, 576p, 720p, 1080p 1500:1 60 Hz	hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max)	5.4 W 0.3 W 7 W
Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal	(WSXGA+) 480p, 576p, 720p, 1080p 1500:1 60 Hz 178°	hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off)	5.4 W 0.3 W 7 W 0.3 W
Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical	(WSXGA+) 480p, 576p, 720p, 1080p 1500:1 60 Hz 178° 178°	hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off) Power supply type	5.4 W 0.3 W 7 W 0.3 W External
Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours *	(WSXGA+) 480p, 576p, 720p, 1080p 1500:1 60 Hz 178° 178° 16.7 million colours	hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off) Power supply type Energy efficiency scale <b>Operational conditions</b>	5 kwn 5.4 W 0.3 W 7 W 0.3 W External A to G
Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch	(WSXGA+) 480p, 576p, 720p, 1080p 1500:1 60 Hz 178° 178° 16.7 million colours 0.15708 x 0.15708 mm	hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off) Power supply type Energy efficiency scale <b>Operational conditions</b> Operating temperature (T-T)	5.4 W 0.3 W 7 W 0.3 W External A to G 0 - 40 °C
Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Pixel density	(WSXGA+) 480p, 576p, 720p, 1080p 1500:1 60 Hz 178° 178° 16.7 million colours 0.15708 x 0.15708 mm 162 ppi	hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off) Power supply type Energy efficiency scale <b>Operational conditions</b> Operating temperature (T-T) Storage temperature (T-T)	5.4 W 0.3 W 7 W 0.3 W External A to G 0 - 40 °C -20 - 60 °C
Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Pixel density Horizontal scan range Vertical scan range Viewable size, horizontal	(WSXGA+) 480p, 576p, 720p, 1080p 1500:1 60 Hz 178° 16.7 million colours 0.15708 x 0.15708 mm 162 ppi 30 - 118 kHz 56 - 60 Hz 30.2 cm	hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off) Power supply type Energy efficiency scale <b>Operational conditions</b> Operating temperature (T-T) Storage temperature (T-T) Operating relative humidity (H-H)	5.4 W 0.3 W 7 W 0.3 W External A to G 0 - 40 °C
Contrast ratio (typical) * Maximum refresh rate * Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch Pixel density Horizontal scan range Vertical scan range	(WSXGA+) 480p, 576p, 720p, 1080p 1500:1 60 Hz 178° 178° 16.7 million colours 0.15708 x 0.15708 mm 162 ppi 30 - 118 kHz 56 - 60 Hz	hours * Power consumption (typical) * Power consumption (standby) * Power consumption (max) Power consumption (off) Power supply type Energy efficiency scale <b>Operational conditions</b> Operating temperature (T-T) Storage temperature (T-T)	5.4 W 0.3 W 7 W 0.3 W External A to G 0 - 40 °C -20 - 60 °C 10 - 90%

Publication date: 05-APR-2025. Prints or copies of Information are only valid on the printed Publication date

Display		Weight & dimensions	
Surface hardness Colour gamut standard sRGB coverage (typical) Product type <b>Performance</b> NVIDIA G-SYNC * AMD FreeSync * Windows operating systems	3H sRGB 100% Portable monitor	Width (with stand) Depth (with stand) Height (with stand) Width (without stand) Depth (without stand) Height (without stand) Weight (without stand) Bezel width (side)	315.1 mm 14.7 mm 223.5 mm 315.1 mm 4.6 mm 223.5 mm 570 g 5.95 mm
supported Mac operating systems supported	Windows 10, Windows 11	Bezel width (top) Bezel width (bottom) Packaging data	1.36 cm 2.14 cm
Multimedia		Package weight	1.24 kg
Built-in speaker(s) * Built-in camera *	× ×	Packaging content	1
Design Product colour *	Silver	Sustainability Sustainability certificates	ENERGY STAR
Ports & interfaces		Doesn't contain	Arsenic, Mercury, PVC/BFR
Built-in USB hub * USB upstream port type Number of upstream ports Number of USB Type-C upstream ports quantity USB Type-C DisplayPort Alternate Mode	✓ USB Type-C 2 2	Other features USB ports quantity Compliance certificates	2 RoHS



5397184962565

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.