

## LG 27BA45QB-B PC lamekuvar 68,6 cm (27") 2560 x 1440 pikslit 2K LCD Must

Brand: LG Product code: 27BA45QB-B

Product name: 27BA45QB-B

LG 27BA45QB-B. Ekraani diagonaal: 68,6 cm (27"), Ekraani resolutsioon: 2560 x 1440 pikslit, HD tüüp: 2K, Ekraani tehnoloogia: LCD, Ekraani pind: Matt, Reaktsiooniaeg: 5 ms, Loomulik kuvasuhe: 16:9, Vaatenurk, horisontaalne: 178°, Vaatenurk, vertikaalne: 178°. Sisseehitatud kõlar(id). VESA paigaldamine, Kõrguse reguleerimine. Toote värv: Must

Display		Ports & interfaces	
Display diagonal *	68.6 cm (27")	HDCP version	2.0
Display resolution *	2560 x 1440 pixels	Network	
HD type *	2K	Wi-Fi	x
Native aspect ratio *	16:9		
Display technology *	LCD	Wi-Fi Direct	X
Panel type *	IPS	Bluetooth	×
LED backlight	×	Ethernet LAN	×
Touchscreen *	×	Ergonomics	
Display brightness (peak)	350 cd/m²	VESA mounting *	✓
Display brightness (typical)	350 cd/m²	Panel mounting interface	100 x 100 mm
Response time *	5 ms	Wall mountable	<b>✓</b>
Response time measurement type	GTG (Gray to Gray)	Cable management	<b>✓</b>
Display surface	Matt	Cable lock slot *	<b>✓</b>
Anti-glare screen	✓		
Screen shape *	Flat	Cable lock slot type	Kensington
Supported graphics resolutions	2560 x 1440	Height adjustment *	<b>✓</b>
Contrast ratio (typical) *	1000:1	Adjustable height (max)	15 cm
Maximum refresh rate *	75 Hz	Pivot	<b>✓</b>
Viewing angle, horizontal	178°	Swivelling	<b>✓</b>
Viewing angle, vertical	178°	Swivel angle range	45 - 45°
Display number of colours *	16.7 million colours	Tilt adjustment	<b>✓</b>
Response time (fast)	5 ms	Tilt angle range	5 - 21°
High Dynamic Range (HDR) supported	<b>/</b>	Picture-in-Picture	✓
High Dynamic Range (HDR)	High Dynamic Range 10 (HDR10)	On Screen Display (OSD)	✓
technology Colour donth	8 bit	Plug and Play	<b>✓</b>
Colour depth Colour gamut standard	s RGB	Power	
Colour gamut	98%	Energy efficiency class (SDR) *	D
sRGB coverage (typical)	99%	Energy efficiency class (HDR) *	G
Performance	3370	Energy consumption (SDR) per 1000	16.9 kWh
		hours *	20.0
NVIDIA G-SYNC *	X	Energy consumption (HDR) per 1000 hours *	28.6 kWh
AMD FreeSync *	X	Power consumption (typical) *	16.9 W
Flicker-free technology	<b>✓</b>	Power consumption (standby) *	0.5 W
Low Blue Light technology	✓	AC input voltage	100 - 240 V
Game mode	×	AC input frequency	50/60 Hz
Multimedia		Power supply type	External
Number of speakers	2	Packaging content	
RMS rated power	5 W	Stand included	<b>✓</b>
Built-in speaker(s) *	✓	Swivel arm	×
Built-in camera *	×	Cables included	DisplayPort
Design		Power adapter included	<b>✓</b>
-	Pusiness	Remote control included	x
Market positioning *	Business	.tsocc control included	••

Product colour * Black Remote control batteries included X Front bezel colour Black Pogo gender adapter included X Detachable stand X Stylus included X Feet colour Black Sun hood included X Feet colour Black Sun hood included X  Ports & interfaces Screws included Y Built-in USB hub * X Quick start guide Y HDMI * Y Manual Y HDMI ports quantity 2 Installation CD X HDMI version 2.0a Number of screws 4 DisplayPorts quantity 1 Audio cable length 1.8 m DisplayPort version 1.4 DisplayPort cable length 1.8 m Audio input X HDMI cable length 1.8 m Audio output Y Power cable length 1.8 m  Headphone out * Y Headphone out * Y Headphone connectivity 3.5 mm Microphone in X Microphone in X Built-in KVM switch X HDCP Y Motion blur reduction Y	Design		Packaging content	
Ports & interfaces  Screws included  When the ports of th	Product colour * Front bezel colour Detachable stand	Black ×	Remote control batteries included Pogo gender adapter included Stylus included	x x
HDMI *	Ports & interfaces			
Headphone outputs  Headphone connectivity  3.5 mm  FPS counter  PC Audio in  Built-in KVM switch  HDCP  Low input lag  FPS counter  FPS counter  Dial point  Shadow control  Motion blur reduction	HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort version Audio input	2 2.0a 1 1.4	Manual Installation CD Number of screws Audio cable length DisplayPort cable length HDMI cable length	X 4 1.8 m 1.8 m 1.8 m
Screen mirroring X	Headphone outputs Headphone connectivity Microphone in PC Audio in Built-in KVM switch	1 3.5 mm X X	Low input lag FPS counter Dial point Shadow control Motion blur reduction Sound mirroring	<pre></pre>



8806096270240

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.