

Axagon ACU-PQ30 Ladegerät QC3.0, 4.0/AFC/FCP/PPS/Apple+ PD USB-C, 30W - schwarz - Kompaktes Ladegerät - 1x USB-C und 1x USB-A Mobiltelefon, Nutitefon, Nutikell, Tahvel, Universaalne Must Vahelduvvool Kiirlaadimine Hoonesisene

Brand : Axagon

Product code: ACU-PQ30

Product name : ACU-PQ30 Ladegerät QC3.0, 4.0/AFC/FCP/PPS/Apple+ PD USB-C, 30W - schwarz - Kompaktes Ladegerät - 1x USB-C und 1x USB-A

Axagon ACU-PQ30 Ladegerät QC3.0, 4.0/AFC/FCP/PPS/Apple+ PD USB-C, 30W - schwarz - Kompaktes Ladegerät - 1x USB-C und 1x USB-A. Laadija tüüp: Hoonesisene, Toiteallika tüüp: Vahelduvvool, Laadija ühilduvus: Mobiltelefon, Nutitefon, Nutikell, Tahvel, Universaalne. Sisendpinge: 100 - 240 V. USB 2.0 portide arv: 1, USB C-tüüpi portide arv: 1, Kiirlaadimine, Toite kaitsefunktsioonid: Ülepinge, Ülekütmine, Ülekoormus, Lühis, Alapinge. Toote värv: Must



Performance		Power	
Charger compatibility *	Mobile phone, Smartphone, Smartwatch, Tablet, Universal	Input frequency	50 - 60 Hz
Power source type *	AC	Maximum power	30 W
USB 2.0 ports quantity	1	Port 1 output power	30 W
USB Type-C ports quantity	1	Port 2 output power	18 W
Wireless charging	✗	Compatible power plug types	EU
Fast charging	✓	Weight & dimensions	
Fast charging technology	Adaptive Fast Charging, Power Delivery, Power Delivery 3.0, Pump Express 2.0+, Quick Charge 2.0, Quick Charge 3+, Quick Charge 3.0, Quick Charge 4, Quick Charge 4+, Smart IC, Super Fast Charging	Width	84 mm
		Depth	36 mm
		Height	32 mm
		Weight	60 g
Charger type *	Indoor	Packaging data	
Number of simultaneously connected devices (max) *	2	Package width	113 mm
Number of outputs	2 outputs	Package depth	85 mm
USB Power Delivery (USB PD)	✓	Package height	35 mm
Operating principle	Contact	Package weight	90 g
USB Power Delivery revision	3.0	Package type	Display box
USB Power Delivery up to	30 W	Packaging content	
Power protection features	Over voltage, Overheating, Overload, Short circuit, Under voltage	Quantity per pack	1 pc(s)
Special features	Smart IC	Manual	✓
MagSafe compatible	✗	Certificates	
Cooling fan	✗	Compliance certificates	RoHS
		Certification	CE
Design		Logistics data	
Product colour *	Black	Country of origin	China

Power

Input voltage 100 - 240 V



8595247907103

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-MAY-2025. Prints or copies of Information are only valid on the printed Publication date