

Axagon RVH-VGAN videokaabliadapter 0,15 m HDMI tüüp A (Standard) VGA (D-Sub) Must

Brand : Axagon
Product code: RVH-VGAN
Product name : RVH-VGAN

Axagon RVH-VGAN. Kaabli pikkus: 0,15 m, Pistmik 1: HDMI tüüp A (Standard), Pistmik 2: VGA (D-Sub). Vastavussertifikaadid: RoHS, Sertifikaat: CE, FCC. Kaal: 31 g, Laius: 15 mm, Sügavus: 45 mm. Pakendi laius: 25 mm, Pakendi sügavus: 90 mm, Pakendi kõrgus: 180 mm. Kogus pakis: 1 tk



Features		Features	
Connector 1 form factor	Straight	Mac operating systems supported	Mac OS 8.0, Mac OS 8.1, Mac OS 8.5, Mac OS 8.6, Mac OS 9.0, Mac OS 9.1, Mac OS 9.2, Mac OS X 10.0 Cheetah, Mac OS X 10.1 Puma, Mac OS X 10.10 Yosemite, Mac OS X 10.11 El Capitan, Mac OS X 10.12 Sierra, Mac OS X 10.13 High Sierra, Mac OS X 10.14 Mojave, Mac OS X 10.15 Catalina, Mac OS X 10.2 Jaguar, Mac OS X 10.3 Panther, Mac OS X 10.4 Tiger, Mac OS X 10.5 Leopard, Mac OS X 10.6 Snow Leopard, Mac OS X 10.7 Lion, Mac OS X 10.8 Mountain Lion, Mac OS X 10.9 Mavericks, macOS
Connector 2 form factor	Straight		
Audio connector	✓		
Audio connector type	3.5 mm (1/8")		
Cable length *	0.15 m		
Connector 1 *	HDMI Type A (Standard)		
Connector 2 *	VGA (D-Sub)		
Connector 1 gender *	Male		
Connector 2 gender *	Female		
HDMI version	1.4b		
HDCP	✓		
HDCP version	1.4		
Maximum resolution	1900 x 1200 pixels		
Supported graphics resolutions	640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 768 (WXGA), 1280 x 800 (WXGA), 1280 x 960, 1360 x 768 (WXGA), 1366 x 768, 1366 x 768, 1400 x 1050 (SXGA+), 1440 x 900 (WXGA+), 1600 x 1200 (UXGA), 1600 x 900, 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA)		
Refresh rate at maximum resolution	60 Hz		
Product colour	Black		
Plug and Play	✓		
Converter type	Active video converter		
Country of origin	China		

Features		Features	
Windows operating systems supported	Windows 10, Windows 10 Education, Windows 10 Education x64, Windows 10 Enterprise, Windows 10 Enterprise x64, Windows 10 Home, Windows 10 Home x64, Windows 10 IOT Core, Windows 10 Pro, Windows 10 Pro x64, Windows 10 x64, Windows 2000, Windows 2000 Professional, Windows 3.x, Windows 7, Windows 7 Enterprise, Windows 7 Enterprise x64, Windows 7 Home Basic, Windows 7 Home Basic x64, Windows 7 Home Premium, Windows 7 Home Premium x64, Windows 7 Professional, Windows 7 Professional x64, Windows 7 Starter, Windows 7 Starter x64, Windows 7 Ultimate, Windows 7 Ultimate x64, Windows 8, Windows 8 Enterprise, Windows 8 Enterprise x64, Windows 8 Pro, Windows 8 Pro x64, Windows 8 x64, Windows 8.1, Windows 8.1 Enterprise, Windows 8.1 Enterprise x64, Windows 8.1 Pro, Windows 8.1 Pro x64, Windows 8.1 x64, Windows 95, Windows 98, Windows 98SE, Windows CE, Windows ME, Windows RT, Windows RT 8.1, Windows Vista, Windows Vista Business, Windows Vista Business x64, Windows Vista Enterprise, Windows Vista Enterprise x64, Windows Vista Home Basic, Windows Vista Home Basic x64, Windows Vista Home Premium, Windows Vista Home Premium x64, Windows Vista Ultimate, Windows Vista Ultimate x64, Windows Vista x64, Windows XP, Windows XP Home, Windows XP Home x64, Windows XP Professional, Windows XP Professional x64	Linux operating systems supported	CentOS 5.1, CentOS 5.2, CentOS 5.8, CentOS 6.2, CentOS 7.0, Debian 5.0, Debian 5.0.1, Debian 5.0.2, Debian 5.0.3, Debian 6.0, Debian 7.0, Debian 8.0, Fedora 10, Fedora 11, Fedora 12, Fedora 13, Fedora 14, Fedora 15, Fedora 16, Fedora 17, Fedora 18, Fedora 21, Fedora 22, Fedora 23, Fedora 24, Fedora 25, Fedora 26, Fedora 27, Fedora 6, Fedora 7, Fedora 8, Fedora 9, FreeBSD 6.3, FreeBSD 7.0, Kernel 2.6.31, Linpus Linux 9.6, Linpus Lite 2.1, Linux Mint 10, Linux Mint 11, Linux Mint 12, Linux Mint 13, Linux Mint 17, Linux Mint 17.1, Linux Mint 17.2, Linux Mint 18.1, Linux Mint 18.3, Linux Mint Debian Edition 2 (LMDE 2), Oracle Linux 5.8, Oracle Linux 6.2, Oracle Linux 7.0, PCLinuxOS 2011, PCLinuxOS 2014.12, Red Flag Desktop 6.0, Red Hat Enterprise Linux WS 4.0, Red Hat Enterprise Linux WS 5.0, Red Hat Enterprise Linux WS 6.0, Red Hat Enterprise Linux WS 7.0, RedHat EL Linux, RedHat EL Linux 3 U9, RedHat EL Linux 4.0, RedHat EL Linux 4.0 U5, RedHat EL Linux 4.0 U6, RedHat EL Linux 4.0 U7, RedHat EL Linux 5.0, RedHat EL Linux 5.1, RedHat EL Linux 5.2, RedHat EL Linux 5.3, RedHat EL Linux 5.6, RedHat EL Linux 6.0, RedHat EL Linux 7.0, SUSE Linux Enterprise Desktop 10, SUSE Linux Enterprise Desktop 11, SUSE Linux Enterprise Desktop 12, Solaris 10 U4, Solaris 10 U5, SuSE Linux 10, SuSE Linux 10.2, SuSE Linux 10.3, SuSE Linux 11, SuSE Linux 11.1, SuSE Linux 11.2, SuSE Linux 12.0, SuSE Linux 12.3, SuSE Linux 9.3, TurboLinux 11.0, Ubuntu 10.04, Ubuntu 10.10, Ubuntu 11.04, Ubuntu 11.10, Ubuntu 12.04, Ubuntu 12.10, Ubuntu 13.04, Ubuntu 13.10, Ubuntu 14.04, Ubuntu 14.10, Ubuntu 15.04, Ubuntu 15.10, Ubuntu 16.04, Ubuntu 16.10, Ubuntu 17.10, Ubuntu 8.04, Ubuntu 8.04.1, Ubuntu 8.04.2, Ubuntu 8.10, Ubuntu 9.04, Ubuntu 9.10, Ubuntu Core, openSUSE 11.3, openSUSE 11.4, openSUSE 12.1, openSUSE 12.2, openSUSE 13.1, openSUSE 13.2, openSUSE 42.3, openSUSE Tumbleweed
	Other operating systems supported		Android
	Operational conditions		
Operating temperature (T-T)		0 - 40 °C	
Storage temperature (T-T)		-20 - 85 °C	
Certificates			
Compliance certificates		RoHS	
Certification		CE, FCC	
Weight & dimensions			
Weight		31 g	
Width		15 mm	
Depth		45 mm	
Height		43 mm	
Packaging data			
Package width		25 mm	
Package depth		90 mm	

Packaging data

Package height	180 mm
Package weight	63 g
Package type	Hanging box

Packaging content

Quantity per pack	1 pc(s)
Manual	✓



8595247904409

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-MAY-2025. Prints or copies of Information are only valid on the printed Publication date