DELL SE2725HM PC lamekuvar 68,6 cm (27") 1920 x 1080 pikslit Full HD LCD Must

Brand : DELL

Product code: DELL-SE2725HM

Product name : SE2725HM

DELL SE2725HM. Ekraani diagonaal: 68,6 cm (27"), Ekraani resolutsioon: 1920 x 1080 pikslit, HD tüüp: Full HD, Ekraani tehnoloogia: LCD, Reaktsiooniaeg: 8 ms, Loomulik kuvasuhe: 16:9, Vaatenurk, horisontaalne: 178°, Vaatenurk, vertikaalne: 178°. VESA paigaldamine. Toote värv: Must

Display

Display diagonal *	68.6 cm (27")
Display resolution *	1920 x 1080 pixels
HD type *	Full HD
Native aspect ratio *	16:9
Display technology *	LCD
Panel type *	IPS
LED backlight	✔
Backlight type	Edge LED
Touchscreen *	✖
Display brightness (typical)	250 cd/m²
Response time *	8 ms
Response time measurement type	GTG (Gray to Gray)
Anti-glare screen	✔
Screen shape *	Flat
Supported graphics resolutions	640 x 480 (VGA), 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1600 x 900, 1920 x 1080 (HD 1080)
Supported video modes	1080p, 720p, 480p, 576p
Contrast ratio (typical) *	1000:1
Maximum refresh rate *	100 Hz
Viewing angle, horizontal	178°
Viewing angle, vertical	178°
Display number of colours *	16.7 million colours
Response time (fast)	5 ms
Pixel pitch	0.3114 x 0.3114 mm
Pixel density	81 ppi
Horizontal scan range	30 - 83 kHz
Vertical scan range	48 - 76 Hz
Viewable size, horizontal	59.8 cm
Viewable size, vertical	33.6 cm
Digital horizontal frequency	30 - 110 kHz

Ergonomics

Wall mountable	✔
Cable lock slot *	✔
Cable lock slot type	Kensington
Height adjustment *	✖
Pivot	✖
Swivelling	✖
Tilt adjustment	✔
Tilt angle range	-5 - 21°
On Screen Display (OSD)	✔
Plug and Play	✔
LED indicators	✔

Power

Energy efficiency class (SDR) *	D
Energy efficiency class (HDR) *	Not available
Energy consumption (SDR) per 1000 hours *	16 kWh
Power consumption (typical) *	16.3 W
Power consumption (standby) *	0.3 W
Power consumption (max)	28 W
Power consumption (off)	0.3 W
AC input voltage	100 - 240 V
AC input frequency	50/60 Hz
Input current	1.5 A
Power supply type	Internal
Energy efficiency scale	A to G

Operational conditions

Operating temperature (T-T)	0 - 40 °C
Storage temperature (T-T)	-20 - 60 °C
Operating relative humidity (H-H)	10 - 80%
Storage relative humidity (H-H)	10 - 90%
Operating altitude	0 - 5000 m

Display

Digital vertical frequency	48 - 100 Hz
Surface hardness	3H
NTSC coverage (typical)	72%

Performance

NVIDIA G-SYNC *	✘
AMD FreeSync *	✘
Flicker-free technology	✔
Low Blue Light technology	✔

Multimedia

Built-in speaker(s) *	✘
Built-in camera *	✘

Design

Market positioning *	Office
Product colour *	Black
Front bezel colour	Black
Detachable stand	✔
Feet colour	Black

Ports & interfaces

Built-in USB hub *	✘
VGA (D-Sub) ports quantity	1
HDMI *	✔
HDMI ports quantity	1
Headphone out *	✘
HDCP	✔
HDCP version	1.4

Network

Wi-Fi	✘

Ergonomics

VESA mounting *	✔
Panel mounting interface	100 x 100 mm

Operational conditions

Non-operating altitude	5000 - 12192 m

Weight & dimensions

Width (with stand)	611.1 mm
Depth (with stand)	199.9 mm
Height (with stand)	453.7 mm
Weight (with stand)	4.16 kg
Width (without stand)	611.1 mm
Depth (without stand)	49.2 mm
Height (without stand)	361.9 mm
Weight (without stand)	3.56 kg
Bezel width (side)	6.61 mm
Bezel width (top)	6.6 mm
Bezel width (bottom)	1.34 cm

Packaging data

Package weight	6.58 kg

Packaging content

Stand included	✔
Cables included	AC, HDMI
Power adapter included	✘
Remote control included	✘
Stylus included	✘
Quick start guide	✔
HDMI cable length	1.8 m

Sustainability

Sustainability certificates	ENERGY STAR
Doesn't contain	Arsenic, Mercury, PVC/BFR

5397184962558