msi

## MSI Pro MP275QPDG PC lamekuvar 68,6 cm (27") 2560 x 1440 pikslit Wide Quad HD LCD Must

Brand : MSI

Product family: Pro

Product code: PRO MP275QPDG

Product name : PRO MP275QPDG

MSI Pro MP275QPDG. Ekraani diagonaal: 68,6 cm (27"), Ekraani resolutsioon: 2560 x 1440 pikslit, HD tüüp: Wide Quad HD, Ekraani tehnoloogia: LCD, Ekraani pind: Matt, Reaktsiooniaeg: 4 ms, Loomulik kuvasuhe: 16:9, Vaatenurk, horisontaalne: 178°, Vaatenurk, vertikaalne: 178°. Sisseehitatud kõlar(id). Sisseehitatud USB-jaotur, USB-jaoturi versioon: 2.0. VESA paigaldamine, Kõrguse reguleerimine. Toote värv: Must





Display		Ports & interfaces	
Display diagonal *68.6 cm (27")Display resolution *2560 x 1440 pixelsHD type *Wide Quad HDNative aspect ratio *16:9Display technology *LCDPanel type *IPSTouchscreen *XDisplay brightness (typical)250 cd/m²Response time *4 ms	HDMI * HDMI ports quantity HDMI version DisplayPorts quantity DisplayPort out quantity DisplayPort version Headphone out * Headphone outputs HDCP	✓ 2 2.0b 1 1 1.2a ✓ 1 ✓	
Response time measurement type Response time (MPRT) Display surface Anti-glare screen	GTG (Gray to Gray) 1 ms Matt ✓	Network Ethernet LAN Ergonomics	<i>y</i>
Screen shape * Supported graphics resolutions Supported video modes Contrast ratio (typical) * Contrast ratio (dynamic) Maximum refresh rate * Refresh rate optimizor Viewing angle, horizontal Viewing angle, vertical Display number of colours * Pixel pitch	Flat 2560 x 1440 1440p 1300:1 100000000:1 100 Hz ✓ 178° 178° 178° 16.7 million colours 0.2331 x 0.2331 mm	VESA mounting * Panel mounting interface Wall mountable Cable management Cable lock slot * Cable lock slot type Height adjustment * Adjustable height (max) Pivot Pivot angle	<ul> <li>100 x 100 mm</li> <li></li> <li></li> <li></li> <li>Kensington</li> <li></li> <li>13 cm</li> <li></li> <li>-90 - 90°</li> </ul>
Horizontal scan range Vertical scan range Viewable size, horizontal Viewable size, vertical Colour depth	71.04 - 186.3 kHz 48 - 100 Hz 59.7 cm 33.6 cm 8 bit	Swivelling Swivel angle range Tilt adjustment Tilt angle range	-90 - 90 - ✓ -45 - 45° ✓ -5 - 20°

Display		Ergonomics	
Colour gamut standard Colour gamut sRGB coverage (typical)	DCI-P3 79% 84%	Picture-in-Picture On Screen Display (OSD) Plug and Play	4 4 4
NTSC coverage (typical) DCI-P3 coverage	100% 79%	Power	
Performance		Energy efficiency class (SDR) *	E
NVIDIA G-SYNC * AMD FreeSync * VESA Adaptive Sync support Flicker-free technology Low Blue Light technology <b>Multimedia</b> Number of speakers	weSync *     ×       laptive Sync support     ✓       ree technology     ✓       e Light technology     ✓       edia     ✓       of speakers     2	Energy efficiency class (HDR) * Energy consumption (SDR) per 1000 hours * Energy consumption (HDR) per 1000 hours * Power consumption (standby) * Power consumption (off) AC input voltage AC input frequency Energy efficiency scale	26 kWh 34 kWh 0.5 W 0.3 W 100 - 240 V 50/60 Hz
RMS rated power	4 W	Weight & dimensions	A to G
Built-in speaker(s) * Built-in camera *	1	Width (with stand)	614 mm
Product colour * Blac Refurbished X	BLACK	Depth (with stand) Height (with stand) Weight (with stand) Width (without stand) Depth (without stand) Height (without stand) Weight (without stand)	223.9 mm 578.9 mm 7.05 kg 614 mm 53.6 mm 377.4 mm 4.38 kg
Housing material	Plastic	Packaging data	
Feet colour     Black       Ports & interfaces       Built-in USB hub *     ✓       USB hub version     2.0       USB upstream port type     USB Type-A, USB Type-B	Package width Package depth Package height Package weight Package type	850 mm 150 mm 500 mm 10.2 kg Box	
Number of upstream ports	4	Packaging content	
Number of USB Type-B upstream ports quantity USB Type-A downstream ports	1	Stand included Cables included	✓ HDMI, Power, USB Type-A to USB
quantity USB Type-C DisplayPort Alternate Mode	1	Power adapter included Quick start guide	Type-B
USB Power Delivery (USB PD)	✔ 98 W	Sustainability	
USB Power Delivery up to		Sustainability certificates	ENERGY STAR
		Other features	
		Country of origin	China

Warranty period

Compliance certificates

3 year(s)

CB, CE, UKCA





4711377238182

4711377264242

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.