



DELL Plus S3425DW PC lamekuvar 86,4 cm (34") 3840 x 2160 pikslit 4K Ultra HD LCD Hõbe

Brand : DELL

Product family: Plus

Product code: DELL-S3425DW

Product name : S3425DW

DELL Plus S3425DW. Ekraani diagonaal: 86,4 cm (34"), Ekraani resolutsioon: 3840 x 2160 pikslit, HD tüüp: 4K Ultra HD, Ekraani tehnoloogia: LCD, Reaktsiooniaeg: 5 ms, Loomulik kuvasuhe: 21:9, Vaatenurk, horisontaalne: 178°, Vaatenurk, vertikaalne: 178°. Sisseehitatud kõlar(id). Sisseehitatud USB-jaotur, USB-jaoturi versioon: 2.0 / 3.2 Gen 1 (3.1 Gen 1). VESA paigaldamine, Kõrguse reguleerimine. Toote värv: Hõbe



Display		Ports & interfaces	
Display diagonal *	86.4 cm (34")	HDCP version	1.4/2.2
Display resolution *	3840 x 2160 pixels	Network	
HD type *	4K Ultra HD	Wi-Fi	×
Native aspect ratio *	21:9	Ergonomics	
Display technology *	LCD	VESA mounting *	✓
Panel type *	VA	Panel mounting interface	100 x 100 mm
LED backlight	✓	Cable management	✓
Backlight type	Edge LED	Cable lock slot *	✓
Touchscreen *	×	Cable lock slot type	Kensington
Display brightness (typical)	300 cd/m ²	Height adjustment *	✓
Response time *	5 ms	Adjustable height (max)	13 cm
Response time measurement type	GTG (Gray to Gray)	Pivot	✓
Anti-glare screen	✓	Pivot angle	-4 - 4°
Screen shape *	Curved	Swivelling	×
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 720 (HD 720), 1280 x 800 (WXGA), 1280 x 960, 1440 x 900 (WXGA+), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 2560 x 1440, 3840 x 2160	Tilt adjustment	✓
		Tilt angle range	-5 - 21°
		Picture-in-Picture	✓
		On Screen Display (OSD)	✓
		Plug and Play	✓
Supported video modes	480p, 576p, 720p, 1080i, 2160p	LED indicators	Power
Contrast ratio (typical) *	3000:1	Power	
Maximum refresh rate *	120 Hz	Energy efficiency class (SDR) *	F
Viewing angle, horizontal	178°	Energy efficiency class (HDR) *	G
Viewing angle, vertical	178°	Energy consumption (SDR) per 1000 hours *	31 kWh
Display number of colours *	1.07 billion colours	Energy consumption (HDR) per 1000 hours *	40 kWh
Response time (fast)	3 ms	Power consumption (typical) *	31 W
Pixel pitch	0.23175 x 0.23175 mm	Power consumption (standby) *	0.3 W
Pixel density	109 ppi	Power consumption (max)	175 W
Viewable size, horizontal	79.7 cm	Power consumption (off)	0.3 W
Viewable size, vertical	33.4 cm	AC input voltage	100 - 240 V
Digital horizontal frequency	25 - 200 kHz	AC input frequency	50/60 Hz
Digital vertical frequency	48 - 120 Hz	Input current	2 A
High Dynamic Range (HDR) supported	✓		

Display		Power	
High Dynamic Range (HDR) technology	High Dynamic Range 10 (HDR10)	Power supply type	Internal
Surface hardness	3H	Energy efficiency scale	A to G
sRGB coverage (typical)	99%	Operational conditions	
DCI-P3 coverage	95%	Operating temperature (T-T)	0 - 40 °C
Performance		Storage temperature (T-T)	-20 - 60 °C
NVIDIA G-SYNC *	✗	Operating relative humidity (H-H)	10 - 80%
AMD FreeSync *	✓	Storage relative humidity (H-H)	5 - 90%
AMD FreeSync type	FreeSync Premium	Operating altitude	0 - 5000 m
Flicker-free technology	✓	Non-operating altitude	5000 - 12192 m
Low Blue Light technology	✓	Weight & dimensions	
Multimedia		Width (with stand)	807.3 mm
Number of speakers	2	Depth (with stand)	221.8 mm
RMS rated power	10 W	Height (with stand)	517.2 mm
Built-in speaker(s) *	✓	Weight (with stand)	9.13 kg
Built-in camera *	✗	Width (without stand)	807.3 mm
Design		Depth (without stand)	116.9 mm
Market positioning *	Office	Height (without stand)	355.8 mm
Product colour *	Silver	Weight (without stand)	6.91 kg
Front bezel colour	Black	Bezel width (side)	8.29 mm
Detachable stand	✓	Bezel width (top)	8.25 mm
Feet colour	Silver	Bezel width (bottom)	1.38 cm
Ports & interfaces		Packaging data	
Built-in USB hub *	✓	Package weight	14.9 kg
USB hub version	2.0 / 3.2 Gen 1 (3.1 Gen 1)	Packaging content	
USB upstream port type	USB Type-C	Stand included	✓
Number of USB Type-C upstream ports quantity	1	Cables included	AC, USB Type-C to USB Type-C
USB Type-A downstream ports quantity	2	Power adapter included	✗
USB Type-C downstream ports quantity	1	Remote control included	✗
USB Type-C DisplayPort Alternate Mode	✓	Stylus included	✗
USB Power Delivery (USB PD)	✓	Quick start guide	✓
USB Power Delivery up to	65 W	Sustainability	
HDMI *	✓	Sustainability certificates	ENERGY STAR
HDMI ports quantity	2	Doesn't contain	Arsenic, Mercury, PVC
HDMI version	2.1	Other features	
Headphone out *	✗	Compliance certificates	RoHS
HDCP	✓		



5397184962398

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-MAY-2025. Prints or copies of Information are only valid on the printed Publication date