



DELL UltraSharp U3225QE PC lamekuvar 80 cm (31.5") 3840 x 2160 pikslit 4K Ultra HD LCD Must, Hõbe

Brand : DELL

Product family: UltraSharp

Product code: DELL-U3225QE

Product name : U3225QE

DELL UltraSharp U3225QE. Ekraani diagonaal: 80 cm (31.5"), Ekraani resolutsioon: 3840 x 2160 pikslit, HD tüüp: 4K Ultra HD, Ekraani tehnoloogia: LCD, Reaktsiooniaeg: 8 ms, Loomulik kuvasuhe: 16:9, Vaatenurk, horisontaalne: 178°, Vaatenurk, vertikaalne: 178°. Sisseehitatud USB-jaotur, USB-jaoturi versioon: 3.2 Gen 2 (3.1 Gen 2). VESA paigaldamine, Kõrguse reguleerimine. Toote värv: Must, Hõbe



Display		Ports & interfaces	
Display diagonal *	80 cm (31.5")	DisplayPort version	1.4
Display resolution *	3840 x 2160 pixels	Thunderbolt 4 ports quantity	2
HD type *	4K Ultra HD	Headphone out *	✓
Native aspect ratio *	16:9	Headphone connectivity	3.5 mm
Display technology *	LCD	HDCP	✓
Panel type *	IPS	HDCP version	2.2
LED backlight	✓	Network	
Backlight type	Edge LED	Ethernet LAN	✓
Touchscreen *	✗	Ergonomics	
Display brightness (peak)	600 cd/m²	VESA mounting *	✓
Display brightness (typical)	450 cd/m²	Panel mounting interface	100 x 100 mm
Response time *	8 ms	Wall mountable	✓
Response time measurement type	GTG (Gray to Gray)	Cable management	✓
Anti-glare screen	✓	Cable lock slot *	✓
Screen shape *	Flat	Cable lock slot type	Kensington
Supported graphics resolutions	640 x 480 (VGA), 720 x 400, 800 x 600 (SVGA), 1024 x 768 (XGA), 1152 x 864 (XGA+), 1280 x 1024 (SXGA), 1280 x 800 (WXGA), 1600 x 1200 (UXGA), 1680 x 1050 (WSXGA+), 1920 x 1080 (HD 1080), 1920 x 1200 (WUXGA), 2560 x 1440, 3840 x 2160	Height adjustment *	✓
		Adjustable height (max)	15 cm
Supported video modes	480p, 576p, 720p, 1080p, 2160p	Pivot	✓
Contrast ratio (typical) *	3000:1	Pivot angle	-90 - 90°
Maximum refresh rate *	120 Hz	Swivelling	✓
Viewing angle, horizontal	178°	Swivel angle range	-30 - 30°
Viewing angle, vertical	178°	Tilt adjustment	✓
Display number of colours *	1.07 billion colours	Tilt angle range	-5 - 21°
Response time (fast)	5 ms	On Screen Display (OSD)	✓
Pixel pitch	0.18159 x 0.18159 mm	Power	
Pixel density	140 ppi	Energy efficiency class (SDR) *	F
Viewable size, horizontal	69.7 cm	Energy efficiency class (HDR) *	G
Viewable size, vertical	39.2 cm	Energy consumption (SDR) per 1000 hours *	31 kWh

Display		Power	
Viewable size diagonal	80 cm	Energy consumption (HDR) per 1000 hours *	52 kWh
Digital horizontal frequency	30 - 275 kHz	Power consumption (typical) *	30.5 W
Digital vertical frequency	48 - 120 Hz	Power consumption (standby) *	0.5 W
Display diagonal (metric)	68.47 cm	Power consumption (max)	335 W
High Dynamic Range (HDR) supported	✓	Power consumption (off)	0.3 W
High Dynamic Range (HDR) technology	DisplayHDR 600	AC input voltage	100 - 240 V
Surface hardness	3H	AC input frequency	50/60 Hz
sRGB coverage (typical)	100%	Input current	4 A
DCI-P3 coverage	99%	Operational conditions	
Performance		Operating temperature (T-T)	0 - 40 °C
NVIDIA G-SYNC *	✗	Storage temperature (T-T)	-20 - 60 °C
AMD FreeSync *	✗	Operating relative humidity (H-H)	10 - 80%
Flicker-free technology	✓	Storage relative humidity (H-H)	5 - 90%
Low Blue Light technology	✓	Operating altitude	0 - 5000 m
Multimedia		Non-operating altitude	5000 - 12192 m
Built-in speaker(s) *	✗	Weight & dimensions	
Built-in camera *	✗	Width (with stand)	713.2 mm
Design		Depth (with stand)	215 mm
Market positioning *	Office	Height (with stand)	618.9 mm
Product colour *	Black, Silver	Weight (with stand)	9.02 kg
Front bezel colour	Black	Width (without stand)	713.2 mm
Detachable stand	✓	Depth (without stand)	57.5 mm
Feet colour	Silver	Height (without stand)	410.3 mm
Ports & interfaces		Weight (without stand)	6.52 kg
Built-in USB hub *	✓	Bezel width (side)	7.95 mm
USB hub version	3.2 Gen 2 (3.1 Gen 2)	Bezel width (top)	7.7 mm
USB upstream port type	USB Type-C	Bezel width (bottom)	1.04 cm
Number of USB Type-C upstream ports quantity	1	Packaging data	
USB Type-A downstream ports quantity	5	Package weight	13.4 kg
USB Type-C downstream ports quantity	2	Packaging content	
USB Type-C DisplayPort Alternate Mode	✓	Stand included	✓
USB Power Delivery (USB PD)	✓	Cables included	AC, DisplayPort, Thunderbolt, USB Type-A to USB Type-C
USB Power Delivery up to	120 W	DisplayPort cable length	1.8 m
HDMI *	✓	Sustainability	
HDMI ports quantity	1	Sustainability certificates	ENERGY STAR, TCO
DisplayPorts quantity	1	Doesn't contain	Arsenic, Mercury, PVC/BFR
DisplayPort out quantity	1	Other features	
DisplayPort out version	1.4	RJ-45 ports quantity	1
		Compliance certificates	RoHS



5397184923399

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.

Publication date: 05-MAY-2025. Prints or copies of Information are only valid on the printed Publication date