## MSI PRO MP161 E2U Kaasaskantavad telerid ja monitorid Kaasaskantav monitor Must 39,6 cm (15.6") LED 1920 x 1080 pikslit

Brand : MSI

Product code: PRO MP161 E2U

Product name : PRO MP161 E2U

MSI PRO MP161 E2U. Ekraani diagonaal: 39,6 cm (15.6"), Ekraani tehnoloogia: LED, Ekraani resolutsioon: 1920 x 1080 pikslit. RMS-nimivõimsus: 3 W. USB pesa tüüp: USB tüüp-C. Toote tüüp: Kaasaskantav monitor, Toote värv: Must, Kaldenurk: 0 - 180°. Energiatõhususe klass (SDR): C, Energiatarve (SDR) 1000 tunni kohta: 7 kWh, Võimsustarve (ooterežiim): 0,5 W



Display technology *LEDProduct colour *BIDisplay resolution *1920 x 1080 pixelsVESA mountingXHD typeFull HDTilt adjustment✓Native aspect ratio16:9Tilt angle range0Response time4 msHeight adjustmentXDisplay number of colours16.7 million coloursPowerContrast ratio (typical)800:1PowerDisplay brightness250 cd/m²Energy efficiency class (SDR) *CColour gamut standardsRGBEnergy efficiency class (HDR)No	ortable monitor lack
Display technology *LEDProduct colour *BIDisplay resolution *1920 x 1080 pixelsVESA mountingXHD typeFull HDTilt adjustment✓Native aspect ratio16:9Tilt angle range0Response time4 msHeight adjustmentXDisplay number of colours16.7 million coloursHeight adjustmentXContrast ratio (typical)800:1PowerDisplay brightness250 cd/m²Energy efficiency class (SDR) *CColour gamut standardsRGBEnergy efficiency class (HDR)No	lack
Contrast ratio (typical)800:1PowerDisplay brightness250 cd/m²Energy efficiency class (SDR) *CColour gamut standardsRGBEnergy efficiency class (HDR)No	- 180°
Display brightness250 cd/m²Energy efficiency class (SDR) *CColour gamut standardsRGBEnergy efficiency class (HDR)No	
Touchscreen×Energy efficiency scaleAViewing angle, horizontal170°Energy consumption (SDR) per 1000 hours *7Viewing angle, vertical170°Weight & dimensionsPixel pitch0.17925 x 0.17925 mmWeight & dimensions	ot available .5 W to G kWh 62.3 mm
	33.8 mm
Tuner type * × Height 18   Audio Weight 80   Width (with stand) 36   Dentil (With stand) 36	8.8 mm 00 g 62.3 mm
Number of speakers2Height (with stand)10	33.8 mm 0.8 mm
	pc(s)
Card reader integrated * × Package width 42   Package depth 29	25 mm 90 mm
USB port✓Package weight1.USB port typeUSB Type-C	5 mm

Ports & interfaces		Packaging content	
USB ports quantity	2	Stand included	¥
USB Type-C DisplayPort Alternate Mode	1		
HDMI ports quantity	1		





4711377195539

4711377195553

Disclaimer. The information published here (the "Information") is based on sources that can be considered reliable, typically the manufacturer, but this Information is provided "AS IS" and without guarantee of correctness or completeness. The Information is only indicative and can be changed at any time without notification. No rights can be based on the Information. Suppliers or aggregators of this Information do not accept any liability with regard to the content of (web)pages and other documents, including its Information. The publisher of the Information can not be held liable for the content of 3rd party websites that are linking this Information or are linked to from this Information. You as the User of the Information are solely responsible for the choice and usage of this Information. You are not entitled to transfer, copy or otherwise multiply or distribute the Information. You are obliged to follow the directions of the copyright owner(s) with regard to the use of the Information. Exclusively Dutch law is applicable. With regard to price and stock data on the site, the publisher followed a number of starting points, which are not necessarily relevant for your private or business circumstances. Therefore, the price and stock data are only indicative and are subject to changes. You are personally responsible for the way you use and apply this information. As a user of the Information or sites or documents in which this Information is included, you will adhere to standard fair use including avoidance of spamming, ripping, intellectual-property violations, privacy violations, and any other illegal activity.