AXAGON

Axagon HMC-UFO USB-C Hub M.2 SATA/NVMe 1 Gbit/s Ethernet 384 kHz Audio Juhtmega ühendatud USB 3.2 Gen 2 (3.1 Gen 2) Type-C Must

Brand : Axagon

Product code: HMC-UFO

Product name : HMC-UFO USB-C Hub M.2 SATA/NVMe 1 Gbit/s Ethernet 384 kHz Audio

Axagon HMC-UFO USB-C Hub M.2 SATA/NVMe 1 Gbit/s Ethernet 384 kHz Audio. Ühenduvustehnoloogia: Juhtmega ühendatud, Hostiliides: USB 3.2 Gen 2 (3.1 Gen 2) Type-C, USB Power Delivery kuni: 100 W. Ethernet LAN-i andmeedastuskiirused: 10,100,1000 Mbit/s. Toote värv: Must, Ühilduvad mälukaardid: MMC, MMC Mobile, MicroSD (TransFlash), MicroSDHC, MicroSDXC, RS-MMC, SD, SDHC, SDXC, Toetatud ketaste tüübid: SSD. Toiteallika tüüp: USB, Toitepistmik: USB tüüp-C, USB-kaabli pikkus: 0,65 m. Muud toetatud operatsioonisüsteemid: Android, ChromeOS

Ports & interfaces

Connectivity technology *	Wired
Host interface *	USB 3.2 Gen 2 (3.1 Gen 2) Type-C
USB 3.2 Gen 1 (3.1 Gen 1) Type-C ports quantity	1
USB 3.2 Gen 2 (3.1 Gen 2) Type-A ports quantity	2
USB Power Delivery (USB PD)	✔
USB Power Delivery revision	3.0
USB Power Delivery up to	100 W
HDMI ports quantity *	1
Combo headphone/mic port	✔
Headphone connectivity	3.5 mm
HDCP	✔
HDCP version	1.4/2.2
USB Type-C DisplayPort Alternate Mode	✔

Network

Ethernet LAN *	✔
Ethernet LAN (RJ-45) ports	1
Ethernet LAN data rates	10,100,1000 Mbit/s

Performance

Card reader integrated *	✔
Compatible memory cards	MMC, MMC Mobile, MicroSD (TransFlash), MicroSDHC, MicroSDXC, RS-MMC, SD, SDHC, SDXC
Number of storage drives supported	1
Supported storage drive types	SSD
Storage drive sizes supported	M.2

Performance

UASP support	✔
Rubber feet	✔
Housing material	Plastic
Country of origin	China
Brand compatibility	Universal
Compatibility	universal
Certification	CE, RoHS

Power

Power source type	USB
Power connector	USB Type-C
USB cable length	0.65 m

Software

Windows operating systems supported	✔
Mac operating systems supported	✔
Linux operating systems supported	✔
Server operating systems supported	✔
Mobile operating systems supported	✔
Other operating systems supported	Android, ChromeOS

Weight & dimensions

Width	32 mm
Depth	110 mm
Height	100 mm
Weight	213 g

Packaging data

Quantity per pack	1 pc(s)

Performance

NVMe	✔
Supported SSD sizes	M.2
SSD enclosure	✔
Data transfer rate	10 Gbit/s
Maximum digital resolution	4096 x 2160 pixels
Number of displays supported	1
Maximum refresh rate	240 Hz
Product colour *	Black
LED indicators	✔
Plug and Play	✔
Charging function	✔

Packaging data

Package width	160 mm
Package depth	160 mm
Package height	40 mm
Package weight	400 g

Packaging content

Manual	✔

Technical details

Warranty period	2 year(s)
Compliance certificates	CE, RoHS

8595247908438