

DELL Precision 3591 Intel Core Ultra 7 155H Mobiilne tööjaam 39,6 cm (15.6") Full HD 16 GB DDR5-SDRAM 512 GB SSD NVIDIA RTX A500 Wi-Fi 6E (802.11ax) Windows 11 Pro Hall

Brand : DELL Product family: Precision Product code:
N101P3591EMEA VP

Product name: 3591

DELL Precision 3591. Toote tüüp: Mobiilne tööjaam, Toote kuju: Kokkukäiv. Protsessori perekond: Intel Core Ultra 7, Protsessori mudel: 155H. Ekraani diagonaal: 39,6 cm (15.6"), HD tüüp: Full HD, Ekraani resolutsioon: 1920 x 1080 pikslit. Sisemälu: 16 GB, Sisemälu tüüp: DDR5-SDRAM. Salvestusmaht kokku: 512 GB, Salvestusseade: SSD. Pardagraafika adapteri mudel: Intel Arc Graphics, Eraldiseisva graafika adapteri mudel: NVIDIA RTX A500. Installitud operatsioonisüsteem: Windows 11 Pro. Toote värv: Hall





Design		Camera	
Product type * Product colour * Form factor * Market positioning	Mobile workstation Grey Clamshell Business	Front camera HD type Video capturing speed Privacy camera Privacy type	Full HD 30 fps ✓ Privacy shutter
Display		Network	•
Display diagonal * 39.6 cm (15.6") Display resolution * 1920 x 1080 pixels Touchscreen * HD type Full HD Panel type IPS LED backlight Native aspect ratio 16:9 Anti-glare screen Display brightness 400 cd/m² Pixel density 141 ppi	Top Wi-Fi standard * Wi-Fi standards Mobile network connection * Antenna type WLAN controller model WLAN controller manufacturer Ethernet LAN Ethernet LAN data rates	Wi-Fi 6E (802.11ax) Wi-Fi 5 (802.11ac), 802.11b, 802.11g, Wi-Fi 4 (802.11n), Wi-Fi 6E (802.11ax)	
RGB colour space	sRGB	Bluetooth	✓
Colour gamut Maximum refresh rate Contrast ratio (typical)	100% 60 Hz 800:1	Ports & interfaces USB 3.2 Gen 1 (3.1 Gen 1) Type-A ports quantity *	2
Processor		Ethernet LAN (RJ-45) ports HDMI ports quantity *	1
Processor manufacturer * Processor family * Processor generation Processor model * Processor cores Processor threads Processor boost frequency Performance cores	Intel Intel Core Ultra 7 Intel® Core™ Ultra (Series 1) 155H 16 22 4.8 GHz 6	HDMI version Thunderbolt 4 ports quantity Intel® Thunderbolt 4 Combo headphone/mic port USB Type-C DisplayPort Alternate Mode PowerShare	2.1 2 • • • • • •

Processor		Ports & interfaces	
Efficient cores Low Power Efficient-cores	8 2	Number of USB ports with PowerShare support	1
Performance-core Max Turbo	4.8 GHz	Keyboard	
Frequency Efficient-core Max Turbo Frequency	3.8 GHz	Pointing device	Touchpad
Low Power Efficient-core Max Turbo	2.5 GHz	Numeric keypad *	1
Frequency		Keyboard backlit	✓
Performance-core base frequency	1.4 GHz 0.9 GHz	Software	
Efficient-core base frequency Low Power Efficient-core Base		Operating system architecture	64-bit
Frequency	700 MHz	Trial software	Microsoft Office Trial,McAfee Business Protection 1-year
Processor cache	24 MB	Operating system installed *	Windows 11 Pro
Processor cache type	Smart Cache	Battery	
Processor base power Maximum turbo power	28 W 115 W	Number of battery cells	4
	115 W	Battery capacity *	64 Wh
Neural processor unit (NPU) Neural processor unit (NPU)	Intel Al Boost	Battery voltage	15.2 V
Maximum frequency NPU	1.4 GHz	Battery recharge time	3 h
Sparsity support	✓	Fast charging	✓
Windows Studio effects support	✓	Battery charge indicator	✓
Al datatype support on NPU	FP16, FP32, Int8	Battery weight	280 g
Al software frameworks supported	DirectML, ONNX RT, OpenVINO,	Power	
by NPU	Windows ML	AC adapter power	130 W
Memory		AC adapter frequency	50 - 60 Hz
Internal memory *	16 GB	AC adapter input voltage	100 - 240 V ✓
Internal memory type Memory form factor	DDR5-SDRAM SO-DIMM	USB Type-C charging port *	√
Memory layout (slots x size)	1 x 16 GB	USB Power Delivery (USB PD) USB charging voltage	5,20 V
Memory slots	2x SO-DIMM		J,2√ ¥
Maximum internal memory *	64 GB	Security Cable leak elet	,
Memory data transfer rate	5600 MT/s	Cable lock slot	Wedge
Storage		Cable lock slot type Fingerprint reader	Wedge ✓
Total storage capacity *	512 GB	Smart card reader	√
Storage media *	SSD	Trusted Platform Module (TPM)	·
Total SSDs capacity Number of SSDs installed	512 GB 1	Trusted Platform Module (TPM)	
SSD capacity	512 GB	version	2.0
SSD interface	PCI Express 4.0	Operational conditions	
NVMe	✓	Operating temperature (T-T)	0 - 35 °C
SSD form factor	M.2	Storage temperature (T-T)	-40 - 65 °C
Optical drive type *	×	Operating relative humidity (H-H)	10 - 90%
Card reader integrated	✓	Storage relative humidity (H-H) Operating altitude	0 - 95% -15.2 - 3048 m
Compatible memory cards	MicroSD (TransFlash), MicroSDHC, MicroSDXC	Non-operating altitude	-15.2 - 10668 m
Cranhica	PHELOSONC	Operating shock	110 G
Graphics	ALVIDIA.	Non-operating shock	160 G
Discrete GPU manufacturer Discrete graphics card model *	NVIDIA NVIDIA RTX A500	Operating vibration	0.66 G
Discrete graphics card model	4 GB	Non-operating vibration	1.3 G
Discrete graphics memory type	GDDR6	Sustainability	
On-board graphics card *	✓	Sustainability compliance	/
On-board GPU manufacturer	Intel	Sustainability certificates	ENERGY STAR, TCO
Discrete graphics card *	✓	Weight & dimensions	
On-board graphics card family	Intel Arc Graphics	Width	357.8 mm
On-board graphics card model *	Intel Arc Graphics	Depth	233.3 mm
Audio		Height (front)	2.27 cm 2.47 cm
Number of built-in speakers	2	Height (rear) Weight *	2.47 cm 1.79 kg
Speakers manufacturer	Waves	y	z ng
Speaker power	2 W		

Audio		Carbon footprint	
Built-in microphone	✓	Total carbon footprint (kg of CO2e)	120
Number of microphones	2	Carbon emissions, manufacturing (kg of CO2e)	84
	2.07 MP 1920 x 1080 pixels	Carbon emissions, logistics (kg of CO2e)	5
		Carbon emissions, energy usage (kg of CO2e)	31
		Carbon emissions, end-of-life (kg of CO2e)	1
		Total carbon emissions, w/o use phase (kg of CO2e)	89
		PAIA version	GaBi version 1, 2024
		Packaging content	
		Cables included	AC

